
1888 SLIDEBOLT PADLOCK LATCH

FOR 160 PREP PATENT PENDING



INSTALLATION:

1. PREP THE DOOR ACCORDING TO YOUR MODEL ORDERED.

ASA STRIKE

13 GA (.089) STAINLESS STEEL

(2) 12-24x3/8" UNDERCUT PHILLIPS FLAT HEAD M.S.

- 2. INSERT THE BOLT ASSEMBLY INTO THE BOLT GUIDE AND PLACE THE FACE PLATE ONTO BOLT GUIDE AND SCREW THE ASSEMBLY TO THE DOOR USING THE PROPER SCREW FOR THE APPLICATION.
- 3. PLACE THE PADLOCK ASSEMBLY ON THE CORRECT SIDE OF THE DOOR MAKING SURE THE ACTUATOR GOES THRU THE SQUARE HOLES THAT ARE ON THE BOLT ASSEMBLY. *PADLOCK ASSEMBLY MUST BE INSTALLED WITH 3/8" HOLE ON OPPOSITE SIDE OF LATCH (AS SHOWN IN PICTURE)
- 4. PLACE THE INSIDE COVER PLATE ON THE OPPOSITE SIDE OF THE DOOR AND SCREW TOGETHER WITH THE 10-32 SCREWS WITH FAIL-SAFE NUT. CHECK FOR PROPER OPERATION BEFORE TIGHTING THE SCREWS.

SPECIFICATIONS

MODEL 1888- 2 3/8" BACKSET

160 DOOR PREP
FOR 1-3/8" THICK DOOR

1/2" DIA. STAINLESS STEEL BOLT W/ 5/8" THROW.

PADLOCK ASSEMBLY: STAINLESS STEEL CASTING WITH NYLON INSTALLATION GUIDE.

INSIDE COVER PLATE: STAINLESS STEEL.

HANDING: REVERSIBLE/NON-HANDED.

STRIKE: 13 GAUGE (.089) STAINLESS STEEL 4-7/8" ASA OR 2-3/4" T STRIKE.

@ www.abhmfg.com E-mail: abhinfo@abhmfg.com Architectural Builders Hardware Mfg., Inc. 1222 Ardmore Ave., Itasca, IL 60143 630.875.9900; FAX 800.9FAXABH (932.9224) 1888 SLIDEBOLT INSTALLATION-1-01.DWG


1888


© 2014 ABH Mfg., Inc. printed in USA

PAGE 1 OF 2 REVISED 07-12-14

1888 SLIDEBOLT PADLOCK LATCH

FOR 160 PREP FOR 1-3/8" THICK DOOR







® www.abhmfg.com

E-mail: abhinfo@abhmfg.com Architectural Builders Hardware Mfg., Inc. 1222 Ardmore Ave., Itasca, IL 60143 630.875.9900; FAX 800.9FAXABH (932.9224) 1880 SLIDEBOLT INSTALLATION-2-01.DWG

PAGE 2 OF 2 REVISED 07-12-14

1888