



Caution: Door swing may be limited by door, frame, wall or hardware conditions.

Notes:

- 1. Do not scale drawing.
- 2. Left hand door shown.
- 3. Dimensions are in inches (mm).
- 4. Hollow metal doors require channel or box type reinforcement when thru bolt mount is specified.

Hinge

or Pivot

- 5. Sex bolts may be required for wood or plastic faced fire door mounting.
- 6. Minimum thickness recommended for reinforcements in hollow metal doors and frames: 0.1046" (2.66mm) unless otherwise noted.

		Prepai	Preparation for Fasteners		
	Fasteners		Door or Frame	Drill Sizes	
	Standard	#14 type "A" S.M. Screw Arm: 1-1/4" (32mm) Closer: 2-3/4" (70mm)	Wood	7/32" (5.5mm)	
			Aluminum		
		1/4-20 machine screw	Metal	drill: #7 (.201") tap: 1/4-20	
	Optional	Sex nuts and bolts	Hollow Metal	9/32" (7.00mm) thru; 3/8" (9.50mm) on door or transom face opposite to closer	
			Aluminum or Wood	3/8" (9.50mm) thru	
		Thru bolts and grommet nuts	All	9/32" (7.00mm) thru; 3/8" (9.50mm) dia. x 3/8" (10mm) deep on door or transom face opposite to closer	

Maximum

Experience a safer and more open world

 $Copyright @\ 2004, 2023,\ ASSA\ ABLOY\ Access and\ Egress\ Hardware\ Group,\ Inc.\ All\ rights reserved.\ Reproduction\ in\ whole\ or\ in\ part\ without\ the\ express\ written\ permission\ of\ ASSA\ ABLOY\ Access\ and\ Egress\ Hardware\ Group,\ Inc.\ is\ prohibited.$

PA400 Series Door Closer - Sized 2 thru 6 PA 4400 Series Door Closer - Multi-Size 1 to 6 With 297 Soffit Plate and With or Without 488 Drop Plate Parallel Non-Hold Open Arm Application

4 Holes for Closer

or

4 Holes for 488 Drop Plate

Template Number: 7344-0204
Sheet: 1 of 1

Date: 12/23

ASSA ABLOY

1-855-557-5078 www.assaabloy.com