

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20161024-BP2092  
**Report Reference** BP2092-19920424  
**Issue Date** 2016-OCTOBER-24

**Issued to:** ADAMS RITE MFG CO  
10027 S 51ST ST  
PHOENIX AZ 85044-5219

**This is to certify that  
representative samples of**

**BURGLARY-RESISTANT ELECTRIC DOOR STRIKES;  
ACCESS CONTROL SYSTEM UNITS**

Models: 70XX YZT TTT TT and 71XX, where XX can be 00, 01, 08, 10, 11, 20, 28, 30, 31, 40, 45, 50, 55, 60, 61, 65, 70, R1 or R2; Y and can be 3, 4, or 5; Z can be 1, 2, 3, or 4; T is for the manufacturer's use. Static Strength Rating: 1,500 lbs; Dynamic Impact Rating: 70 ft lbs.; Endurance Rating: 250,000 cycles.


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 1034, Burglary-Resistant Electric Locking Mechanisms  
UL 294, Access Control System Units

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

