



# Price List 2025

## ELELCTRIFIED LOCKING HARDWARE

[commandaccess.com](http://commandaccess.com)

⚡ Always here to help ⚡

888-622-2377

|                                      |    |                              |    |
|--------------------------------------|----|------------------------------|----|
| <b>TERMS &amp; TEAM</b>              | 2  | <b>POWER SUPPLIES</b>        | 22 |
| <b>ELECTRIFIED MORTISE LOCKS</b>     | 4  | <b>POWER ACCESSORIES</b>     | 23 |
| <b>ELECTRIFIED CYLINDRICAL LOCKS</b> | 10 | <b>POWER TRANSFER HINGES</b> | 24 |
| <b>ELECTRIFIED EXIT TRIM</b>         | 13 | <b>POWER TRANSFER PIVOTS</b> | 30 |
| <b>EXIT DEVICES &amp; KITS</b>       | 16 | <b>DOOR LOOPS</b>            | 31 |



# COMMAND ACCESS TERMS

**PRICES:** All list prices are subject to change without prior notice and are not guaranteed. All prices are per unit (each) unless otherwise specified and do not include sales or local taxes. All shipments will be made at prices prevailing at time of shipment.

**EXPEDITE FEE:** A customer may request that an order be expedited. Expedite fees will be determined based on current production capacity and any overtime required to meet the customer's requested timeline. Fees typically range from 25-50% of the cost of the expedited items. CAT reserves the right to decline expedite requests based on current workload and production capacity. Not all expedite requests can be granted. Please call Customer Service at 888-622-2377 for approval before placing an

**PAYMENT TERMS:** The standard credit terms of Command Access Technologies (herein called CAT) are 2% 10 days net 30. To qualify for the 2% discount, payment must be received by CAT within 10 days of invoice date. After day 10, the full invoice amount is due. Net 30 means payment must be received at CAT on or before 30 days from the date of the invoice. Interest will be charged at the rate of 2% per month on all past due accounts, calculated from day 31.

**ACCEPTANCE OF ORDERS AND/OR QUOTATIONS:** Possession of prices from CAT does not commit CAT to accept any order. CAT reserves the right to refuse any order and will not be bound to fulfill any order until it has been accepted by a representative of CAT and confirmed by a written acknowledgement. Quotations are valid for thirty (30) days following the date of the quotation.

**OPEN ACCOUNT STATUS:** CAT reserves the right to decline or discontinue direct sales to any customer who does not meet an annual minimum sales requirement of **\$10,000.00** in invoiced purchases. Accounts falling below this minimum may be converted to prepay status or may be directed to purchase through our authorized distribution partners after a 30-day notice period.

**ACKNOWLEDGEMENTS:** An acknowledgement is an exact copy of a customer's order as entered by CAT and should be verified by the customer. If the acknowledgement does not agree with said customers understanding CAT should be advised within (3) three days or the order will be billed as acknowledged. CAT's sales terms shall apply irrespective of any special stipulation appearing in customer order, unless specifically acknowledged and accepted by CAT.

**RETURNED GOODS:** The customer must advise customer service at CAT of merchandise to be returned and a Returned Goods Authorization (RGA) will be issued. CAT will not accept goods returned without an RGA. Full credit against further purchases or a replacement will be made at the option of CAT if upon investigation reveals that goods were shipped in error (when reported within 30 days of receipt) or if goods are defective in workmanship or material (when reported within the warranty period). Otherwise, a restocking fee of not less than (25) twenty-five percent will be charged. All merchandise must be PREPAID AND PROPERLY PACKED. All C.O.D. orders shipped to CAT will be refused. Returned goods must be packed in their original boxes. If product has been installed it cannot be returned but only repaired, please consult factory for repair costs (unless under warranty). No credit will be given for product not in its original form unless, upon CAT's inspection, product is found to be defective. If product is returned as defective and is found to be operational, product will be returned to customer (C.O.D.) and no credit will be issued.

**MINIMUM CHARGE:** No order will be invoiced for less than \$25.00 net plus shipping charges.

**SPECIAL ORDER:** When a special order is accepted, and entered, no change can be made and the order is non-cancellable.

**CHANGES OR CANCELLATIONS:** When a special order is accepted, and entered, no change can be made, and the order is non-cancellable. Cancellation for items already packed for shipment will be removed if possible. A twenty-five percent (25%) restocking fee will apply.

**CLAIMS OR SHORTAGES:** No claim for damage, shortage, or loss in transit will be accepted unless notice is given in writing to the carrier and to CAT within (10) ten days of receipt of goods. Documentation of damage, including photographs of damaged product and packaging, must be provided with all claims to expedite processing. CAT reserves the right to request inspection of damaged goods before issuing credit or replacement.

**BACK CHARGES:** CAT is not responsible for, does not authorize, and will not accept any charges for the cost of labor, travel or material incurred by anyone other than CAT for any installation, repair, service, or replacement unless incurred with CAT's prior written consent and agreement. To obtain authorization for back charges, customers must submit a written estimate detailing all costs before work begins and receive written approval from a CAT representative. Unauthorized back charges will not be honored.

**FREIGHT CHARGES:** All goods are invoiced F.O.B. CAT, Yorba Linda, California. Freight charges are prepaid and are added to invoice. Consignee pays C.O.D. freight charges when delivered to the Freight Company the shipment becomes the property of the purchaser, who assumes the risk of loss or damage in transit. If invoice exceeds \$1,500.00 net, full-service freight by UPS or our choice within the continental U.S.A. (excluding Hawaii, Alaska, Guam & Puerto Rico) is deductible, provided invoice is paid within set terms. Custom fabrications, oversized items (exceeding 48" in any dimension), and hazardous materials do not qualify for freight deduction. Airfreight and other special shipments are not deductible. CAT does not ship to directly to Canada, for all Canadian destinations please contact Connection Network Agencies at 905-823-3002.

**PRODUCT CHANGES OR CANCELLATIONS:** CAT reserves the right to modify or discontinue any price, product, design, function and finish without prior notice.

**LIMITED WARRANTY:** Command Access Technologies warrants that its products are free from defects in workmanship and material under normal use and service. Since CAT does not control product usage, CAT makes no representation as to the degree of security conveyed by the use of any product. This warranty does not cover defects or damage which occur from improper maintenance, improper storage, improper installation, shipping and handling, ordinary wear and tear, misuse, abuse, accidents, unauthorized service, work done by others or consequential damages. CAT will not pay for the cost of repair performed other than in accordance with this warranty. CAT can only perform authorized warranty work at the factory. CAT's only liability, in tort or contract, whether under this warranty or otherwise, is limited to providing repair or replacement of any product or component part which is proven to be defective as covered by the warranty, within three (3) years after delivery from CAT to the original purchaser. Written notice of a product or component part believed to be defective, as covered by this warranty, should be sent to Command Access Technologies 22901 La Palma Avenue, Yorba Linda, CA 92887. Include Claimant's name, address, phone, and identification of the product, invoice number and date, and a brief description of the defect. Upon receipt of such notice, a CAT representative will contact claimants to where to ship such product or component part, with shipping charges prepaid, for examination and, in the event such examination reveals a defect covered by this warranty, the product will be repaired (existing product installed 6+ months) or replaced (all new installations of 6 months or less). This warranty is in lieu of all other express warranties. To the extent permitted by law, all implied warranties are limited to the duration of this warranty. CAT shall not be liable for any incident or consequential damages. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary, from state to state.

**PRODUCT FINISHES:** Although CAT modifies products with the finest protective coatings, they do have their limitations. In time, they might deteriorate from extremes in climate, frequency of use, perspiration, or other factors. CAT does not consider excessive wear or tarnishing of the finish because of any of the above conditions as a defect. It is considered a normal process, which cannot be avoided. Thus, CAT cannot guarantee product finishes and will not repair or replace finishes under this warranty.

# COMMAND TEAM ROSTER

**JORDAN HENDERSON**  
CSR TEAM MEMBER  
JH@COMMANDACCESS.COM

**DANNY LOPEZ**  
CSR TEAM MEMBER  
DL@COMMANDACCESS.COM

**MANNY CHAVEZ**  
CSR TEAM MEMBER  
MC@COMMANDACCESS.COM

**HAYLI THURMAN**  
CSR TEAM MEMBER  
HT@COMMANDACCESS.COM

**JOHN VAN ANDRIGHAM**  
TECH SUPPORT LEAD  
JV@COMMANDACCESS.COM

**SARAH AFARIAN**  
CSR MANAGER  
SA@COMMANDACCESS.COM

**BRIAN KENLEY**  
DIRECTOR OF TECHNICAL SERVICES  
BWK@COMMANDACCESS.COM

**JERRAD FREYMUTH**  
DIRECTOR OF SALES  
JF@COMMANDACCESS.COM

**MATEO KRISTOFF**  
VP SALES & MARKETING  
MK@COMMANDACCESS.COM



**WORLD HEADQUARTERS: 22901 LA PALMA AVE., YORBA LINDA CA 92887**

**EAST COAST WAREHOUSE: 106 SPRING LAKE DRIVE, NEW BRITAIN, PA 18901**



## WHAT ALWAYS HERE TO HELP MEANS...

- WE ANSWER THE PHONE WITH A **LIVE VOICE**, MONDAY THRU FRIDAY 7:30AM - 4:00PM PST
- OUR CUSTOMER SERVICE DEPARTMENT STRIVES TO **DELIVER EXCELLENT CUSTOMER SATISFACTION**
- OUR **LIVE CHAT** IS OPERATED BY OUR CUSTOMER SERVICE TEAM MAKING IT EASY TO GET A HOLD OF US, ESPECIALLY IF YOU LIKE TO MULTI-TASK
- OUR **LEAD TIMES ARE 5-10 DAYS** FOR CATALOGED ITEMS. IF WE CAN SHIP SOONER, WE WILL SURE TRY!
- IF WE MAKE A MISTAKE, WE ARE COMMITTED TO MAKING IT RIGHT
- OUR WEBSITE IS USER FRIENDLY AND EXPANDING DAILY WITH INFORMATION & DEMONSTRATION VIDEOS
- WE HAVE COMPETENT, REACHABLE TECHNICAL SUPPORT EVERYDAY DURING BUSINESS HOURS
- ANYONE WHO NEEDS OUR SUPPORT GETS IT
- WE ARE WILLING TO TRAIN ON SITE, AT YOUR CUSTOMERS OR VIA WEBINAR
- WE TAKE GOOD MECHANICAL PRODUCTS & MAKE THEM BETTER ELECTROMECHANICAL PRODUCTS
- WE WILL SHIP REPLACEMENT PRODUCTS AS SOON AS POSSIBLE, USUALLY WITHIN THE NEXT BUSINESS DAY
- WE STRIVE TO ACKNOWLEDGE YOUR ORDER WITHIN 24 HOURS
- ALL OF OUR DOCUMENTS, INCLUDING ACKNOWLEDGMENTS, INVOICES, STATEMENTS, AND RMA'S WILL BE EMAILED



## COMMAND ACCESS KNOWLEDGE BASE

- YOUR FIRST STOP FOR TECH SUPPORT – A LIBRARY OF EASY-TO-FOLLOW VIDEOS TO HELP YOU SOLVE COMMON TECHNICAL ISSUES ON YOUR OWN.
- 24/7 ACCESS TO SOLUTIONS – GET HELP ANYTIME, ANYWHERE WITHOUT NEEDING TO CALL IN.
- STEP-BY-STEP VIDEO GUIDES – WATCH OUR TECHNICIANS WALK YOU THROUGH INSTALLS, TROUBLESHOOTING, AND REPAIRS.
- SAVE TIME ON SUPPORT CALLS – MOST PROBLEMS CAN BE FIXED WITH JUST A FEW CLICKS AND A QUICK VIDEO.
- SEARCHABLE VIDEO LIBRARY – FIND THE EXACT SOLUTION YOU NEED BY PRODUCT, ISSUE, OR KEYWORD.
- CONSTANTLY UPDATED – NEW VIDEOS ADDED REGULARLY TO KEEP UP WITH PRODUCT UPDATES AND COMMON QUESTIONS.



# ELECTRIFIED MORTISE LOCKS



FOR MODIFICATION, CHASSIS ONLY AND COMPLETE LOCKS

## PREFIX or SUFFIX

MD - Modification - Prefix  
CH - Chassis Only - Suffix

## MODEL + FUNCTION

Select a model number and add  
EL (Fail Safe) - Electronically Locked  
EU (Fail Secure) - Electronically Unlocked

## VOLTAGE

12 or 24 Volts must be specified  
Motorized = Universal Input 11-30V

## OPTIONAL SWITCHES

REX - Request-to-Exit DBM - Deadbolt Monitor  
DPS - Door Position Switch  
LBM - Latchbolt Monitor

## M-OPTION FOR MORTISE LOCK





For Command Access & Schlage model #s only.

- Intelligent auto voltage sensing 11-30 VDC
- Extremely low holding current = motorized
- Field selectable EU/EL with press of a button

FOR AND COMPLETE LOCKS ONLY

## TRIM

 - Tubular  
 - Bent

 - Straight  
 - Curved

 - Escutcheon

## FINISH (BHMA std)

613 - Oil Rubbed Bronze 626 - Satin Chrome  
625 - Polished Chrome

## SPECIAL ORDER

605 - Polished Bronze 612 - Satin Bronze  
606 - Satin Brass 630 - Satin Stainless

## KEYWAY

S - "C" Kwy Standard SFIC - Small Format I/C Prep  
LC - Less Cylinder LFIC - Factory Large Format I/C Prep

## ACCESSORIES

Faceplates - Storeroom function in specified finishes  
Strikes - 4-7/8" ASA Strike in specified finishes  
CRU2 - Current Reduction Unit (AC & DC input)  
4 Lead - 4' Wire Lead to switches  
10 Lead - 10' Wire lead to switches  
QC - Molex Connectors  
BR1 - Bridge Rectifier w/ 12" lead (included)  
BR5 - Bridge Rectifier w/ 5' lead

## EXAMPLES

### MODIFICATION ONLY

|         | PREFIX | MODEL | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC  | COMPLETE PART #        |
|---------|--------|-------|----------|--------|---------|--------|--------|---------|------|------------------------|
| Part #  | MD     | ML80  | EL       | -      | 12V     | -      | -      | REX     | CRU2 | MDML80 EL 12V REX CRU2 |
| List \$ | -      | \$165 | -        | -      | -       | -      | -      | \$85    | \$41 | \$291                  |

### CHASSIS ONLY

|         | PREFIX | MODEL   | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC | COMPLETE PART #       |
|---------|--------|---------|----------|--------|---------|--------|--------|---------|-----|-----------------------|
| Part #  | -      | ML19092 | EU       | CH     | -       | -      | -      | REX LBM | -   | ML19092 EU CH REX LBM |
| List \$ | -      | \$456   | -        | -      | -       | -      | -      | \$160   |     | \$616                 |

### COMPLETE LOCK

|         | PREFIX | MODEL  | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC  | COMPLETE PART #                |
|---------|--------|--------|----------|--------|---------|--------|--------|---------|------|--------------------------------|
| Part #  | -      | ML1485 | EU       | L3B    | 24V     | 626    | S      | REX     | QC   | ML1485 EU L3B 24V 626 S REX QC |
| List \$ | -      | \$815  | -        | +\$18  | -       | -      | -      | \$85    | \$29 | \$947                          |


Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.












# ELECTRIFIED LATCH PULLBACK



## LPM190X SERIES

The **LPM190X** series is a **motorized latch retraction mortise** lockset that is compatible with Schlage trim and prep. Latch retraction makes it an ideal lock for pairing with auto-operators, double doors, push/pull conditions & single occupancy restroom applications. Available with lever control solenoid for latch retraction x lever control allowing for multiple specialty functions.

- Motorized Latch Retraction
- Retrofits to Schlage L9000 series
- Grade 1 UL listed
- Available with REX, LBM, & DPS
- Input voltage 24VDC
- Current Peak 1A
- Holding current 300mA
- Lever control EU/EL field changeable

| PART #               | COMPLETE LOCK<br>LIST \$ | CHASSIS ONLY<br>LIST \$ | IN-STOCK TRIM   |   |   |   |       |       |   | IN-STOCK FINISHES |     |     |    | KEYWAY |       | OPTIONAL SWITCHES |       |                |     |
|----------------------|--------------------------|-------------------------|---|---|---|---|-------|-------|---|-------------------|-----|-----|----|--------|-------|-------------------|-------|----------------|-----|
|                      |                          |                         |  |  |  |  | B     | ROSE  |  | 626               | 625 | 613 | LC | SC     | SFIC  | LFIC              | REX   | LBM            | DPS |
| LPM1910 <sup>1</sup> | \$1033                   | \$700                   | L3  | L6  | L7  | L17   | +\$18 | +\$55 | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM190 <sup>1</sup>  | \$1054                   | \$700                   | L3  | L6  | L7  | L17   | +\$18 | +\$55 | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM192 <sup>1</sup>  | \$1092                   | \$723                   | L3  | L6  | L7  | L17   | +\$18 | -     | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM193 <sup>1</sup>  | \$1219                   | \$865                   | L3  | L6  | L7  | L17   | +\$18 | +\$55 | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM194 <sup>1</sup>  | \$1219                   | \$865                   | L3  | L6  | L7  | L17   | +\$18 | +\$55 | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM195 <sup>1</sup>  | \$1234                   | \$865                   | L3  | L6  | L7  | L17   | +\$18 | -     | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM196 <sup>1</sup>  | \$1234                   | \$865                   | L3  | L6  | L7  | L17   | +\$18 | -     | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$28 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM197 <sup>1</sup>  | \$1234                   | \$865                   | L3  | L6  | L7  | L17   | +\$18 | -     | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$56 | +\$80             | +\$80 | - <sup>2</sup> |     |
| LPM198 <sup>1</sup>  | \$1234                   | \$865                   | L3  | L6  | L7  | L17   | +\$18 | -     | ✓   | ✓                 | ✓   | -   | ✓  | +\$66  | +\$56 | +\$80             | +\$80 | - <sup>2</sup> |     |

1. LPM180 Solenoid Series - Limited Availability - Call for Pricing  
2. See IDPS Series for Door Position option

## COMMAND ACCESS MRC1 SERIES

### RETROFIT CHASSIS ONLY

Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing. *Includes 626 faceplate & strike* (other finishes available upon request at an upcharge \$60).






✓ or \$ = Available  
- = Not Available

| BEST 35 SERIES                | PART #           | LIST \$ | 626 | LC | SC    | SFIC   | LFIC  | REX   | LBM   | DPS   | DBM   |
|-------------------------------|------------------|---------|-----|----|-------|--------|-------|-------|-------|-------|-------|
|                               | MRC135D EU/EL    | \$476   | ✓   | -  | -     | ✓      | -     | +\$85 | +\$85 | +\$85 | -     |
|                               | MRC135W EU/EL    | \$504   | ✓   | -  | -     | ✓      | -     | +\$85 | +\$85 | +\$85 | -     |
| CAL ROYAL<br>8800 SERIES      | MRC18080 EU/EL   | \$476   | ✓   | ✓  | +\$34 | +\$76  | +\$38 | +\$85 | +\$85 | +\$85 | -     |
|                               | MRC18082 EU/EL   | \$504   | ✓   | ✓  | +\$34 | +\$152 | +\$76 | +\$85 | +\$85 | +\$85 | -     |
| CORBIN RUSSWIN<br>2000 SERIES | MRC105/03 EU/EL  | \$476   | ✓   | ✓  | +\$34 | +\$76  | +\$38 | +\$85 | +\$85 | +\$85 | -     |
|                               | MRC104/01 EU/EL  | \$504   | ✓   | ✓  | +\$34 | +\$152 | +\$76 | +\$85 | +\$85 | +\$85 | -     |
| FALCON MA<br>SERIES           | MRC181/51 EU/EL  | \$476   | ✓   | ✓  | +\$34 | +\$76  | +\$38 | +\$85 | +\$85 | +\$85 | -     |
|                               | MRC121/11 EU/EL  | \$504   | ✓   | ✓  | +\$34 | +\$152 | +\$76 | +\$85 | +\$85 | +\$85 | -     |
|                               | MRC1681/51 EU/EL | \$504   | ✓   | ✓  | +\$34 | +\$76  | +\$38 | +\$85 | +\$85 | -     | +\$85 |
| SARGENT<br>8200 SERIES        | MRC1370/71 EU/EL | \$476   | ✓   | ✓  | +\$34 | +\$76  | +\$38 | +\$85 | +\$85 | +\$85 | -     |
|                               | MRC1373/11 EU/EL | \$504   | ✓   | ✓  | +\$34 | +\$152 | +\$76 | +\$85 | +\$85 | +\$85 | -     |

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.

# ELECTRIFIED MORTISE LOCKS

✓ or \$ = Available  
- = Not Available

| LIST \$ |                          |                         |                              | Stock Trim Styles   |   |   |   | Stock Finishes  |     |     | Keyway |    |    | Optional Switches |                  |                       |                         |
|---------|--------------------------|-------------------------|------------------------------|---|---|---|---|---|-----|-----|--------|----|----|-------------------|------------------|-----------------------|-------------------------|
| PART #  | COMPLETE LOCK<br>List \$ | CHASSIS ONLY<br>List \$ | MODIFICATION ONLY<br>List \$ |   |   |   |   |   |     |     |        |    |    |                   |                  |                       |                         |
|         |                          |                         |                              |  |  |  |  |  | 626 | 625 | 613    | LC | SC | SFIC (less core)  | LFIC (less core) | Request to Exit (REX) | Latchbolt Monitor (LBM) |
|         |                          |                         |                              |   |   |   |   |   |     |     |        |    |    |                   |                  | Door Position (DPS)   | Deadbolt Monitor        |

## BEST 45

MODIFICATION (Customer's Best 45HD, 45HAB & 45HUNAB Chassis) / CHASSIS ONLY / COMPLETE LOCK  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing. Special order trims and finishes available. Faceplates & Strikes available in 626

| FUNCTION      | PART #      | COM \$ | CH \$ | MD \$ |    |     |   |     |    | 626 | 625 | 613 | LC | SC | SFIC   | LFIC | REX   | LBM   | DPS   | DBM |
|---------------|-------------|--------|-------|-------|----|-----|---|-----|----|-----|-----|-----|----|----|--------|------|-------|-------|-------|-----|
| STOREROOM     | ML45DEU/EL  | -      | \$609 | \$159 | 3H | 15H | - | 14H | M* | ✓   | ✓   | ✓   | ✓  | -  | +\$76  | -    | +\$85 | +\$85 | +\$85 | -   |
| INSTITUTIONAL | ML45WEU/EL  | -      | \$609 | \$175 | 3H | 15H | - | 14H | -  | ✓   | ✓   | ✓   | ✓  | -  | +\$152 | -    | +\$85 | +\$85 | +\$85 | -   |
| ENTRANCE W/DB | ML453DEU/EL | -      | \$785 | \$175 | 3H | 15H | - | 14H | -  | ✓   | ✓   | ✓   | ✓  | -  | +\$76  | -    | -     | -     | -     | -   |

## CAL ROYAL

MODIFICATION (Customer's Cal-Royal M8080 & M8453 Chassis) / COMPLETE LOCK  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing+.

| FUNCTION      | PART #      | COM \$ | CH \$ | MD \$ |    |    |    |    |   | 626 | 625 | 613 | LC | SC | SFIC  | LFIC  | REX   | LBM   | DPS | DBM |
|---------------|-------------|--------|-------|-------|----|----|----|----|---|-----|-----|-----|----|----|-------|-------|-------|-------|-----|-----|
| STOREROOM     | ML8080EU/EL | -      | -     | \$159 | TS | SS | GS | JS | - | ✓   | ✓   | ✓   | -  | ✓  | +\$76 | +\$28 | +\$85 | +\$85 | -   | -   |
| ENTRANCE W/DB | ML8053EU/EL | -      | -     | \$199 | TS | SS | GS | JS | - | ✓   | ✓   | ✓   | -  | ✓  | +\$76 | +\$28 | +\$85 | +\$85 | -   | -   |

## CORBIN RUSSWIN

MODIFICATION (Customer's Corbin ML2057 Chassis)  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU). Faceplates & Strikes available in 613, 625, 626 (see page 9 for pricing)

| FUNCTION      | PART #      | COM \$ | CH \$ | MD \$ |   |   |   |   |   | 626 | 625  | 613  | LC | SC | SFIC   | LFIC  | REX   | LBM   | DPS   | DBM |
|---------------|-------------|--------|-------|-------|---|---|---|---|---|-----|------|------|----|----|--------|-------|-------|-------|-------|-----|
| STOREROOM     | ML05EU/03EL | -      | \$762 | \$157 | - | - | - | - | - | ✓   | CALL | CALL | ✓  | ✓  | +\$76  | +\$38 | +\$85 | +\$85 | +\$85 | -   |
| INSTITUTIONAL | ML04EU/01EL | -      | \$781 | \$175 | - | - | - | - | - | ✓   | CALL | CALL | ✓  | ✓  | +\$152 | +\$76 | +\$85 | +\$85 | +\$85 | -   |

## FALCON


MODIFICATION (Customer's Falcon MA 561/31 Chassis)  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU). Faceplates & Strikes available in 613, 625, 626 (see page 9 for pricing)

|               |             |   |   |       |                                  |  |  |  |  |  |  |  |  |  |  |  |       |       |   |   |
|---------------|-------------|---|---|-------|----------------------------------|--|--|--|--|--|--|--|--|--|--|--|-------|-------|---|---|
| STOREROOM     | ML81EU/51EL | - | - | \$157 | SEE MRC1 SERIES FOR CHASSIS ONLY |  |  |  |  |  |  |  |  |  |  |  | +\$85 | +\$85 | - | - |
| INSTITUTIONAL | ML21EU/11EL | - | - | \$175 |                                  |  |  |  |  |  |  |  |  |  |  |  | +\$85 | +\$85 | - | - |
| ENTRANCE W/DB | ML681EU/EL  | - | - | \$175 |                                  |  |  |  |  |  |  |  |  |  |  |  | +\$85 | +\$85 | - | - |






1. Not available on deadbolt models
2. Call for availability of deadbolt trims.



# ELECTRIFIED MORTISE LOCKS



✓ or \$ = Available  
- = Not Available

| LIST \$ |                          |                         |                              | Stock Trim Styles   |   |   |   | Stock Finishes  |     | Keyway |     | Optional Switches |    |                  |                   |                       |                         |                     |                  |
|---------|--------------------------|-------------------------|------------------------------|---|---|---|---|---|-----|--------|-----|-------------------|----|------------------|-------------------|-----------------------|-------------------------|---------------------|------------------|
| PART #  | COMPLETE LOCK<br>List \$ | CHASSIS ONLY<br>List \$ | MODIFICATION ONLY<br>List \$ |  |  |  |  |  | 626 | 625    | 613 | S                 | LC | SFIC (less core) | LFIC ((less core) | Request to Exit (REX) | Latchbolt Monitor (LBM) | Door Position (DPS) | Deadbolt Monitor |

## SARGENT

MODIFICATION (Customer's Sargent 8237 Chassis) / CHASSIS ONLY

Specify Voltage, Fail Safe (EL) or Fail Secure (EU). Faceplates & Strikes available in 613, 625, 626  
(see page 9 for pricing). Fire link is removed for LBM.

|               |              |   |       |       |   |   |   |   |   |   |   |   |   |   |       |       |       |       |   |   |
|---------------|--------------|---|-------|-------|---|---|---|---|---|---|---|---|---|---|-------|-------|-------|-------|---|---|
| STOREROOM     | ML371EU/70EL | - | \$930 | \$157 | - | - | - | - | - | ✓ | - | ✓ | ✓ | ✓ | +\$76 | +\$38 | +\$85 | +\$85 | - | - |
| INSTITUTIONAL | ML373EU/11EL | - | \$949 | \$175 | - | - | - | - | - | ✓ | - | ✓ | ✓ | ✓ | +152  | +\$76 | +\$85 | +\$85 | - | - |

## SCHLAGE

MODIFICATION (Customer's Schlage L9050/9070 & L9453 Chassis) / CHASSIS ONLY / COMPLETE LOCK

Specify Voltage. Faceplates & Strikes available in 613, 625, & 626. Call Factory for other finishes

| FUNCTION           | PART #     | COM \$ | CH \$ | MD \$ |    |    |      |    |      | 626 | 625 | 613 | LC | SC | SFIC  | LFIC  | REX   | LBM   | DPS   | DBM   |
|--------------------|------------|--------|-------|-------|----|----|------|----|------|-----|-----|-----|----|----|-------|-------|-------|-------|-------|-------|
| CLASSROOM          | ML70EU/EL  | \$1698 | \$627 | \$171 | 03 | 06 | Call | 17 | Call | ✓   | ✓   | ✓   | ✓  | ✓  | +\$76 | +\$38 | +\$85 | +\$85 | -     | -     |
| STOREROOM          | ML80EU/EL  | \$1585 | \$594 | \$165 | 03 | 06 | Call | 17 | Call | ✓   | ✓   | ✓   | ✓  | ✓  | +\$76 | +\$38 | +\$85 | +\$85 | +\$85 | +\$85 |
| INSTITUTIONAL      | ML82EU/EL  | \$1657 | \$605 | \$175 | 03 | 06 | Call | 17 | Call | ✓   | ✓   | ✓   | ✓  | ✓  | +152  | +\$76 | +\$85 | +\$85 | +\$85 | +\$85 |
| ENTRANCE W/DB      | ML480EU/EL | \$1698 | \$694 | \$227 | 03 | 06 | Call | 17 | Call | ✓   | ✓   | ✓   | ✓  | ✓  | +\$76 | +\$38 | +\$85 | +\$85 | -     | +\$85 |
| INSTITUTIONAL W/DB | ML482EU/EL | \$1758 | \$706 | \$237 | 03 | 06 | Call | 17 | Call | ✓   | ✓   | ✓   | ✓  | ✓  | +152  | +\$76 | +\$85 | +\$85 | -     | +\$85 |
| PRIVACY w/DB       | ML485EU    | \$1743 | \$739 | \$258 | 03 | 06 | Call | 17 | Call | ✓   | ✓   | ✓   | ✓  | ✓  | +\$76 | +\$38 | +\$85 | +\$85 | -     | +\$85 |



**MOTORIZED LOCKS** 11-30V, Field Selectable Fail Secure/Fail Safe. Field Hand-able. LFIC = Schlage compatible housing

| FUNCTION      | PART #       | COM \$ | CH \$ | MD \$ |    |    |    |    |     | 626 | 625 | 613 | LC | SC | SFIC  | LFIC  | REX   | LBM   | DPS | DBM |
|---------------|--------------|--------|-------|-------|----|----|----|----|-----|-----|-----|-----|----|----|-------|-------|-------|-------|-----|-----|
| STOREROOM     | ML92-M EU/EL | \$1697 | \$706 | \$278 | 03 | 06 | 07 | 17 | L/N | ✓   | ✓   | ✓   | ✓  | ✓  | +\$76 | +\$38 | +\$85 | +\$85 | -   | -   |
| INSTITUTIONAL | ML95-M EU/EL | \$1769 | \$717 | \$288 | 03 | 06 | 07 | 17 | L/N | ✓   | ✓   | ✓   | ✓  | ✓  | +152  | +\$76 | +\$85 | +\$85 | -   | -   |

## YALE

MODIFICATION (Customer's Yale 8808 Chassis) / CHASSIS ONLY

Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing. Faceplates (List \$57) & Strikes available in 626 (see page 9 for pricing). Fire link is removed for LBM.

| FUNCTION      | PART #      | COM \$ | CH \$ | MD \$ |   |   |   |   |      | 626 | 625 | 613 | LC | SC | SFIC  | LFIC  | REX   | LBM   | DPS | DBM |
|---------------|-------------|--------|-------|-------|---|---|---|---|------|-----|-----|-----|----|----|-------|-------|-------|-------|-----|-----|
| STOREROOM     | ML91EU/90EL | -      | \$784 | \$165 | - | - | - | - | CALL | ✓   | -   | -   | ✓  | ✓  | +\$76 | +\$38 | +\$85 | +\$85 | -   | -   |
| INSTITUTIONAL | ML95EU/94EL | -      | \$823 | \$182 | - | - | - | - | CALL | ✓   | -   | -   | ✓  | ✓  | +152  | +\$76 | +\$85 | +\$85 | -   | -   |

# ACCESSORIES


## MORTISE LOCK SWITCH OPTIONS

**REX** - Request to Exit or AE switch available - sends a signal to alert the control panel that the door is about to be opened by someone intending to exit from within the secured area.

**LBM** - Latchbolt Monitor switch available - sends a signal to the control panel to monitor the position of the latchbolt.

**DPS** - Door Position switch available - sends a signal to the control panel to monitor the position of the door.

**DBM** - Deadbolt Monitor switch available - sends a signal to the control panel to monitor the position of the deadbolt.



| PART #                       | DESCRIPTION   | W/ Electrification | W/O Electrification |
|------------------------------|---|--------------------|---------------------|
| CATREXKIT-ML <sup>1</sup>    | Command Access ML1-series mortise lock field installable REX (Request to Exit) kit.                                   | \$85               | -                   |
| CATLBMKIT-ML <sup>1</sup>    | Command Access ML1-series mortise lock field installable LBM (Latchbolt Monitor) kit                                  | \$85               | -                   |
| CATREXLBMKIT-ML <sup>1</sup> | Command Access ML/Schlage L-series mortise lock field installable LBM (Latchbolt Monitor) + REX (Request to Exit) kit | \$160              | -                   |
| SCHREXKIT-ML <sup>1</sup>    | Schlage L-series mortise lock field installable REX (Request to Exit) kit.  | \$85               | -                   |
| SCHREXKIT-FE-ML <sup>2</sup> | Schlage L909x-series mortise lock field installable REX (Request to Exit) kit.  | \$98               | -                   |
| SGTREXKIT-ML                 | Sargent 2000 series mortise lock field installable REX (Request to Exit)  | \$85               | -                   |
| CATREXBYPASS                 | Request to Exit By Pass switch installed in Mortise Lock (CAT/SCH)  | \$150              | \$250               |
| LBM                          | Latch Bolt Monitor switch installed in Mortise Lock   | \$85               | \$160               |
| DPS                          | Door Position switch installed in Mortise Lock  | \$85               | \$160               |
| DBM                          | Deadbolt Monitor switch installed in Mortise Lock   | \$85               | \$150               |
| REX                          | Deadbolt Monitor  | \$85               | \$160               |

1. Requires the lock body to be opened for installation.

2. Only compatible with new Schlage L909x Lock Body with Cutout for REX.

## ACCESSORIES & REPLACEMENT FOR MORTISE LOCKS

|                       |   |       |
|-----------------------|---|-------|
| FACEPLATE             | Storeroom or Deadbolt function in specified finishes.   | \$46  |
| STRIKE                | 4-7/8" ASA Strike in specified finishes   | \$46  |
| Lead Lining           | Add Lead Lining to CAT or Schlage Mortise Lock  | \$500 |
| I/O Mounting Plate    | Inside Only Mounting Plate for CAT/Schlage trim for less outside trim applications.                                     | \$85  |
| CRU                   | Current Reduction Unit  | \$41  |
| 4' LEAD               | Add 4' lead to any switch (per switch)  | \$38  |
| BR1                   | Bridge Rectifier w/ 12" Lead  | \$19  |
| BR5                   | Bridge Rectifier w/ 5' Lead   | \$31  |
| QC/CON                | 8-pin or 12-pin Molex Connectors added to locking device retrofit ElectroLynx or Allegion Connect                       | \$29  |
| QC/CON w/ Lead 3-5'   | 8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit ElectroLynx or Allegion Connect           | \$49  |
| QC/CON w/ Lead 10-20' | 8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to to QC prepped power transfer hinge | \$110 |
| Door Cord QC/CON      | 3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge                                       | \$90  |
| SOL-ML                | Mortise Lock Replacement Solenoids (Specify brand, EU or EL & Voltage   | \$90  |


Allegion Connect® is a registered trademark of Allegion  
ElectroLynx® is a registered trademark of Assa Abloy

Micro-Fit 3.0™ Interconnect System available to retrofit common quick connection systems such as ElectroLynx® or Allegion Connect®.


www.commandaccess.com | US Customer Support 888.622.2377




# ELECTRIFIED CYLINDRICAL LOCK



CL93



CL190



CLN80



LPC190



## FOR MODIFICATION AND COMPLETE LOCKS

### PREFIX

MD - Modification

### MODEL + FUNCTION

Select a model number and add  
EL (Fail Safe) - Electronically Locked  
EU (Fail Secure) - Electronically Unlocked

### VOLTAGE

12 or 24 Volts must be specified  
Motorized = Universal Input 11-30V  
LE = Universal Input 11-30V

### OPTIONAL SWITCHES

REX - Request-to-Exit



## FOR COMPLETE LOCKS ONLY

### TRIM



- Tubular  
- Bent



- Straight  
- Curved

### FINISH (BHMA std)

605 - Polished Bronze

625 - Polished Chrome

613 - Oil Rubbed Bronze

626 - Satin Chrome

*SPECIAL ORDER*

606 - Satin Brass

612 - Satin Bronze

### KEYWAY

SC - "C" Kwy Standard SFIC - Small Format I/C Prep

LC - Less Cylinder

LFIC - Factory Large Format I/C Prep

### ACCESSORIES

Strikes - 4-7/8" ASA Strike in specified finishes

CRU2 - Current Reduction Unit (AC & DC input)

4 Lead - 4' Wire Lead to switches

10 Lead - 10' Wire lead to switches

QC - Molex Connectors

BR1 - Bridge Rectifier w/ 12" lead (included)

BR5 - Bridge Rectifier w/ 5' lead

## EXAMPLES

### MODIFICATION ONLY

|         | PREFIX | MODEL | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC  | COMPLETE PART #     |
|---------|--------|-------|----------|--------|---------|--------|--------|---------|------|---------------------|
| Part #  | MD     | CL93D | EL       | -      | 12V     | -      | -      | -       | CRU2 | MDCL93D EL 12V CRU2 |
| List \$ | -      | \$147 | -        | -      | -       | -      | -      | -       | \$41 | \$188               |

### COMPLETE LOCK

|         | PREFIX | MODEL | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC | COMPLETE PART #              |
|---------|--------|-------|----------|--------|---------|--------|--------|---------|-----|------------------------------|
| Part #  | -      | CL180 | EU       | L6     | 24V     | 626    | SFIC   | REX     | -   | CL180 EU L6 24V 626 SFIC REX |
| List \$ | -      | \$364 | -        | -      | -       | -      | -      | \$85    | -   | \$449                        |



# ELECTRIFIED CYLINDRICAL LOCK



## COMMAND ACCESS CL1 COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 605\*, 612\*, 613, 625, 626. 2-3/8" backset List \$35

| FUNCTION                  | PART #         | COM \$ |   |    |                 |     | 626 | 625 | 613 | LC | SC | SFIC | LFIC <sup>2</sup> | REX   |
|---------------------------|----------------|--------|---|----|-----------------|-----|-----|-----|-----|----|----|------|-------------------|-------|
| STOREROOM                 | CL180EU/EL     | \$364  | - | L6 | L7 <sup>3</sup> | L17 | ✓   | ✓   | ✓   | -  | ✓  | ✓    | ✓                 | +\$85 |
| LE STOREROOM <sup>1</sup> | CL180-LE EU/EL | \$454  | - | L6 | L7*             | L17 | ✓   | ✓   | ✓   | -  | ✓  | ✓    | ✓                 | ✓     |

✓ or \$ = Available  
- = Not Available

1. Universal input 11-30V  
2. Available in L6 626 only

3. Limited availability, please call to confirm stock.  
\*2-3/8" backset available list \$35

## COMMAND ACCESS CL1-HD COMPLETE LOCK


Automatically senses 12v or 24v, Typically Stocked Finishes - 605\*, 612\*, 613, 625, 626. 2-3/8" backset List \$35



| FUNCTION            | PART #          | COM \$ |   |    |                 |     | 626 | 625 | 613 | LC | SC | SFIC | LFIC <sup>2</sup> | REX   |
|---------------------|-----------------|--------|---|----|-----------------|-----|-----|-----|-----|----|----|------|-------------------|-------|
| MOTORIZED STOREROOM | CL190HD-M EU/EL | \$590  | - | L6 | L7 <sup>3</sup> | L17 | ✓   | ✓   | ✓   | -  | ✓  | ✓    | ✓                 | +\$85 |

✓ or \$ = Available  
- = Not Available

## LPC190-HD SERIES



The LPC190-HD is a **motorized latch retraction cylindrical lockset** that is compatible with the standard 161 prep. The 1st of its kind latch retraction cylindrical makes it an ideal lock for pairing with auto-operators, double doors, push/pull conditions & single occupancy restroom applications.

- Motorized Latch Retraction
- Input voltage range - 24VDC
- Surge current - 550mA
- Holding current- 15mA
- UL listed HD Grade 1 lockset
- EU - Fail Secure Only
- Request to Exit switch optional

PATENT PENDING

## COMMAND ACCESS LPC1-HD COMPLETE LOCK

PATENT PENDING

1st of its kind motorized latch retraction in a cylindrical lock, 24v, Typically Stocked Finishes, backset List \$35

| FUNCTION  | PART #       | COM \$ |   |    |                 |     | 626 | 625 | 613 | LC | SC | SFIC | LFIC <sup>2</sup> | REX  |
|-----------|--------------|--------|---|----|-----------------|-----|-----|-----|-----|----|----|------|-------------------|------|
| STOREROOM | LPC190-HD EU | \$800  | - | L6 | L7 <sup>3</sup> | L17 | ✓   | ✓   | ✓   | -  | ✓  | ✓    | ✓                 | +\$8 |
| PASSAGE   | LPC110-HD EU | \$800  | - | L6 | L7*             | L17 | ✓   | ✓   | ✓   | -  | ✓  | ✓    | ✓                 | ✓    |

✓ or \$ = Available  
- = Not Available

## How to Order

| CATEGORY | SERIES | FUNCTION | LEVER | VOLTAGE | FINISH | BRACKET             | STRIKE           | CYLINDER   | OPTIONS   |
|----------|--------|----------|-------|---------|--------|---------------------|------------------|--|---|
| LPC      | 110    | EU       | L6    | 24VDC   | 612    | 2-3/4"-<br>STANDARD | ASA-<br>STANDARD | P  | REX-<br>REQUEST TO EXIT SWITCH                  |
|          | 190    |          | L7    |         | 613    | 2-3/8"              | FL-<br>FULL UP   | LC   | QC/CON/BC -<br>MOLEX CONNECTORS - SPECIFY BRAND |
|          |        |          | L17   |         | 622    |                     | T-<br>"T" STRIKE | SFIC   | SF -<br>SPLIT FINISH                            |
|          |        |          |       |         | 625    |                     |                  | LFIC - SCHLAGE NOTE: AVAILABLE<br>IN L6 LEVER ONLY | AM -<br>ANTIMICROBIAL COATING                   |
|          |        |          |       |         | 626    |                     |                  |  |   |

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



# ELECTRIFIED CYLINDRICAL LOCK

## BEST

MODIFICATION (Customer's Best 93K Series) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 626, C & D Roses Available

✓ or \$ = Available  
- = Not Available

| FUNCTION  | PART #      | COM \$ | MD \$ | C | D  | R | S  | 626 | 625 | 613 | LC | SC | SFIC | LFIC | REX   |
|-----------|-------------|--------|-------|---|----|---|----|-----|-----|-----|----|----|------|------|-------|
| STOREROOM | CL93D EU/EL | \$849  | \$147 | - | 15 | - | 14 | ✓   | -   | -   | ✓  | ✓  | ✓    | -    | +\$85 |

## CAL ROYAL

MODIFICATION (Customer's Cal Royal CGN05) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626.

| FUNCTION         | PART #       | COM \$ | MD \$ | C | D | R | S | 626 | 625 | 613 | L | SC | SFIC | LFIC | REX   |
|------------------|--------------|--------|-------|---|---|---|---|-----|-----|-----|---|----|------|------|-------|
| STOREROOM CLUTCH | CLCR05 EU/EL | -      | \$139 | - | - | - | - | ✓   | ✓   | ✓   | ✓ | ✓  | ✓    | ✓    | +\$85 |

## CORBIN RUSSWIN

MODIFICATION (Customer's Corbin CL3357) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626.

| FUNCTION  | PART #  | COM \$ | MD \$ | C | D   | R | S   | 626 | 625 | 613 | LC | SC | SFIC | LFIC | REX   |
|-----------|---------|--------|-------|---|-----|---|-----|-----|-----|-----|----|----|------|------|-------|
| STOREROOM | CL05 EU | \$997  | \$167 | - | NZD | - | PZD | ✓   | -   | -   | ✓  | ✓  | -    | ✓    | +\$85 |
| STOREROOM | CL03 EL | \$997  | \$167 | - | NZD | - | PZD | ✓   | -   | -   | ✓  | ✓  | -    | ✓    | +\$85 |

## LSDA

MODIFICATION ONLY (Customer's LSDA C5400 Grade One Lock)

Specify Voltage.

| FUNCTION         | PART #        | COM \$ | MD \$ | C | D | R | S | 626 | 625 | 613 | LC | SC | SFIC | LFIC | REX   |
|------------------|---------------|--------|-------|---|---|---|---|-----|-----|-----|----|----|------|------|-------|
| STOREROOM CLUTCH | CLC5400 EU/EL | -      | \$231 | - | - | - | - | -   | -   | -   | -  | -  | -    | -    | +\$85 |

## MARKS

MODIFICATION ONLY (Customer's Marks 195F)

Specify Voltage.

| FUNCTION  | PART #      | COM \$ | MD \$ | C | D | R | S | 626 | 625 | 613 | LC | SC | SFIC | LFIC | REX   |
|-----------|-------------|--------|-------|---|---|---|---|-----|-----|-----|----|----|------|------|-------|
| STOREROOM | CLF95 EU/EL | -      | \$173 | - | - | - | - | -   | -   | -   | -  | -  | -    | -    | +\$85 |

## SARGENT

MODIFICATION (Customer's Sargent 10G04) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626. Call for availability.

| FUNCTION  | PART #   | COM \$ | MD \$ | C | D | R | S | 626 | 625 | 613 | LC | SC | SFIC | LFIC | REX   |
|-----------|----------|--------|-------|---|---|---|---|-----|-----|-----|----|----|------|------|-------|
| STOREROOM | CL371 EU | \$997  | \$167 | - | ✓ | - | ✓ | ✓   | -   | -   | ✓  | ✓  | -    | ✓    | +\$85 |
| STOREROOM | CL370 EL | \$997  | \$167 | - | ✓ | - | ✓ | ✓   | -   | -   | ✓  | ✓  | -    | ✓    | +\$85 |



## SCHLAGE

✓ or \$ = Available  
- = Not Available

MODIFICATION (Customer's Schlage ND12PD, ND70PD, ND80PD, ND94PD, ND96PD) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626. Classic 'C' type keyway comes standard.

| FUNCTION         | PART #      | COM \$      | MD \$ | C | L   | L    | L   | 626 | 625 | 613   | LC    | SC | SFIC/BD | LFIC/JD | REX   |
|------------------|-------------|-------------|-------|---|-----|------|-----|-----|-----|-------|-------|----|---------|---------|-------|
| CLASSROOM        | CLN70 EU/EL | \$1042      | \$127 | - | RHO | ATH* | SPA | ✓   | ✓   | +\$33 | -\$12 | ✓  | +\$22   | ✓       | +\$85 |
| STOREROOM        | CLN80 EU/EL | \$1042      | \$127 | - | RHO | ATH* | SPA | ✓   | ✓   | +\$33 | -\$12 | ✓  | +\$22   | ✓       | +\$85 |
| STOREROOM CLUTCH | CLN96 EU/EL | \$1064      | \$135 | - | RHO | ATH* | SPA | ✓   | ✓   | +\$33 | -\$12 | ✓  | +\$22   | ✓       | +\$85 |
| STOREROOM        | CLN80-M     | COMING SOON |       |   |     |      |     |     |     |       |       |    | -       | -       | -     |

Add \$35 list for Schlage original C & Everest C123.  
Add \$15 list for Control key..  
Add \$70 List net for RD & TD

\*Athens Handle Style Only Available in PD - 626

MODIFICATION (Customer's Schlage ALX) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626. Classic 'C' type keyway comes standard.

| FUNCTION  | PART #  | COM \$      | MD \$ | C | L | L | L | 626 | 625 | 613 | LC | SC | SFIC/BD | LFIC/JD | REX |
|-----------|---------|-------------|-------|---|---|---|---|-----|-----|-----|----|----|---------|---------|-----|
| STOREROOM | CLX80-M | COMING SOON |       |   |   |   |   |     |     |     |    |    | -       | -       | -   |

Add \$35 list for Schlage original C & Everest C123.  
Add \$15 list for Control key..  
Add \$70 List net for RD & TD

\*Athens Handle Style Only Available in PD - 626

## ACCESSORIES & REPLACEMENT FOR CYLINDRICAL LOCKS

|              |   |      |
|--------------|---|------|
| CATREXKIT-CL | REX (Request to Exit) installed on CAT CL1 spring cage field installable) kit.    | \$98 |
| SCHREXKIT-CL | Schlage ND series Anti-Rotation Plate with Request to Exit (REX) switch installed | \$98 |
| REX          | Request to Exit (REX) switch installed installed on cylindrical lock              | \$85 |

## ACCESSORIES & REPLACEMENT FOR CLYLINDRICAL LOCKS

|                       |   |       |
|-----------------------|---|-------|
| STRIKE                | Standard ASA Strike in specified finishes   | \$44  |
| CRU                   | Current Reduction Unit  | \$41  |
| 4' LEAD               | Add 4' lead to any switch (per switch)  | \$38  |
| BR1                   | Bridge Rectifier w/ 12" Lead  | \$19  |
| BR5                   | Bridge Rectifier w/ 5' Lead   | \$32  |
| QC/CON                | 8-pin or 12-pin Molex Connectors added to locking device retrofit ElectroLynx or Allegion Connect                       | \$30  |
| QC/CON w/ Lead 3-5'   | 8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit ElectroLynx or Allegion Connect           | \$49  |
| QC/CON w/ Lead 10-20' | 8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to to QC prepped power transfer hinge | \$110 |
| Door Cord QC/CON      | 3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge                                       | \$90  |
| SOL-CL                | Cylindrical Lock Replacement Solenoids (Specify brand, EU or EL & Voltage) Factory replacement only                     | \$90  |

Allegion Connect® is a registered trademark of Allegion

ElectroLynx® is a registered trademark of Assa Abloy

Micro-Fit 3.0™ Interconnect System available to retrofit common quick connection systems such as ElectroLynx® or Allegion Connect®.

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Reedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.

molex





# PACKAGES

## COMMAND ACCESS UNIVERSAL BATHROOM PRIVACY KIT

### UBPK1


Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. *All you need to add is low energy operator of choice.*

### UBPK2


Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. **Includes heavy duty low energy operator.**

#### PERFECT SOLUTION FOR SINGLE OCCUPANCY + ADA

- PACKAGE SOLUTION INCLUDES POINT-TO-POINT WIRING DIAGRAM
- PEACE OF MIND - INCLUDES EVERYTHING YOU NEED
- UBPK2 INCLUDES OUR LOCKING HARDWARE AO W/ ON-BOARD POWER & RELAY BOARD
- TOUCHLESS PACKAGE STANDARD



**INCLUDED WITH UBPK1**



#### LOW ENERGY OPERATOR



**INCLUDED WITH UBPK2**



**ADD ON EMERGENCY KIT**



**SEE IT IN ACTION!**

|                |  |        |
|----------------|--|--------|
| UBPK1-FM-EUxEL | Includes: PS220B, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EL), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock) IDPS door contact, power transfer hinge, Flush mounted push buttons.    | \$2600 |
| UBPK1-FM-EUxEU | Includes: PS220B, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EU), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock), IDPS door contact, power transfer hinge, Flush mounted push buttons.   | \$2600 |
| UBPK1-SM-EUxEL | Includes: PS220B, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EL), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock), IDPS door contact, power transfer hinge, Surface mounted push buttons. | \$2600 |
| UBPK1-SM-EUxEU | Includes: PS220B, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EU), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock) IDPS door contact, power transfer hinge, Surface mounted push buttons.  | \$2600 |
| UBPK2-FM-EUxEL | Includes: Low Energy Operator, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EL), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Flush mounted push buttons.    | \$6200 |
| UBPK2-FM-EUxEU | Includes: Low Energy Operator, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EU), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Flush mounted push buttons.    | \$6200 |
| UBPK2-SM-EUxEL | Includes: Low Energy Operator, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EL), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Surface mounted push buttons.  | \$6200 |
| UBPK2-SM-EUxEU | Includes: Low Energy Operator, LPM193 or LPC190-HD Complete Lock (latch retraction EU x lever control EU), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Surface mounted push buttons.  | \$6200 |
| EME KIT ADD    | Add on Emergency Annunciator Kit for UBPK  | \$670  |



# ELECTRIFIED EXIT TRIM



## FOR MODIFICATION AND COMPLETE TRIM

### PREFIX

MD - Modification

### MODEL + FUNCTION

Select a model number and add  
EL (Fail Safe) - Electronically Locked  
EU (Fail Secure) - Electronically Unlocked

### VOLTAGE



12 or 24 Volts must be specified  
Motorized = Universal Input 11-30V  
LE = Universal Input 11-30V



### OPTIONAL SWITCHES

REE-Request-to-Enter

## FOR COMPLETE TRIM ONLY

### TRIM

 - Tubular  
 - Bent

 - Straight  
 - Curved

### FINISH (BHMA std)

626 - Satin Chrome

SPECIAL ORDER

613 - Oil Rubbed Bronze 625 - Polished Chrome

### KEYWAY

Only ET15/25 have cylinder provided.  
Rim Cylinder - "C" Standard  
LC - Less Cylinder

### ACCESSORIES

CRU2 - Current Reduction Unit (AC & DC input)  
4 Lead - 4' Wire Lead to switches  
10 Lead - 10' Wire lead to switches  
QC - Molex Connectors  
BR5 - Bridge Rectifier w/ 5' lead

## EXAMPLES

### MODIFICATION ONLY

|         | PREFIX | MODEL  | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC  | COMPLETE PART #    |
|---------|--------|--------|----------|--------|---------|--------|--------|---------|------|--------------------|
| Part #  | MD     | MDCR22 | EL       | -      | 12V     | -      | -      | -       | CRU2 | MDCR22 EL 12V CRU2 |
| List \$ | -      | \$241  | -        | -      | -       | -      | -      | -       | \$41 | \$282              |

### COMPLETE EXIT TRIM




|         | PREFIX | MODEL | FUNCTION | SUFFIX | VOLTAGE | FINISH | KEYWAY | OPTIONS | ACC | COMPLETE PART #        |
|---------|--------|-------|----------|--------|---------|--------|--------|---------|-----|------------------------|
| Part #  | -      | ET27  | EU       | 06     | 11-30V  | 626    | -      | REE     | -   | ET27 EU L6 24V 626 REE |
| List \$ | -      | \$742 | -        | -      | -       | -      | -      | \$85    | -   | \$827                  |



# ELECTRIFIED EXIT TRIM

## COMMAND ACCESS ET15/16 SERIES

Specify EU or EL & Handing.

|  | COMPLETE LOCK<br>List \$ |  | 628 | 313 | C | Request to Enter (REE) |
|---|--------------------------|---|-----|-----|---|------------------------|
| PART #  | COMPLETE LOCK<br>List \$ |  | 628 | 313 | C | Request to Enter (REE) |






ET15/16 for: Command Access PD15 Jackson 1285/95 AHT 8000/9000

|               |       |    |   |   |   |       |
|---------------|-------|----|---|---|---|-------|
| ET15RIM EU/EL | \$546 | L6 | ✓ | ✓ | ✓ | +\$85 |
| ET15CVR EU/EL | \$546 | L6 | ✓ | ✓ | ✓ | +\$85 |
| ET16 RIM      | \$322 | L6 | ✓ | ✓ | ✓ | +\$85 |
| ET16 CVR      | \$322 | L6 | ✓ | ✓ | ✓ | +\$85 |

## COMMAND ACCESS ET25/26 SERIES

Command Access PD25/26, Cal Royal 7700 R/SVR, Marks M9000 & Von Duprin 98/99 R/V series

Specify EU or EL & Handing.






|  | COMPLETE LOCK<br>List \$ |  |  | 626 | 613 | C | IC | Request to Enter (REE) |
|---|--------------------------|---|---|-----|-----|---|----|------------------------|
| PART #  | COMPLETE LOCK<br>List \$ |  |  | 626 | 613 | C | IC | Request to Enter (REE) |

ET25/26 for: Von Duprin 98/99 Command Access PD25 Cal-Royal 77

|               |       |    |     |   |       |   |       |       |
|---------------|-------|----|-----|---|-------|---|-------|-------|
| ET25 EU/EL    | \$572 | L6 | L17 | ✓ | +\$30 | ✓ | +\$76 | +\$85 |
| ET25-LE EU/EL | \$660 | L6 | L17 | ✓ | +\$30 | ✓ | +\$76 | ✓     |
| ET26 ELT      | \$339 | L6 | L17 | ✓ | +\$30 | ✓ | +\$76 | +\$85 |
| ET26 SLT      | \$339 | L6 | L17 | ✓ | +\$30 | ✓ | +\$76 | +\$85 |
| ET26 PLT      | \$339 | L6 | L17 | ✓ | +\$30 | - |       | +\$85 |
| ET26 DLT      | \$339 | L6 | L17 | ✓ | +\$30 | - |       | -     |
| ET26 NPT      | \$260 | -  | -   | ✓ | +\$30 | ✓ | +\$76 | -     |
| ET26 DPT      | \$244 | -  | -   | ✓ | +\$30 | - |       | -     |

## COMMAND ACCESS ET27/28 SERIES






Command Access PD27/28, Cal Royal 7700 R/SVR, Marks M9000 & Von Duprin 98/99 R/V series

|  | COMPLETE LOCK<br>List \$ |  |  | 626 | 613 | *C | Request to Enter (REE) |
|---|--------------------------|---|---|-----|-----|----|------------------------|
| PART #  | COMPLETE LOCK<br>List \$ |  |  | 626 | 613 | *C | Request to Enter (REE) |

|              |       |    |     |   |       |   |        |
|--------------|-------|----|-----|---|-------|---|--------|
| ET27-M EU/EL | \$742 | L6 | L17 | ✓ | +\$30 | ✓ | +\$85  |
| ET28 ELT     | \$477 | L6 | L17 | ✓ | +\$30 | ✓ | +\$170 |
| ET28 SLT     | \$477 | L6 | L17 | ✓ | +\$30 | ✓ | +\$170 |
| ET28 PLT     | \$456 | L6 | L17 | ✓ | +\$30 | - | +\$170 |
| ET28 DLT     | \$456 | L6 | L17 | ✓ | +\$30 | - | -      |
| ET28 NPT     | \$212 | -  | -   | ✓ | +\$30 | ✓ | -      |
| ET28 DPT     | \$197 | -  | -   | ✓ | +\$30 | - | -      |

## COMMAND ACCESS ET30 SERIES

Command Access PD29/30, series

|  | COMPLETE LOCK<br>List \$ |  |  | 626 | 613 | *C |
|--|--------------------------|---|---|-----|-----|----|
| PART #   | COMPLETE LOCK<br>List \$ |  |  | 626 | 613 | *C |

|          |       |    |     |   |       |   |
|----------|-------|----|-----|---|-------|---|
| ET30 ELT | \$482 | L6 | L17 | ✓ | +\$30 | ✓ |
| ET30 SLT | \$482 | L6 | L17 | ✓ | +\$30 | ✓ |
| ET30 PLT | \$435 | L6 | L17 | ✓ | +\$30 | - |
| ET30 DLT | \$435 | L6 | L17 | ✓ | +\$30 | - |
| ET30 NPT | \$212 | -  | -   | ✓ | +\$30 | ✓ |
| ET30 DPT | \$197 | -  | -   | ✓ | +\$30 | - |

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



## MODIFICATIONS



Specify EU or EL, Voltage and Handing.

✓ or \$ = Available  
- = Not Available



| PART #        | EXIT TRIM                                     | COMPLETE LOCK<br>List \$ | MODIFICATION ONLY<br>List \$ (add prefix MD) | Handing | Voltage | 626 | LC | MAINTAIN KEY OVERRIDE | Request to Enter (REE) |
|---------------|---|--------------------------|--|---------|---------|-----|----|-----------------------|------------------------|
| CR22E U/EL    | CAL ROYAL NESC 2200 R/SVR SERIES              | -                        | \$241  | -       | -       | -   | -  | ✓                     | -                      |
| CR77 EU/EL    | CAL ROYAL NESC 7700 R/SVR SERIES              | -                        | \$241  | -       | -       | -   | -  | ✓                     | +\$85                  |
| CR98E U/EL    | CAL ROYAL NESC 9800 R/SVR SERIES              | -                        | \$241  | -       | -       | -   | -  | ✓                     | -                      |
| FAL581EU/51EL | FALCON 510 SERIES                             | -                        | \$309  | -       | -       | -   | -  | ✓                     | +\$85                  |
| SGT700EU/EL   | SARGENT 713 SERIES                            | -                        | \$534  | -       | -       | -   | -  | ✓                     | +\$85                  |
| V23EU/EL      | VON DUPRIN 230L SERIES                        | \$847                    | \$241  | 06      | -       | ✓   | ✓  | ✓                     | -                      |
| V36EU/EL*     | VON DUPRIN 360L/BE/T SERIES                   | -                        | \$534  | -       | -       | -   | -  | -                     | -                      |
| V96EU/EL      | VON DUPRIN 996L R/V & M SERIES                | \$1092                   | \$206  | 06      | 17      | ✓   | ✓  | ✓                     | +\$85                  |
| V96-M Kit     | FIELD INSTALLABLE KIT FOR 996L R/V & M SERIES | COMING SOON              |  |         |         |     |    |                       |                        |

\*NOTE: V36 DO NOT MAINTAIN KEY OVERRIDE- A DUMMY CYLINDER WILL BE ADDED TO ALL CYLINDER PREP TRIMS.

## ACCESSORIES & REPLACEMENTS FOR EXIT TRIM

|                  |  |       |
|------------------|--|-------|
| VDREEKIT-ET      | Field installable Request to Enter kit for the Von Duprin 996L Series  | \$98  |
| SGTREETKIT-ET    | Field installable Request to Enter kit for the Sargent 713 Series  | \$98  |
| CRU              | Current Reduction Unit   | \$41  |
| 4' LEAD          | Add 4' lead to any switch (per switch)   | \$38  |
| 10' LEAD         | Add 10' lead to any switch (per switch)  | \$58  |
| BR5              | Bridge Rectifier w/ 5' Lead  | \$32  |
| QC/CON           | 8-pin or 12-pin Molex Connectors added to locking device retrofit ElectroLynx or Allegion Connect                          | \$30  |
| QC/CON w/ lead   | 8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit ElectroLynx or Allegion Connect              | \$49  |
| QC/CON w/ Lead   | 8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to QC prepped power transfer hinge       | \$110 |
| Door Cord QC/CON | 3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge  | \$90  |
| SOL-ET           | Exit Trim Lock Replacement Solenoids (Specify brand, EU or EL & Voltage) - Call Factory to confirm field swap is available | \$95  |

# ELECTRIFIED LATCH RETRACTION KITS



## HOW TO ORDER

|         | MODEL | MANUFACTURER | OPTIONS | COMPLETE PART # |
|---------|-------|--------------|---------|-----------------|
| Part #  | MLRK1 | VD           | REX     | MLRK1-VD        |
| List \$ | \$610 | -            | N/C     | \$610           |
| Part #  | MLRK1 | AR           | REX     | MLRK1-AR REX    |
| List \$ | \$610 | -            | \$85    | \$695           |

## MOTORIZED LATCH RETRACTION KITS

ALL 24V & Fail Secure (EU) ONLY  
Kits work on all style devices: RIM, SVR, CVR, & Mortise.



BUILT-IN  
REX

REXKIT  
AVAILABLE<sup>1</sup>

✓ or \$ = Available  
- = Not Available

| PART #      | EXIT DEVICE                              | LIST  | BUILT-IN<br>REX | REXKIT<br>AVAILABLE <sup>1</sup> |
|-------------|--|-------|-----------------|----------------------------------|
| MLRK1-AR    | ADAMS RITE 82/84/86/88 SERIES            | \$610 | +\$85           | \$98                             |
| MLRK1-AREX  | ADAMS RITE Ex SERIES                     | \$610 | +\$85           | \$98                             |
| MLRK1-ARW   | Arrow 1000 series                        | \$610 | -               | \$98                             |
| MLRK1-CAL77 | Cal Royal 7700 series                    | \$610 | +\$85           | \$98                             |
| MLRK1-COR   | CORBIN RUSSWIN 4000/5000                 | \$610 | +\$85           | \$98                             |
| MLRK1-DEX   | DEXTER 1000 SERIES                       | \$610 | +\$85           | \$98                             |
| MLRK1-DRX   | DOREX 9500 SERIES                        | \$610 | -               | \$98                             |
| MLRK1-DOR   | DORMA 9000 SERIES                        | \$610 | -               | \$98                             |
| MLRK1-FAL17 | Falcon 16/17 & First Choice 36/37 Series | \$610 | ✓               | \$98                             |
| MLRK1-DTX   | Detex Advantex & Value Series            | \$610 | -               | \$98                             |

1. See page 21 for REXKIT's available & part #. Order REX Kit separately.

| PART #      | EXIT DEVICE   | LIST  | BUILT-IN | REXKIT | AVAILABLE <sup>1</sup> ✓ or \$ = Available<br>- = Not Available |
|-------------|---|-------|----------|--------|---|
|             |   |       | REX      |        |   |
| MLRK1-FAL25 | Falcon 24/25 series                                 | \$610 | ✓        |        | \$98  |
| MLRK1-HAG   | Hager 4500/4600 series                              | \$610 | +\$85    |        | \$98  |
| MLRK1-JAC12 | Jackson 1285/1295 SERIES & Kawneer 1686/1786 SERIES | \$610 | +\$85    |        | \$98  |
| MLRK1-KAWP  | Kawneer Paneline                                    | \$650 | +\$85    |        | \$98  |
| MLRK1-MBS   | Marshall Best Q1/2000 SERIES                        | \$610 | +\$85    |        | \$98  |
| MLRK1-MRK   | Marks M9900 SERIES & DESIGN HARDWARE 1000 SERIES    | \$610 | +\$85    |        | \$98  |
| MLRK1-MRK8  | Marks M8800 SERIES                                  | \$610 | +\$85    |        | \$98  |
| MLRK1-PDQ   | PDQ 6200 SERIES                                     | \$610 | +\$85    |        | \$98  |
| MLRK1-PDQ63 | PDQ 63/6400 SERIES                                  | \$610 | +\$85    |        | \$98  |
| MLRK1-PHI   | PHILADELPHIA HARDWARE 9000 SERIES                   | \$610 | +\$85    |        | \$98  |
| MLRK1-SGT   | Sargent 80 SERIES/CAL ROYAL/ARROW/DOREX             | \$610 | -        |        | \$98  |
| MLRK1-SQ    | Stanley QED 100/200                                 | \$610 | -        |        | \$98  |
| MLRK1-TEL   | TELL 9500 SERIES                                    | \$610 | +\$85    |        | \$98  |
| MLRK1-TS1   | Townsteel 1000 SERIES                               | \$610 | +\$85    |        | \$98  |
| MLRK1-TS2   | Townsteel 9700 SERIES                               | \$610 | +\$85    |        | \$98  |
| MLRK1-VD22  | Von Duprin 22 SERIES                                | \$610 | ✓        |        | \$98  |
| MLRK1-VD    | Von Duprin 33/35 & 98/99 SERIES                     | \$610 | ✓        |        | \$98  |
| MLRK1-VDAX  | Von Duprin 33/35 & 98/99 AX SERIES                  | \$610 | ✓        |        | \$98  |
| MLRK1-COR   | YALE 7000 SERIES                                    | \$610 | +\$85    |        | \$98  |
| MLRK1-YAL6  | Kawneer Paneline SERIES                             | \$610 | +\$85    |        | \$98  |

1. See page 21 for REXKIT's available & part #. Order REX Kit separately.

## SOLENOID LATCH RETRACTION KITS


| PART #       | EXIT DEVICE             | LIST  | REXKIT    |
|--------------|-------------------------|-------|-----------|
|              |                         |       | AVAILABLE |
| ARLP88-KIT   | Adams Rite 8800 series  | \$250 | \$85      |
| MDMLRK1-VD95 | Von Duprin Impact 94/95 | \$675 | \$85      |



# ELECTRIFIED EXIT DEVICES




PD10




PD15



PD18



PD25



PD27



## FOR MODIFICATION AND COMPLETE DEVICE

### PREFIX

MD - Modification

### MODEL + FUNCTION

Select a model number and add EU (Fail Secure)  
- Electronically Unlocked only

### VOLTAGE

24 Volts  
12 Volts - Adams Rite 88 & PD18-RIM ONLY

### OPTIONAL SWITCHES

REX - Request-to-Exit  
LBM - Latchbolt Monitor

## FOR COMPLETE DEVICE ONLY

### SIZE (Width of device)

36 - 36" wide device  
42 - 42" wide device  
48 - 48" wide device

### FINISH

#### ARCHITECTURAL

626 - Satin Chrome  
613 - Oil Rubbed Bronze

#### STOREFRONT

628 - Aluminum  
313 - Duronatic

### ACCESSORIES

3' Lead - 3' Wire Lead w/ connector(s)  
4' Lead - 4' Wire Lead w/ connector(s)  
QC - Molex Connectors

## EXAMPLES

### MODIFICATION ONLY - SOLENOID DRIVEN

|         | PREFIX | MODEL    | SUFFIX | FUNCTION | VOLTAGE | SIZE | FINISH | OPTIONS | COMPLETE PART #     |
|---------|--------|----------|--------|----------|---------|------|--------|---------|---------------------|
| Part #  | MD     | MDARLP86 | -      | EU       | 24V     | -    | -      | REX     | MDARLP86-EU-24V REX |
| List \$ | -      | \$464    | -      | -        | -       | -    | -      | -       | \$464               |

KEY: MD = MODIFICATION  
M = MOTOR DRIVEN

### COMPLETE MOTOR DRIVEN DEVICE

|         | PREFIX | MODEL  | SUFFIX | FUNCTION | VOLTAGE | SIZE | FINISH | OPTIONS | COMPLETE PART #       |
|---------|--------|--------|--------|----------|---------|------|--------|---------|-----------------------|
| Part #  | -      | PD27   | M      | RIM      | 24V     | 36   | 626    | REX     | PD25-M-RIM-36-626 REX |
| List \$ | -      | \$1582 | -      | -        | -       | -    | -      | \$85    | \$1667                |

## PD10 / PD11

### STOREFRONT COMPLETE DEVICES

PD10 / PD11 Series retrofits Doromatic 1600/1700 & First Choice 3600/3700.

✓ or \$ = Available  
- = Not Available

| PART #     | FUNCTION                        | LIST \$ | 36" | *42"   | 48"   | ALUM | DURO  | REX   | LBM   | EXT RODS |
|------------|---------------------------------|---------|-----|--------|-------|------|-------|-------|-------|----------|
| PD10-M-RIM | Motorized Latch Retraction (EU) | \$964   | ✓   | +\$150 | +\$40 | ✓    | +\$10 | +\$85 | +\$85 | +\$70    |
| PD10-M-CVR | Motorized Latch Retraction (EU) | \$990   | ✓   | +\$150 | +\$40 | ✓    | +\$10 | +\$85 | +\$85 | +\$70    |
| PD11-RIM   | Mechanical RIM Device           | \$484   | ✓   | +\$150 | +\$40 | ✓    | +\$10 | +\$85 | +\$85 | +\$70    |
| PD11-CVR   | Mechanical CVR Device           | \$541   | ✓   | +\$150 | +\$40 | ✓    | +\$10 | +\$85 | -     | +\$70    |

\*48" Device mechanics can be relocated at factory for 42" or speciality size for field cut down.

## PD15 / PD16

COMPLETE DEVICE - PD15 / PD16 retrofits Jackson 1200, Kawneer 1686/1736 & AHT 8000/9000. Please Specify Handling for CVR.

| PART #     | FUNCTION                        | LIST \$ | 36" | 42"* | 48"   | ALUM | DURO  | REX   | LBM | EXT RODS |
|------------|---------------------------------|---------|-----|------|-------|------|-------|-------|-----|----------|
| PD15-M-RIM | Motorized Latch Retraction (EU) | \$986   | ✓   | -    | +\$40 | ✓    | +\$10 | +\$85 | -   | +\$70    |
| PD15-M-CVR | Motorized Latch Retraction (EU) | \$1028  | ✓   | -    | +\$40 | ✓    | +\$10 | +\$85 | -   | +\$70    |
| PD16-RIM   | Mechanical RIM Device           | \$488   | ✓   | -    | +\$40 | ✓    | +\$10 | +\$85 | -   | +\$70    |
| PD16-CVR   | Mechanical CVR Device           | \$504   | ✓   | -    | +\$40 | ✓    | +\$10 | +\$85 | -   | +\$70    |

\*48" Device mechanics can be cut down to 42" in the field.

## PD18 / PD19

COMPLETE DEVICE - PD18 / PD19 retrofits Adams Rite 8800 & 8600 series.

| PART #     | FUNCTION                        | LIST \$ | 36" | 42" | 48"   | ALUM | DURO  | REX   | LBM | EXT RODS |
|------------|---------------------------------|---------|-----|-----|-------|------|-------|-------|-----|----------|
| PD18-RIM*  | Solenoid Latch Retraction (EU)  | \$700   | ✓   | -   | +\$40 | ✓    | +\$10 | +\$85 | -   | -        |
| PD18-CVR   | Solenoid Latch Retraction (EU)  | \$1018  | ✓   | -   | +\$40 | ✓    | +\$10 | +\$85 | -   | -        |
| PD18-M-RIM | Motorized Latch Retraction (EU) | \$971   | ✓   | -   | +\$40 | ✓    | +\$10 | +\$85 |     |          |
| PD18-M-CVR | Motorized Latch Retraction (EU) | \$1134  | ✓   | -   | +\$40 | ✓    | +\$10 | +\$85 |     |          |
| PD19-RIM   | Mechanical RIM Device           | \$488   | ✓   | -   | +\$40 | ✓    | +\$10 | +\$85 | -   | -        |
| PD19-CVR   | Mechanical CVR Device           | \$572   | ✓   | -   | +\$40 | ✓    | +\$10 | +\$85 | -   | -        |

## PD25/26

COMPLETE DEVICE - PD25 / PD26 Series retrofits Cal Royal 7700 & Von Duprin 98/99 RIM & SVR.

| PART #      | FUNCTION                                    | LIST \$ | 36" | 42" | 48"   | 626 | 613   | REX   | LBM   | EXT RODS |
|-------------|---|---------|-----|-----|-------|-----|-------|-------|-------|----------|
| PD25-M-RIM  | Motorized Latch Retraction (EU)             | \$1403  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | +\$85 | -        |
| PD25-M-SVR  | Motorized Latch Retraction (EU)             | \$1855  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | -     | +\$95    |
| PD25F-M-RIM | Motorized Latch Retraction (EU) -Fire Rated | \$1738  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | +\$85 | -        |
| PD25F-M-SVR | Motorized Latch Retraction (EU) -Fire Rated | \$2190  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | -     | +\$95    |
| PD26-RIM    | Mechanical RIM Device                       | \$814   | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | +\$85 | -        |
| PD26-SVR    | Mechanical SVR Device                       | \$1275  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | -     | +\$95    |
| PD26F-RIM   | Mechanical RIM Device - Fire Rated          | \$1149  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | +\$85 | -        |
| PD26F-SVR   | Mechanical SVR Device - Fire Rated          | \$1610  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$85 | -     | +\$95    |

- Auxiliary Fire Bolt List \$95

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



# ELECTRIFIED EXIT DEVICES

## PD27/28 COMPLETE EXIT DEVICE - Wide Stile | ARCHITECTURAL - Matches Von Duprin Template

| PART #     | FUNCTION                        | LIST \$ | 36" | 42" | 48"   | 626 | 613   | FIRE<br>RATED | REX   | LBM   | EXT<br>RODS |
|------------|---------------------------------|---------|-----|-----|-------|-----|-------|---------------|-------|-------|-------------|
| PD27-M-RIM | Motorized Latch Retraction (EU) | \$1582  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$70         | +\$85 | +\$85 | -           |
| PD27-M-SVR | Motorized Latch Retraction (EU) | \$1991  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$70         | +\$85 | -     | +\$95       |
| PD27-M-CVR | Motorized Latch Retraction (EU) | \$2390  | ✓   | -   | +\$40 |     | +\$75 | +\$70         | +\$85 | -     | +\$95       |
| PD28-RIM   | Mechanical RIM Device           | \$1041  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$70         | +\$85 | +\$85 | -           |
| PD28-SVR   | Mechanical SVR Device           | \$1450  | ✓   | -   | +\$40 | ✓   | +\$75 | +\$70         | +\$85 | -     | +\$95       |
| PD28-CVR   | Mechanical SVR Device           | \$1850  | ✓   | -   | +\$40 |     | +\$75 | +\$70         | +\$85 | -     | +\$95       |

## PD29/30 COMPLETE DEVICE ARCHITECTURAL - Narrow Stile - Matches Von Duprin Template

|            |                                 |        |   |   |       |   |       |       |       |       |       |
|------------|---------------------------------|--------|---|---|-------|---|-------|-------|-------|-------|-------|
| PD29-M-RIM | Motorized Latch Retraction (EU) | \$1549 | ✓ | - | +\$40 | ✓ | +\$75 | +\$70 | +\$85 | +\$85 | -     |
| PD29-M-SVR | Motorized Latch Retraction (EU) | \$2097 | ✓ | - | +\$40 | ✓ | +\$75 | +\$70 | +\$85 | -     | +\$95 |
| PD29-M-CVR | Motorized Latch Retraction (EU) | \$2438 | ✓ | - | +\$40 | ✓ | +\$75 | +\$70 | +\$85 |       |       |
| PD30-RIM   | Mechanical RIM Device           | \$1054 | ✓ | - | +\$40 | ✓ | +\$75 | +\$70 | +\$85 | +\$85 | -     |
| PD30-SVR   | Mechanical SVR Device           | \$1556 | ✓ | - | +\$40 | ✓ | +\$75 | +\$70 | +\$85 | -     | +\$95 |
| PD30-CVR   | Mechanical CVR Device           | \$1897 | ✓ | - | +\$40 | ✓ | +\$75 | +\$70 | +\$85 |       | +\$95 |

## Additional Electrification Options

Below prices will be added with the PD28 & PD30 Mechanical List Price

| ADD ON                | LIST \$ |
|-----------------------|---------|
| Delayed Egress Add On | +1300   |
| Alarm Kit Add On      | +420    |

## How to Order

| CATEGORY | SERIES                  | RATING         | FUNCTION                 | DEVICE TYPE | VOLTAGE | DOOR WIDTH | FINISH | HARDWARE<br>OPTIONS                                 | OPTIONS   |
|----------|-------------------------|----------------|--------------------------|-------------|---------|------------|--------|---|---|
| PD       | 27 - WIDE               | BLANK - PANIC  | M- FAIL SECURE (EU)      | RIM         | 24V     | 36"        | 605*   | BS - BLADE STOP STRIKE                              | REX-<br>REQUEST TO EXIT SWITCH                  |
|          | 28 - WIDE<br>MECHANICAL | F - FIRE RATED | A- ALARM                 | SVR         |         | 48"        | 606*   | DD - DOUBLE DOOR STRIKE                             | LBM-<br>LATCHBOLT MONITOR SWITCH                |
|          |                         |                | AHW- ALARM<br>HARD WIRED | CVR         |         |            | 613    | LBR - LESS BOTTOM ROD (SVR/CVR)                     | QC/CON/BC -<br>MOLEX CONNECTORS - SPECIFY BRAND |
|          |                         |                | DE-<br>DELAYED EGRESS    |             |         |            | 622    | LBR-FP - LESS BOTTOM ROD<br>WITH FIRE PIN (SVR/CVR) |   |
|          |                         |                | BLANK-<br>MECHANICAL     |             |         |            | 625*   | WS - WINDSTORM RATED (RIM/SVR)                      |   |
|          |                         |                | 626/630                  | 7 - 7' DOOR |         |            |        |   |   |
|          |                         |                |                          | 8 - 8' DOOR |         |            |        |   |   |
|          |                         |                | 10 - 8'-10' DOOR         |             |         |            |        |   |   |

EXAMPLE PART NUMBER:

PD27-DE RIM 36" 626

\*SELECT FINISHES MAY  
HAVE LONGER LEAD TIMES

EXAMPLE PART NUMBER: PD27-DE RIM 36" 626

\*SELECT FINISHES MAY  
HAVE LONGER LEAD TIMES



## ADAMS RITE MODIFICATION (Customer's Adams Rite 8000 Series Devices) - Maintains factory dogging ability.

| PART #    | FUNCTION                       | LIST \$ | REX   | LBM |
|-----------|--------------------------------|---------|-------|-----|
| MDARLP82  | Solenoid Latch Retraction (EU) | \$464   | +\$85 | -   |
| MDARLP84  | Solenoid Latch Retraction (EU) | \$464   | +\$85 | -   |
| MDARLP86  | Solenoid Latch Retraction (EU) | \$464   | +\$85 | -   |
| MDARLP88* | Solenoid Latch Retraction (EU) | \$263   | +\$85 | -   |

\*Available in 12V or 24V. Please specify when ordering

## VON DUPRIN MODIFICATION (Customer's Von Duprin 94/95 Impact Device)

| PART #                         | FUNCTION                   | LIST \$ | REX | LBM |
|--------------------------------|----------------------------|---------|-----|-----|
| VON DUPRIN 94/95 IMPACT DEVICE | Motorized Latch Retraction | \$675   | -   | -   |

\*Available in 12V or 24V. Please specify when ordering

## ACCESSORIES & REPLACEMENT FOR EXIT DEVICES

| PART #           | FUNCTION   | LIST \$ |
|------------------|--|---------|
| 8' Lead          | 8' Power Lead for Exit Devices   | \$50    |
| 10' LEAD         | Add 10' lead to any switch (per switch)  | \$58    |
| QC/CON           | 8-pin or 12-pin Molex Connectors added to locking device retrofit ElectroLynx or Allegion Connect                    | \$30    |
| QC/CON w/ lead   | 8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit ElectroLynx or Allegion Connect        | \$49    |
| QC/CON w/ Lead   | 8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to QC prepped power transfer hinge | \$110   |
| Door Cord QC/CON | 3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge                                    | \$90    |
| 50944            | Motor Molex Power Lead 12" - Plugs directly into our MM modules  | \$20    |
| 50944            | Motor Molex Power Lead 36" - Plugs directly into our MM modules  | \$30    |
| SOL-LP1          | Replacement Solenoid Assembly for Electrified Latch Retraction - Single Coil   | \$135   |
| SOL-LP2          | Replacement Solenoid Assembly for Electrified Latch Retraction - Dual Coil   | \$135   |
| SOL-LP3          | Replacement Solenoid Assembly for Electrified Latch Retraction - Single Coil (12EU ARLP88)                           | \$135   |
| SOL-LP4          | Replacement Solenoid Assembly for Electrified Latch Retraction - Two-Solenoid Assembly                               | \$223   |
| SOL-LP5          | Replacement Solenoid Assembly for Electrified Latch Retraction - Single Coil (24EU ARLP88)                           | \$135   |

NOTES\* See website for specific applications. ElectroLynx® is a registered trademark of Assa Abloy

ElectroLynx® is a registered trademark of Assa Abloy

Allegion Connect® is a registered trademark of Allegion

Micro-Fit 3.0™ Interconnect System available to retrofit common quick connection systems such as ElectroLynx® or Allegion Connect®.




## EXIT DEVICE SWITCH OPTIONS

| PART #      | FUNCTION                                      |       |
|-------------|---|-------|
| REX         | Add Request to Exit Switch to device          | \$85  |
| LBM         | Add Latchbolt Monitor Switch to device        | \$85  |
| REX2        | Add Double Request to Exit Switch to device   | \$160 |
| Switch Only | Adding Above Switch Only to Mechanical Device | \$160 |

\* Call Factory for specific device availability

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.


## SWITCH FIELD KITS FOR EXIT DEVICES



|                        |   | Switch Kit<br>List \$ | Mechanical Device | Solenoid Device | Motorized Device |
|------------------------|---|-----------------------|-------------------|-----------------|------------------|
| <b>ARREXKIT-ED</b>     | Field Installable Request to Exit Kit for Adams Rite 8000 Series                                    | \$98                  | ✓                 | ✓               | -                |
| <b>ARREXKIT2-ED</b>    | Field Installable Double Request to Exit Kit for Adams Rite 8000 Series                             | \$170                 | ✓                 | ✓               | -                |
| <b>ARREXKIT-M-ED</b>   | Field Installable Request to Exit Kit for MRLK1 Adams Rite Series                                   | \$98                  | -                 | -               | ✓                |
| <b>CRSREXKIT-ED</b>    | Field Installable Request to Exit Kit for Cal Royal 22/98 & Sargent 80 Series                       | \$98                  | ✓                 | -               | ✓                |
| <b>CYREXKIT-ED</b>     | Field Installable Request to Exit Kit for Corbin 4/5000 & Yale 7000 Series                          | \$98                  | ✓                 | -               | -                |
| <b>CYREXKIT-M-ED</b>   | Field Installable Request to Exit Kit for MRLK1 Corbin & Yale Series                                | \$98                  | -                 | -               | ✓                |
| <b>ED1REXKIT-M-ED</b>  | Field Installable Request to Exit Kit for MRLK1 Philadelphia & Tell Series                          | \$98                  | -                 | -               | ✓                |
| <b>ED2REXKIT-M-ED</b>  | Field Installable Request to Exit Kit for MRLK1 Series LSDA9200, USCAN2100, & Townsteel 1000 Series | \$98                  | -                 | -               | ✓                |
| <b>DORREXKIT-ED</b>    | Field Installable Request to Exit Kit for Dorma 9000 series   | \$98                  | ✓                 | ✓               | ✓                |
| <b>MRKREXKIT-M-ED</b>  | Field Installable Request to Exit Kit for MRLK1-MRK Marks M9900/8800 & Design Hardware Series-      | \$98                  | -                 | -               | ✓                |
| <b>LLPREXKIT-M-ED</b>  | Field Installable Request to Exit Kit for MRLK1-Hager, LSDA9000, Lawrence, PDQ Series               | \$98                  | -                 | -               | ✓                |
| <b>PD10REXKIT-ED</b>   | Field Installable Request to Exit Kit for Falcon 16/17 & First Choice 36/37 Series                  | \$98                  | ✓                 | ✓               | ✓                |
| <b>PD15REXKIT-ED</b>   | Field Installable Request to Exit Kit for Jackson 1285/95 & Kawneer 16/17 Series                    | \$98                  | ✓                 | -               | -                |
| <b>PD15REXKIT-M-ED</b> | Field Installable Request to Exit Kit for MRLK1 Jackson & Kawneer Series -                          | \$98                  | -                 | -               | ✓                |
| <b>PD25REXKIT-ED</b>   | Field Installable Request to Exit Kit for PD25/26 & Cal Royal 7700 Series                           | \$98                  | ✓                 | -               | ✓                |
| <b>PREREXKIT-ED</b>    | Field Installable Request to Exit Kit for Precision 2000 Series                                     | \$98                  | ✓                 | ✓               | -                |
| <b>VDREXKIT-ED</b>     | Field Installable Request to Exit Kit for Von Duprin 99/98 & 35/33 Series                           | \$98                  | ✓                 | ✓               | ✓                |
| <b>VDREXKIT-LC-ED</b>  | Field Installable Low Energy Request to Exit Kit for Von Duprin 99/98 & 35/33 Series                | \$108                 | ✓                 | ✓               | ✓                |
| <b>VDREXKIT2-ED</b>    | Field Installable Double Request to Exit Kit for Von Duprin 99/98 & 35/33 Series                    | \$170                 | ✓                 | ✓               | ✓                |
| <b>VDLBMKIT-ED</b>     | Field Installable Latchbolt Monitor Kit for Von Duprin 99/98 & 35/33 Series                         | \$98                  | ✓                 | ✓               | ✓                |
| <b>YAL6REXKIT-ED</b>   | Field Installable Request to Exit Kit for Yale 6000 Series  | \$98                  | ✓                 | -               | -                |
| <b>YAL6REXKIT-M-ED</b> | Field Installable Request to Exit Kit for MRLK1 Yale 6000 Series- MRLK1-YAL6 Series                 | \$98                  | -                 | -               | ✓                |



# POWER SUPPLIES



## UL294 6<sup>TH</sup> EDITION LISTING



PS210  
PS220/220B  
PS440B  
PS480B

PS204/204B

## POWER SUPPLIES FOR ALL LATCH PULLBACK/EXIT DEVICES

|               |  |              |
|---------------|--|--------------|
| <b>PS210</b>  | 1.5A, 24V regulated PS w/boost circuitry for up to (2) electric latch pullback devices. Includes (1) solid state input/output  | <b>\$329</b> |
| <b>PS220</b>  | 2A, 24V regulated PS w/boost circuitry for up to (2) electric latch pullback devices. Includes (2) solid state inputs/outputs and a fire alarm link. (1) 24VDC Power Tap   | <b>\$398</b> |
| <b>PS220B</b> | 2A, 24V regulated PS w/boost circuitry for up to (2) electric latch pullback devices. Includes (2) solid state inputs/outputs, battery charging circuit, and a fire alarm link. (1) 24VDC Power Tap. Battery Back-up | <b>\$466</b> |
| <b>PS440B</b> | 4A, 24V regulated PS w/boost circuitry is capable of powering up to (4) electric latch pullback devices. Includes (4) solid state inputs/outputs, battery charging circuit, and a fire alarm link. Battery Back-up   | <b>\$525</b> |
| <b>PS480B</b> | 4A, 24V regulated PS w/boost circuitry for up to (8) electric latch pullback devices. Includes (8) solid state inputs/outputs, battery charging circuit, and a fire alarm link. Battery Back-up                      | <b>\$573</b> |

## POWER SUPPLIES FOR MOTORIZED LATCH RETRACTION, MORTISE/CYLINDRICAL LOCK, & EXIT TRIM

|               |   |              |
|---------------|---|--------------|
| <b>PS204</b>  | 2A, 24V regulated PS w/boost circuitry for up to (4) MOTORIZED electric latch pullback devices. Includes (4) solid state inputs/outputs, and a fire alarm link                  | <b>\$373</b> |
| <b>PS204B</b> | 2A, 24V regulated PS w/boost circuitry for up to (4) MOTORIZED electric latch pullback devices. Includes (4) solid state inputs/outputs, and a fire alarm link. Battery Back-up | <b>\$424</b> |

## POWER SUPPLIES & AUXILIARY BOARDS

|                  |   |              |
|------------------|---|--------------|
| <b>PS-OP-2</b>   | Replacement Relay Board for PS202/202B/220/220B (Specify Series)  | <b>\$219</b> |
| <b>PS-OP-4</b>   | Replacement Relay Board for PS204/204B/440B (Specify Series)  | <b>\$231</b> |
| <b>PS-OP-8</b>   | Replacement Relay Board for PS480B  | <b>\$244</b> |
| <b>SW3</b>       | 2.4A 27VDC regulated power supply w/ (3) non-fused outputs for electric strikes, mortise locks and cylindrical locks. <b>**NOT UL**</b> | <b>\$212</b> |
| <b>BB12V7</b>    | Set of (2) 12VDC 7AH Batteries for Power Supplies with Battery Back-Up  | <b>\$170</b> |
| <b>CAMLCK-PS</b> | Cam Lock For Command Power Supplies   | <b>\$35</b>  |



## LOCKING HARDWARE AUTO-OPERATOR

Heavy Duty Auto-Operator - On-Board door sequencing, Push To Learn, & locking hardware power tap.

|                       |  |               |
|-----------------------|--|---------------|
| <b>CATHD0100-PUSH</b> | Command Heavy Duty Locking Hardware Auto-Operator 39" -Alum/Duro/Black - Push Arm - Handing Reversible | <b>\$3700</b> |
| <b>CATHD0100-PULL</b> | Command Heavy Duty Locking Hardware Auto-Operator 39" -Alum/Duro/Black - Pull Arm - Handing Reversible | <b>\$3700</b> |

\*For Double Doors with single header, double single unit price.

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



# MODULES & ACCESSORIES

## POWER SUPPLY ACCESSORIES

|                        |  |               |
|------------------------|--|---------------|
| <b>Command EDC BAG</b> | Command Everyday Carry Service Bag With CAT FT             | <b>\$1250</b> |
| <b>Command EDC BAG</b> | Command Everyday Carry Service Bag With Out CAT FT         | <b>\$1024</b> |
| <b>DS1+</b>            | Door Sequencer   | <b>\$186</b>  |
| <b>DS1-X</b>           | Door Sequencer   | <b>\$212</b>  |
| <b>VD2-873</b>         | Replacement Relay Board for Von Duprin PS873 (871-2 board) | <b>\$212</b>  |
| <b>VD2-914</b>         | Replacement Relay Board for Von Duprin PS914 (2RS board)   | <b>\$212</b>  |

## POWER ACCESSORIES

|                          |  |              |
|--------------------------|--|--------------|
| <b>CAT FT</b>            | COMPLETE FIELD TESTER, specify battery (DeWalt, Makita, Milwaukee)                           | <b>\$235</b> |
| <b>CAT FT ATTACHMENT</b> | Replacement Battery Attachment, specify battery (DeWalt, Makita, Milwaukee)                  | <b>\$30</b>  |
| <b>PM300</b>             | Power Module for Solenoids powered by DC Power sources                                       | <b>\$223</b> |
| <b>PM300-D</b>           | Power Module for Solenoids powered by DC Power sources w/ built-in .5 second delay           | <b>\$223</b> |
| <b>PM300-AC</b>          | Power Module for Solenoids powered by AC Power sources                                       | <b>\$223</b> |
| <b>PM300-ACD</b>         | Power Module for Solenoids powered by AC Power sources w/ built-in .5 second delay           | <b>\$223</b> |
| <b>CRU</b>               | Current Reduction Unit for solenoid powered Mortise & Cylindrical locks, Strikes & Exit Trim | <b>\$41</b>  |
| <b>POD Module</b>        | Power ON Delay Module - In-Line module allows for .5-5 second delay in activation            | <b>\$51</b>  |
| <b>VC3024</b>            | Voltage Converter 30VDC to 24VDC   | <b>\$51</b>  |
| <b>VC2412</b>            | Voltage Converter 24VDC to 12VDC   | <b>\$51</b>  |

## SWITCH ACCESSORIES

|                 |   |             |
|-----------------|---|-------------|
| <b>IDPS1</b>    | Independent DPS switch installs in frame & alum (wood, hollow metal, & FRP)   | <b>\$35</b> |
| <b>IDPS2</b>    | Independent High Security DPS switch installs in frame & alum (wood, hollow metal, & FRP)                                       | <b>\$47</b> |
| <b>IDPSSC-1</b> | Vandal Resistance Independent Concealed Magnetic Contact switch DPS switch installs in frame & alum (wood, hollow metal, & FRP) | <b>\$95</b> |



# MODULES & ACCESSORIES



## ACTUATORS & MORE ACCESSORIES

|                  |  |               |
|------------------|--|---------------|
| <b>TA120</b>     | Touchless Actuator - Wave to Open Logo - Surface Mount                           | <b>\$233</b>  |
| <b>TA121</b>     | Touchless Actuator - Wave to Lock Logo - Surface Mount                           | <b>\$233</b>  |
| <b>TA122</b>     | Touchless Actuator - Wave to Open + Handicap Logo - Surface Mount                | <b>\$233</b>  |
| <b>IA120</b>     | Illuminated Actuator - Push to Open - Handicap                                   | <b>\$233</b>  |
| <b>IA121</b>     | Illuminated Actuator - Push to Lock - Surface Mount                              | <b>\$233</b>  |
| <b>IA122</b>     | Illuminated Actuator - Push to Open - Surface Mount                              | <b>\$233</b>  |
| <b>2WRB</b>      | 2 Wire Retrofit Board - allows 4 wire touchless actuator to use 2 existing wires | <b>\$228</b>  |
| <b>RB1</b>       | Remote Buzzer Single Gang  | <b>\$69</b>   |
| <b>RB1-NS</b>    | Remote Buzzer Narrow Stile   | <b>\$69</b>   |
| <b>DTC MOMA2</b> | Remote 2 Door Desktop Console  | <b>\$615</b>  |
| <b>DTC MOMA4</b> | Remote 4 Door Desktop Console  | <b>\$848</b>  |
| <b>DTC MOMA8</b> | Remote 8 Door Desktop Console  | <b>\$1882</b> |



# POWER TRANSFER HINGES



## ELEMENTS OF A PART NUMBER



**molex**



| TYPE                                       |
|--|
| <b>ETH</b> - Energy Transfer Hinge         |
| <b>ETM</b> - Energy Transfer Monitor Hinge |

| WIRES                    |
|--------------------------|
| M - Monitor Only         |
| 2W - (2/20ga)            |
| 4W - (4/26ga)            |
| 6W - (6/26ga)            |
| 8W - (8/28ga)            |
| 10W - (10/28ga)          |
| 12W - (12/28ga)          |
| 2WH* - (2/18ga)          |
| 4WH* - (2/18ga+2/26ga)   |
| 6WH* - (2/18ga+4/28ga)   |
| 8WH* - (2/20ga+6/28ga)   |
| 10WH* - (2/20ga+8/28ga)  |
| 12WH* - (2/20ga+10/28ga) |

\*NOT AVAILABLE ON ALL HINGES SIZES .

| SIZE / HANDING       |
|----------------------|
| 4.0 x 4.0 (SQ or RC) |
| 4.5 x 4.0 (SQ or RC) |
| 4.5 x 4.5            |
| 5.0 x 4.0            |
| 5.0 x 4.5            |
| 5.0 x 5.0            |
| 4.5 x 6.0 (WT)       |
| 5.0 x 6.0 (WT)       |
| LH - Left Hand       |
| RH - Right Hand      |

| OPTIONS   |
|---|
| <b>QC</b> - Molex Connectors <b>HT</b> - Hospital Tip (SS/Brass Only) |
| 4' Leads - <b>ALWAYS SUPPLIED AT NO CHARGE</b>                        |

| FINISH (Steel Base Metal)           |
|-------------------------------------|
| 600/P - Prime Coat                  |
| 605-632/3 - Bright Brass            |
| 606-633/4 - Satin Brass             |
| 609-638/5 - Satin Brass Antique     |
| 611-637/9 - Bright Bronze           |
| 612-639/10 - Satin Bronze           |
| 641/10A - Antique Bronze Laq.       |
| 613-640/10B - Anti. Bronze Oil      |
| 619-646/15 - Satin Nickel           |
| 625-651/26 - Bright Chrome          |
| 626-652/26D - Satin Chrome          |
| 693/L1 - Black                      |
| FINISH (Brass Base Metal)           |
| 600/P - Prime Coat                  |
| 605/3 - Bright Brass                |
| 606/4 - Satin Brass                 |
| 609/5 - Satin Brass Antique         |
| 611/9 - Bright Bronze               |
| 612/10 - Satin Bronze               |
| 613/10B - Antique Bronze Oil        |
| 619/15 - Satin Nickel               |
| 625/26 - Bright Chrome              |
| 626/26D - Satin Chrome              |
| 693/L1 - Black <sup>1</sup>         |
| FINISH (Stainless Steel Base Metal) |
| 629 - Polished Stainless            |
| 630 - Brushed Stainless             |

| STYLE  |
|--|
| <b>3SW</b> - 3 Knuckle Standard Weight                                       |
| <b>3HW</b> - 3 Knuckle Heavy Weight  |
| <b>5SW</b> - 5 Knuckle Standard Weight                                       |
| <b>5HW</b> - 5 Knuckle Heavy Weight  |
| <b>CATPIVOT</b> - 3/4" Offset Pivot  |
| <b>5SWSC</b> - CAT Swingclear Standard weight (specify straight or bevelled) |
| <b>3/4"</b> - offset pivot (top/intermediate)                                |
| <b>1-1/2"</b> - offset pivot (top/intermediate)                              |
| <b>TP</b> - Top pivot (center hung)  |
| <b>PP</b> - Pocket pivot (center hung)                                       |
| <b>SC</b> - Swing Clear Hinge  |
| <b>RB</b> - Raised Barrel  |

## EXTRA HINGES FOR MODIFICATION

Due to the nature of the modification process, please send 1 extra hinge for every 8 to be modified. We will return any hinges not need back with your order.

\*For Example: 1-8 hinges, 1 extra | 9-16 hinges, 2 extra .

## EXAMPLES

### MODIFICATION ONLY - BUTT HINGE

|         | TYPE | WIRES | SIZE | BASE  | STYLE | HANDING | OPTIONS | COMPLETE PART #  |
|---------|------|-------|------|-------|-------|---------|---------|------------------|
| Part #  | ETM  | 4W    | 4540 | Steel | 3CB1  | -       | QC      | ETM4WMOD-3CB1 QC |
| List \$ | -    | \$218 | -    | -     | -     | -       | \$48    | \$266            |

### COMPLETE ENERGY TRANSFER HINGE

|         | TYPE | WIRES | SIZE | FINISH | STYLE | HANDING | OPTIONS | COMPLETE PART #    |
|---------|------|-------|------|--------|-------|---------|---------|--------------------|
| Part #  | ETH  | 8W    | 4545 | 626    | BB79  | -       | 4' Lead | ETH8W4545-626 BB79 |
| List \$ | -    | \$161 | -    | -      | -     | -       | N/C     | \$161              |

### COMPLETE ENERGY TRANSFER PIVOT

|         | TYPE | WIRES | SIZE | FINISH | STYLE    | HANDING | OPTIONS | COMPLETE PART #         |
|---------|------|-------|------|--------|----------|---------|---------|-------------------------|
| Part #  | ETH  | 420W  | -    | 626    | CATPIVOT | RH      | 4' Lead | ETH420W-626-CATPIVOT RH |
| List \$ | -    | \$362 | -    | -      | -        | -       | N/C     | \$362                   |


Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.




# HOW TO ORDER

## HOW TO MEASURE A HINGE REFERENCE

EXAMPLE: 4.5 (HEIGHT) x 4.0 (WIDTH)



## TYPES OF HINGES



## HINGE CROSS REFERENCE SHEET

|                                     | COMMAND ACCESS | HAGER  | STANLEY         | MCKINNEY | PBB  | IVES   | CAL ROYAL  | BOMMER |
|-------------------------------------|----------------|--------|-----------------|----------|------|--------|------------|--------|
| 5 KNUCKLE - SW STEEL BASE           | BB79           | BB1279 | FBF179<br>CB179 | TA2714   | BB81 | 5BB1   | BB31       | BB5000 |
| 5 KNUCKLE - SW BRASS BASE           | BB91           | BB1191 | FB191<br>CB191  | TA2314   | BB21 | 5BB1   | SBB31      | BB5001 |
| 5 KNUCKLE - SW STAINLESS STEEL BASE | BB91           | BB1191 | FBF191<br>CB191 | TA2314   | BB51 | 5BB1   | BB31-630   | BB5002 |
| 5 KNUCKLE - HW STEEL BASE           | BB68           | BB1168 | FBF168<br>CB168 | T4A3786  | 4B81 | 5BB1HW | BB5200     | BB5004 |
| 5 KNUCKLE - HW BRASS BASE           | BB99           | BB1199 | FB199<br>CB199  | T4A3385  | 4B81 | 5BB1HW | N/A        | BB5005 |
| 5 KNUCKLE - HW STAINLESS STEEL BASE | BB99           | BB1199 | FBF199<br>CB199 | T4A3385  | 4B21 | 5BB1HW | BB5200-630 | BB5006 |
| 3 KNUCKLE - SW STEEL BASE           | CB70           | AB700  | CB1900R         | TA714    | CB81 | 3CB1   | BB200      | LB8000 |
| 3 KNUCKLE - SW BRASS BASE           | CB80           | AB800  | CB1960R         | TA314    | CB21 | 3CB1   | N/A        | LB8001 |
| 3 KNUCKLE - SW STAINLESS STEEL BASE | CB80           | AB800  | CB1960R         | TA314    | CB51 | 3CB1   | BB2200-630 | LB8002 |
| 3 KNUCKLE - HW STEEL BASE           | CB75           | AB750  | CB1901R         | TA786    | 4C81 | 3CB1HW | BB3300     | LB8004 |
| 3 KNUCKLE - HW BRASS BASE           | CB85           | AB850  | CB1961R         | TA386    | 4C21 | 3CB1HW | N/A        | LB8005 |
| 3 KNUCKLE - HW STAINLESS STEEL BASE | CB85           | AB850  | CB1961R         | TA386    | 4C51 | 3CB1HW | BB3300-630 | LB8006 |

## 5 KNUCKLE STANDARD TRANSFER HINGES - ETH

| STEEL BASE (BB79)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.0 x 4.0                   | \$130 | \$130 | \$150 | \$161 | \$193 | \$193 | -     | -     | -     | -     | -     | -     |
| 4.5 x 4.0                   | \$130 | \$130 | \$150 | \$161 | \$193 | \$193 | \$176 | \$191 | \$201 | \$211 | \$243 | \$256 |
| 4.5 x 4.5                   | \$130 | \$130 | \$150 | \$161 | \$193 | \$193 | \$176 | \$191 | \$201 | \$211 | \$243 | \$256 |
| 5.0 x 4.5                   | \$153 | \$153 | \$172 | \$193 | \$216 | \$216 | \$201 | \$216 | \$226 | \$243 | \$266 | \$279 |
| 5.0 x 5.0                   | \$176 | \$176 | \$195 | \$216 | \$239 | \$239 | \$224 | \$239 | \$249 | \$266 | \$289 | \$302 |
| BRASS BASE (BB91)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.0 x 4.0                   | \$163 | \$163 | \$180 | \$199 | \$216 | \$216 | -     | -     | -     | -     | -     | -     |
| 4.5 x 4.0                   | \$163 | \$163 | \$180 | \$199 | \$216 | \$216 | \$211 | \$226 | \$236 | \$249 | \$266 | \$279 |
| 4.5 x 4.5                   | \$163 | \$163 | \$180 | \$199 | \$216 | \$216 | \$211 | \$226 | \$236 | \$249 | \$266 | \$279 |
| 5.0 x 4.5                   | \$180 | \$180 | \$199 | \$216 | \$237 | \$237 | \$228 | \$243 | \$253 | \$266 | \$287 | \$300 |
| 5.0 x 5.0                   | \$195 | \$195 | \$216 | \$237 | \$258 | \$258 | \$243 | \$258 | \$268 | \$287 | \$308 | \$321 |
| STAINLESS STEEL BASE (BB91) | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.0 x 4.0                   | \$176 | \$176 | \$196 | \$211 | \$254 | \$254 | -     | -     | -     | -     | -     | -     |
| 4.5 x 4.0                   | \$176 | \$176 | \$196 | \$211 | \$254 | \$254 | \$224 | \$239 | \$249 | \$261 | \$304 | \$317 |
| 4.5 x 4.5                   | \$176 | \$176 | \$196 | \$211 | \$254 | \$254 | \$224 | \$239 | \$249 | \$261 | \$304 | \$317 |
| 5.0 x 4.5                   | \$196 | \$196 | \$216 | \$237 | \$271 | \$271 | \$244 | \$259 | \$269 | \$287 | \$321 | \$334 |
| 5.0 x 5.0                   | \$216 | \$216 | \$237 | \$254 | \$288 | \$288 | \$264 | \$279 | \$289 | \$304 | \$338 | \$351 |

## 5 KNUCKLE HEAVY TRANSFER HINGES - ETH

| STEEL BASE (BB68)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$169 | \$169 | \$186 | \$201 | \$218 | \$218 | \$217 | \$232 | \$242 | \$254 | \$271 | \$284 |
| 4.5 x 4.5                   | \$169 | \$169 | \$186 | \$201 | \$218 | \$218 | \$217 | \$232 | \$242 | \$254 | \$271 | \$284 |
| 5.0 x 4.5                   | \$190 | \$190 | \$205 | \$218 | \$236 | \$236 | \$238 | \$253 | \$263 | \$271 | \$289 | \$302 |
| 5.0 x 5.0                   | \$203 | \$203 | \$221 | \$231 | \$248 | \$248 | \$251 | \$266 | \$276 | \$284 | \$301 | \$314 |
| BRASS BASE (BB99)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.5 x 4.0                   | \$190 | \$190 | \$208 | \$227 | \$246 | \$246 | \$238 | \$253 | \$263 | \$280 | \$299 | \$312 |
| 4.5 x 4.5                   | \$190 | \$190 | \$208 | \$227 | \$246 | \$246 | \$238 | \$253 | \$263 | \$280 | \$299 | \$312 |
| 5.0 x 4.5                   | \$208 | \$208 | \$227 | \$246 | \$265 | \$265 | \$256 | \$271 | \$281 | \$299 | \$318 | \$331 |
| 5.0 x 5.0                   | \$221 | \$221 | \$239 | \$258 | \$283 | \$283 | \$269 | \$284 | \$294 | \$311 | \$336 | \$349 |
| STAINLESS STEEL BASE (BB99) | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.5 x 4.0                   | \$212 | \$212 | \$221 | \$241 | \$270 | \$270 | \$260 | \$275 | \$285 | \$294 | \$323 | \$336 |
| 4.5 x 4.5                   | \$212 | \$212 | \$221 | \$241 | \$270 | \$270 | \$260 | \$275 | \$285 | \$294 | \$323 | \$336 |
| 5.0 x 4.5                   | \$227 | \$227 | \$246 | \$263 | \$291 | \$291 | \$275 | \$290 | \$300 | \$316 | \$344 | \$357 |
| 5.0 x 5.0                   | \$239 | \$239 | \$258 | \$275 | \$305 | \$305 | \$287 | \$302 | \$312 | \$328 | \$358 | \$371 |

## 5 KNUCKLE ENERGY TRANSFER HINGES- ETH

| MODIFICATION ONLY              | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 5 KNUCKLE - SW STEEL OR BRASS  | \$113 | \$113 | \$132 | \$148 | \$170 | \$186 | \$164 | \$176 | \$194 | \$211 | \$233 | \$246 |
| 5 KNUCKLE - SW STAINLESS STEEL | \$152 | \$152 | \$170 | \$187 | \$205 | \$221 | \$203 | \$215 | \$233 | \$250 | \$268 | \$284 |
| 5 KNUCKLE - HW STEEL OR BRASS  | \$127 | \$127 | \$143 | \$161 | \$178 | \$195 | \$178 | \$190 | \$208 | \$224 | \$241 | \$254 |
| 5 KNUCKLE - HW STAINLESS STEEL | \$167 | \$167 | \$184 | \$203 | \$220 | \$237 | \$218 | \$230 | \$248 | \$266 | \$283 | \$296 |

### 3 KNUCKLE STANDARD TRANSFER HINGES - ETH

| STEEL BASE (CB70)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$142 | \$142 | \$160 | \$177 | \$195 | \$195 | \$190 | \$205 | \$215 | \$230 | \$248 | \$261 |
| 4.5 x 4.5                   | \$142 | \$142 | \$160 | \$177 | \$195 | \$195 | \$190 | \$205 | \$215 | \$230 | \$248 | \$261 |
| 5.0 x 4.5                   | \$163 | \$163 | \$180 | \$199 | \$216 | \$216 | \$211 | \$226 | \$236 | \$252 | \$269 | \$282 |
| 5.0 x 5.0                   | \$180 | \$180 | \$199 | \$216 | \$235 | \$235 | \$228 | \$243 | \$253 | \$269 | \$288 | \$301 |
| BRASS BASE (CB80)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.5 x 4.0                   | \$172 | \$172 | \$190 | \$208 | \$227 | \$227 | \$220 | \$235 | \$245 | \$261 | \$280 | \$293 |
| 4.5 x 4.5                   | \$172 | \$172 | \$190 | \$208 | \$227 | \$227 | \$220 | \$235 | \$245 | \$261 | \$280 | \$293 |
| 5.0 x 4.5                   | \$190 | \$190 | \$208 | \$227 | \$246 | \$246 | \$238 | \$253 | \$263 | \$280 | \$299 | \$312 |
| 5.0 x 5.0                   | \$203 | \$203 | \$221 | \$239 | \$260 | \$260 | \$251 | \$266 | \$276 | \$292 | \$313 | \$326 |
| STAINLESS STEEL BASE (CB80) | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.5 x 4.0                   | \$186 | \$186 | \$204 | \$221 | \$239 | \$239 | \$234 | \$249 | \$259 | \$274 | \$292 | \$305 |
| 4.5 x 4.5                   | \$186 | \$186 | \$204 | \$221 | \$239 | \$239 | \$234 | \$249 | \$259 | \$274 | \$292 | \$305 |
| 5.0 x 4.5                   | \$208 | \$208 | \$227 | \$244 | \$265 | \$265 | \$256 | \$271 | \$281 | \$297 | \$318 | \$331 |
| 5.0 x 5.0                   | \$221 | \$221 | \$244 | \$263 | \$280 | \$280 | \$269 | \$284 | \$294 | \$316 | \$333 | \$346 |

### 3 KNUCKLE HEAVY TRANSFER HINGES - ETH

| STEEL BASE (CB75)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$169 | \$169 | \$188 | \$208 | \$221 | \$221 | \$217 | \$232 | \$242 | \$261 | \$274 | \$287 |
| 4.5 x 4.5                   | \$169 | \$169 | \$188 | \$208 | \$221 | \$221 | \$217 | \$232 | \$242 | \$261 | \$274 | \$287 |
| 5.0 x 4.5                   | \$190 | \$190 | \$210 | \$231 | \$244 | \$244 | \$238 | \$253 | \$263 | \$284 | \$297 | \$310 |
| 5.0 x 5.0                   | \$212 | \$212 | \$233 | \$253 | \$267 | \$267 | \$260 | \$275 | \$285 | \$306 | \$320 | \$333 |
| BRASS BASE (CB85)           | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.5 x 4.0                   | \$185 | \$185 | \$203 | \$221 | \$239 | \$239 | \$233 | \$248 | \$258 | \$274 | \$292 | \$305 |
| 4.5 x 4.5                   | \$185 | \$185 | \$203 | \$221 | \$239 | \$239 | \$233 | \$248 | \$258 | \$274 | \$292 | \$305 |
| 5.0 x 4.5                   | \$203 | \$203 | \$221 | \$239 | \$258 | \$258 | \$251 | \$266 | \$276 | \$292 | \$311 | \$324 |
| 5.0 x 5.0                   | \$227 | \$227 | \$244 | \$263 | \$280 | \$280 | \$275 | \$290 | \$300 | \$316 | \$333 | \$346 |
| STAINLESS STEEL BASE (CB85) | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
| 4.5 x 4.0                   | \$200 | \$200 | \$218 | \$241 | \$265 | \$265 | \$248 | \$263 | \$273 | \$294 | \$318 | \$331 |
| 4.5 x 4.5                   | \$200 | \$200 | \$218 | \$241 | \$265 | \$265 | \$248 | \$263 | \$273 | \$294 | \$318 | \$331 |
| 5.0 x 4.5                   | \$231 | \$231 | \$241 | \$265 | \$283 | \$283 | \$269 | \$284 | \$294 | \$318 | \$336 | \$349 |
| 5.0 x 5.0                   | \$244 | \$244 | \$265 | \$287 | \$305 | \$305 | \$292 | \$307 | \$317 | \$340 | \$358 | \$371 |

### 3 KNUCKLE ENERGY TRANSFER HINGES- ETH

| MODIFICATION ONLY              | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 KNUCKLE - SW STEEL OR BRASS  | \$117 | \$117 | \$135 | \$152 | \$170 | \$185 | \$168 | \$180 | \$198 | \$215 | \$233 | \$246 |
| 3 KNUCKLE - SW STAINLESS STEEL | \$161 | \$161 | \$178 | \$195 | \$213 | \$227 | \$212 | \$224 | \$242 | \$258 | \$276 | \$289 |
| 3 KNUCKLE - HW STEEL OR BRASS  | \$143 | \$143 | \$161 | \$178 | \$196 | \$210 | \$194 | \$206 | \$224 | \$241 | \$259 | \$272 |
| 3 KNUCKLE - HW STAINLESS STEEL | \$174 | \$174 | \$193 | \$210 | \$229 | \$243 | \$225 | \$237 | \$255 | \$273 | \$292 | \$305 |

## 5 KNUCKLE STANDARD TRANSFER HINGES - ETM

| STEEL BASE (BB79)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$139 | \$231 | \$231 | \$251 | \$270 | \$280 | \$279 | \$306 | \$321 | \$345 |
| 4.5 x 4.5                   | \$139 | \$231 | \$231 | \$251 | \$270 | \$280 | \$279 | \$306 | \$321 | \$345 |
| 5.0 x 4.5                   | \$157 | \$248 | \$248 | \$270 | \$288 | \$300 | \$296 | \$323 | \$338 | \$363 |
| 5.0 x 5.0                   | \$179 | \$272 | \$272 | \$294 | \$311 | \$322 | \$320 | \$347 | \$362 | \$386 |
| BRASS BASE (BB91)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$166 | \$261 | \$261 | \$276 | \$296 | \$313 | \$319 | \$336 | \$351 | \$371 |
| 4.5 x 4.5                   | \$166 | \$261 | \$261 | \$276 | \$296 | \$313 | \$319 | \$336 | \$351 | \$371 |
| 5.0 x 4.5                   | \$184 | \$278 | \$278 | \$296 | \$313 | \$332 | \$336 | \$353 | \$368 | \$388 |
| 5.0 x 5.0                   | \$207 | \$301 | \$301 | \$313 | \$337 | \$355 | \$359 | \$376 | \$391 | \$412 |
| STAINLESS STEEL BASE (BB91) | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$184 | \$276 | \$276 | \$296 | \$313 | \$322 | \$334 | \$351 | \$366 | \$388 |
| 4.5 x 4.5                   | \$184 | \$276 | \$276 | \$296 | \$313 | \$322 | \$334 | \$351 | \$366 | \$388 |
| 5.0 x 4.5                   | \$203 | \$296 | \$296 | \$313 | \$332 | \$351 | \$354 | \$371 | \$386 | \$407 |
| 5.0 x 5.0                   | \$228 | \$318 | \$318 | \$336 | \$355 | \$373 | \$376 | \$393 | \$408 | \$430 |

## 5 KNUCKLE HEAVY TRANSFER HINGES - ETM

| STEEL BASE (BB68)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$181 | \$277 | \$277 | \$297 | \$314 | \$324 | \$335 | \$352 | \$367 | \$389 |
| 4.5 x 4.5                   | \$181 | \$277 | \$277 | \$297 | \$314 | \$324 | \$335 | \$352 | \$367 | \$389 |
| 5.0 x 4.5                   | \$201 | \$297 | \$297 | \$314 | \$335 | \$345 | \$355 | \$372 | \$387 | \$410 |
| 5.0 x 5.0                   | \$224 | \$320 | \$320 | \$340 | \$345 | \$356 | \$378 | \$395 | \$410 | \$420 |
| BRASS BASE (BB99)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$197 | \$284 | \$284 | \$304 | \$322 | \$341 | \$342 | \$359 | \$374 | \$397 |
| 4.5 x 4.5                   | \$197 | \$284 | \$284 | \$304 | \$322 | \$341 | \$342 | \$359 | \$374 | \$397 |
| 5.0 x 4.5                   | \$214 | \$304 | \$304 | \$322 | \$341 | \$359 | \$362 | \$379 | \$394 | \$416 |
| 5.0 x 5.0                   | \$237 | \$328 | \$328 | \$345 | \$364 | \$382 | \$386 | \$403 | \$418 | \$439 |
| STAINLESS STEEL BASE (BB99) | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$214 | \$304 | \$304 | \$322 | \$341 | \$359 | \$362 | \$379 | \$394 | \$416 |
| 4.5 x 4.5                   | \$214 | \$304 | \$304 | \$322 | \$341 | \$359 | \$362 | \$379 | \$394 | \$416 |
| 5.0 x 4.5                   | \$244 | \$337 | \$337 | \$355 | \$373 | \$392 | \$395 | \$412 | \$427 | \$448 |
| 5.0 x 5.0                   | \$261 | \$351 | \$351 | \$369 | \$385 | \$405 | \$409 | \$426 | \$441 | \$491 |

## 5 KNUCKLE ENERGY TRANSFER HINGES- ETM

| MODIFICATION ONLY              | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 5 KNUCKLE - SW STEEL OR BRASS  | \$119 | \$212 | \$212 | \$229 | \$249 | \$267 | \$263 | \$280 | \$300 | \$318 |
| 5 KNUCKLE - SW STAINLESS STEEL | \$156 | \$248 | \$248 | \$267 | \$282 | \$300 | \$299 | \$318 | \$333 | \$351 |
| 5 KNUCKLE - HW STEEL OR BRASS  | \$129 | \$218 | \$218 | \$239 | \$258 | \$273 | \$269 | \$290 | \$309 | \$324 |
| 5 KNUCKLE - HW STAINLESS STEEL | \$165 | \$258 | \$258 | \$273 | \$291 | \$309 | \$309 | \$324 | \$342 | \$360 |

### 3 KNUCKLE STANDARD TRANSFER HINGES - ETM

| STEEL BASE (CB70)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$147 | \$242 | \$242 | \$261 | \$276 | \$296 | \$300 | \$317 | -     | -     |
| 4.5 x 4.5                   | \$147 | \$242 | \$242 | \$261 | \$276 | \$296 | \$300 | \$317 | -     | -     |
| 5.0 x 4.5                   | \$166 | \$261 | \$261 | \$278 | \$296 | \$313 | \$319 | \$336 | -     | -     |
| 5.0 x 5.0                   | \$190 | \$283 | \$283 | \$302 | \$318 | \$337 | \$341 | \$358 | -     | -     |
| BRASS BASE (CB80)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$166 | \$261 | \$261 | \$276 | \$296 | \$313 | \$319 | \$336 | \$351 | \$371 |
| 4.5 x 4.5                   | \$166 | \$261 | \$261 | \$276 | \$296 | \$313 | \$319 | \$336 | \$351 | \$371 |
| 5.0 x 4.5                   | \$184 | \$278 | \$278 | \$296 | \$313 | \$332 | \$336 | \$353 | \$368 | \$388 |
| 5.0 x 5.0                   | \$207 | \$302 | \$302 | \$318 | \$337 | \$355 | \$360 | \$377 | \$392 | \$412 |
| STAINLESS STEEL BASE (CB80) | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$190 | \$280 | \$280 | \$300 | \$318 | \$337 | \$338 | \$355 | \$370 | \$393 |
| 4.5 x 4.5                   | \$190 | \$280 | \$280 | \$300 | \$318 | \$337 | \$338 | \$355 | \$370 | \$393 |
| 5.0 x 4.5                   | \$207 | \$300 | \$300 | \$318 | \$337 | \$355 | \$358 | \$375 | \$390 | \$412 |
| 5.0 x 5.0                   | \$231 | \$322 | \$322 | \$344 | \$359 | \$378 | \$380 | \$397 | \$412 | \$434 |

### 3 KNUCKLE HEAVY TRANSFER HINGES - ETM

| STEEL BASE (CB75)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4.5 x 4.0                   | \$175 | \$270 | \$270 | \$286 | \$304 | \$322 | \$328 | \$341 | -     | -     |
| 4.5 x 4.5                   | \$175 | \$270 | \$270 | \$286 | \$304 | \$322 | \$328 | \$341 | -     | -     |
| 5.0 x 4.5                   | \$194 | \$289 | \$289 | \$304 | \$322 | \$341 | \$347 | \$359 | -     | -     |
| 5.0 x 5.0                   | \$216 | \$311 | \$311 | \$328 | \$345 | \$364 | \$369 | \$383 | -     | -     |
| BRASS BASE (CB85)           | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$197 | \$286 | \$286 | \$304 | \$322 | \$341 | \$344 | \$361 | \$376 | \$397 |
| 4.5 x 4.5                   | \$197 | \$286 | \$286 | \$304 | \$322 | \$341 | \$344 | \$361 | \$376 | \$397 |
| 5.0 x 4.5                   | \$214 | \$304 | \$304 | \$322 | \$341 | \$359 | \$362 | \$379 | \$394 | \$416 |
| 5.0 x 5.0                   | \$238 | \$328 | \$328 | \$345 | \$364 | \$382 | \$386 | \$403 | \$418 | \$439 |
| STAINLESS STEEL BASE (CB85) | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
| 4.5 x 4.0                   | \$220 | \$313 | \$313 | \$332 | \$357 | \$376 | \$371 | \$388 | \$403 | \$432 |
| 4.5 x 4.5                   | \$220 | \$313 | \$313 | \$332 | \$357 | \$376 | \$371 | \$388 | \$403 | \$432 |
| 5.0 x 4.5                   | \$240 | \$332 | \$332 | \$351 | \$376 | \$394 | \$390 | \$407 | \$422 | \$451 |
| 5.0 x 5.0                   | \$263 | \$355 | \$355 | \$373 | \$399 | \$417 | \$413 | \$430 | \$445 | \$474 |

### 3 KNUCKLE ENERGY TRANSFER HINGES- ETM

| MODIFICATION ONLY              | M     | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3 KNUCKLE - SW STEEL OR BRASS  | \$129 | \$218 | \$218 | \$237 | \$255 | \$273 | \$269 | \$288 | \$306 | \$324 |
| 3 KNUCKLE - SW STAINLESS STEEL | \$182 | \$273 | \$273 | \$291 | \$309 | \$328 | \$324 | \$342 | \$360 | \$379 |
| 3 KNUCKLE - HW STEEL OR BRASS  | \$146 | \$239 | \$239 | \$258 | \$275 | \$294 | \$290 | \$309 | \$326 | \$345 |
| 3 KNUCKLE - HW STAINLESS STEEL | \$203 | \$294 | \$294 | \$311 | \$330 | \$348 | \$345 | \$362 | \$381 | \$399 |

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.

## COMMAND ACCESS ENERGY TRANSFER SWINGCLEAR

| WIRE<br>MORTISE/CYLINDRICAL LOCK, & EXIT TRIM |                |                |                |                  | WIRE HEAVY<br>LATCH RETRACTION |                          |                          |                          |
|---|----------------|----------------|----------------|------------------|--------------------------------|--------------------------|--------------------------|--------------------------|
| ETH2W (2/20GA)                                | ETH4W (4/26GA) | ETH6W (6/26GA) | ETH8W (8/28GA) | ETH10W (10/28GA) | ETH2WH (2/18GA)                | ETH4WH (2/18GA + 2/26GA) | ETH6WH (2/18GA + 4/28GA) | ETH8WH (2/20GA + 6/28GA) |

Specify Bevelled or Square. 626 Finish. Consult factory for other finishes.

|                    |       |       |       |       |       |       |       |       |       |
|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 5SW STEEL BASED SC | \$389 | \$389 | \$409 | \$427 | \$445 | \$437 | \$457 | \$475 | \$493 |
| 5HW STEEL BASED SC | \$436 | \$436 | \$457 | \$473 | \$473 | \$484 | \$505 | \$521 | \$541 |

## ENERGY TRANSFER SPECIALTY- MOD

| HINGE TYPE                      | 2W    | 4W    | 6W    | 8W    | 10W   | 2WH   | 4WH   | 6WH   | 8WH   |
|---------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SWINGCLEAR - SW STEEL HINGE     | \$276 | \$276 | \$295 | \$313 | \$332 | \$325 | \$336 | \$355 | \$373 |
| SWINGCLEAR - HW STEEL HINGE     | \$303 | \$303 | \$322 | \$340 | \$358 | \$352 | \$363 | \$382 | \$400 |
| SWINGCLEAR - SW SS HINGE        | \$313 | \$313 | \$332 | \$350 | \$369 | \$362 | \$373 | \$392 | \$410 |
| SWINGCLEAR - HW SS HINGE        | \$340 | \$340 | \$358 | \$378 | \$396 | \$389 | \$400 | \$418 | \$438 |
| RAISED BARREL - SW STEEL HINGE  | \$276 | \$276 | \$295 | \$313 | \$332 | \$325 | \$336 | \$355 | \$373 |
| RAISED BARREL - HW STEEL HINGE  | \$303 | \$303 | \$322 | \$340 | \$358 | \$352 | \$363 | \$382 | \$400 |
| RAISED BARREL - SW SS HINGE     | \$313 | \$313 | \$332 | \$350 | \$369 | \$362 | \$373 | \$392 | \$410 |
| RAISED BARREL - HW SS HINGE     | \$340 | \$340 | \$358 | \$378 | \$396 | \$389 | \$400 | \$418 | \$438 |
| HALF OR FULL SURFACE - SW STEEL | \$288 | \$288 | \$305 | \$324 | \$342 | \$337 | \$348 | \$362 | \$384 |
| HALF OR FULL SURFACE - HW STEEL | \$305 | \$305 | \$324 | \$342 | \$362 | \$354 | \$365 | \$384 | \$402 |
| HALF OR FULL SURFACE - SW SS    | \$322 | \$322 | \$340 | \$359 | \$378 | \$371 | \$382 | \$400 | \$419 |
| HALF OR FULL SURFACE - HW SS    | \$344 | \$344 | \$364 | \$382 | \$400 | \$393 | \$404 | \$424 | \$442 |

**NOTE:** Wire access hole location on all hinges, regardless of hinge manufacturer, are located per Command Access Templates unless otherwise requested. Our standard templates are available on our website at [www.commandaccess.com](http://www.commandaccess.com).

## COMMAND ACCESS ENERGY TRANSFER PIVOTS

Specify Handing, Finishes available in 613, 625, 626.

| HINGE TYPE                     | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| INTERMEDIATE PIVOT - CAT PIVOT | \$332 | \$332 | \$350 | \$369 | \$387 | \$398 | \$380 | \$398 | \$417 | \$435 | \$446 |

## ENERGY TRANSFER PIVOTS - MOD

| HINGE TYPE                        | 2W    | 4W    | 6W    | 8W    | 10W   | 12W   | 2WH   | 4WH   | 6WH   | 8WH   | 10WH  | 12WH  |
|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3/4" OFFSET BRASS OR ALUMINUM     | \$313 | \$313 | \$332 | \$350 | \$369 | \$380 | \$362 | \$373 | \$392 | \$410 | \$429 | \$440 |
| 3/4" OFFSET STAINLESS STEEL       | \$340 | \$340 | \$358 | \$378 | \$396 | \$407 | \$389 | \$400 | \$418 | \$438 | \$456 | \$467 |
| 1-1/2" OFFSET BRASS OR ALUMINUM   | \$322 | \$322 | \$340 | \$358 | \$378 | \$388 | \$371 | \$382 | \$400 | \$418 | \$438 | \$448 |
| 1-1/2" OFFSET STAINLESS STEEL     | \$350 | \$350 | \$369 | \$387 | \$404 | \$416 | \$399 | \$410 | \$429 | \$447 | \$464 | \$476 |
| TOP, POCKET, OR CENTER HUNG PIVOT | \$183 | \$183 | \$202 | \$220 | \$239 | \$249 | \$232 | \$243 | \$262 | \$280 | \$299 | \$309 |

## CONCEALED EPT

|              |  |       |
|--------------|--|-------|
| CAT EPT ALUM | Concealed Power Transfer ALUM specify (2 Wire or 10 Wire), same prep as Von Duprin EPT | \$482 |
| CAT EPT DURO | Concealed Power Transfer DURO specify (2 Wire or 10 Wire), same prep as Von Duprin EPT | \$482 |

# CONCEALED DOOR LOOPS

|                   |  |             |
|-------------------|--|-------------|
| <b>CDL-AL</b>     | Aluminum Finish, 6" total length.  | <b>\$53</b> |
| <b>CDL-BLK</b>    | Black Finish, 6" total length.   | <b>\$53</b> |
| <b>CDL-AL-FX</b>  | Aluminum Finish, 6" total length. Includes 1 side fixed for complete concealment in opposite side. | <b>\$57</b> |
| <b>CDL-BLK-FX</b> | Black Finish, 6" total length. Includes 1 side fixed for complete concealment in opposite side.    | <b>\$57</b> |

## FOR 3/4" OFFSET PIVOT APPLICATIONS

|                     |  |             |
|---------------------|--|-------------|
| <b>CDL-AL-EXT</b>   | Aluminum Finish, 12" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance | <b>\$68</b> |
| <b>CDL-BLK-EXT</b>  | Black Finish, 12" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance    | <b>\$68</b> |
| <b>CDL-AL-EXT2</b>  | Aluminum Finish, 18" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance | <b>\$87</b> |
| <b>CDL-BLK-EXT2</b> | Black Finish, 18" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance    | <b>\$87</b> |

# DOOR LOOPS

|                |   |             |
|----------------|---|-------------|
| <b>DL-20A</b>  | 20" Door Loop, Aluminum Finish (Can be cut in the field to length)        | <b>\$49</b> |
| <b>DL-20D</b>  | 20" Door Loop, Aluminum Finish (Can be cut in the field to length)        | <b>\$49</b> |
| <b>NDL-18A</b> | Narrow 18" Door Loop, Aluminum Finish (Can be cut in the field to length) | <b>\$42</b> |
| <b>NDL-18D</b> | Narrow 18" Door Loop, Aluminum Finish (Can be cut in the field to length) | <b>\$42</b> |

## ADDITIONAL OPTIONS FOR POWER TRANSFER

|                           |   |              |
|---------------------------|---|--------------|
| <b>DOOR 4' LEAD</b>       | Standard 4' Lead on Door Side - Included Standard with every hinge  | <b>n/c</b>   |
| <b>FRAME 4' LEAD</b>      | Add 4' Lead on Frame Side   | <b>CALL</b>  |
| <b>WT</b>                 | Additional charge to supply a wide throw hinge  | <b>\$47</b>  |
| <b>QC/CON</b>             | 8-pin or 12-pin Molex Connectors added to locking device retrofit ElectroLynx or Allegion Connect             | <b>\$48</b>  |
| <b>Door Cord QC/CON</b>   | 8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit ElectroLynx or Allegion Connect | <b>\$78</b>  |
| <b>DC6"-18"</b>           | 6-18" Door Cord to connect a QC prepped locking device to the power transfer hinge                            | <b>\$75</b>  |
| <b>DC36"-118"</b>         | 3-9' Door Cord to connect a QC prepped locking device to the power transfer hinge                             | <b>\$95</b>  |
| <b>DC120"-240"</b>        | 10-20' Door Cord to connect a QC prepped locking device to the power transfer hinge                           | <b>\$165</b> |
| <b>HT</b>                 | Add Hospital Tip to Hinge (SS/Brass Only)   | <b>\$93</b>  |
| <b>CAT HINGE REWIRE</b>   | Rewire Command Access Hinge   | <b>\$93</b>  |
| <b>OTHER HINGE REWIRE</b> | Rewire another manufacturers hinge  | <b>\$117</b> |

ALLEGION CONNECT® IS A REGISTERED TRADEMARK OF ALLEGION & ELECTROLYNX® IS A REGISTERED TRADEMARK OF ASSA ABLOY  
MICRO-FIT 3.0™ INTERCONNECT SYSTEM AVAILABLE TO RETROFIT COMMON QUICK CONNECTION SYSTEMS SUCH AS ELECTROLYNX® OR ALLEGION CONNECT®.



## INSTALLATION TOOLS

|                           |  |             |
|---------------------------|--|-------------|
| <b>CAT-HIT-60</b>         | WIRE RACEWAY DRILL GUIDE FOR ELECTRIFIED LOCKS | <b>CALL</b> |
| <b>CAT-HIIT-66- CLAMP</b> | CLAMP SYSTEM FOR ALL HIT-66 GUIDES             | <b>CALL</b> |
| <b>DOOR DOLLY 1</b>       | MINI DOOR DOLLY                                | <b>CALL</b> |
| <b>DOOR DOLLY 2</b>       | DOOR DOLLY                                     | <b>CALL</b> |

**CALL FOR MORE!**



# ALWAYS HERE TO HELP!



ELELCTRIFIED LOCKING HARDWARE

[commandaccess.com](http://commandaccess.com)

888-622-2377



[www.commandaccess.com](http://www.commandaccess.com)

[orders@commandaccess.com](mailto:orders@commandaccess.com)

Live Chat Available

Customer Support 1-888-622-2377

Address: 22901 LA PALMA AVE YORBA LINDA CA 92887

[WWW.COMMANDACCESS.COM](http://WWW.COMMANDACCESS.COM)