

DOUBLE DOOR APPLICATIONS ONLY


TEMPLATE CROSS REFERENCE

(FOR SINGLE DOOR APPLICATIONS)

DESCRIPTION	TEMPLATE
ED6400 SERIES VR DEVICE	T30582
ED6400 SERIES VR DEVICE x M65	T30583
ED6200 SERIES RIM DEVICE	T30566

LINES "Y-Y" CORRESPOND TO "Y-Y" ON DEVICE AND TRIM TEMPLATES

RECOMMENDED MINIMUM STILE	
ACTIVE DOOR (RIM)	3-5/8 (92.1)
INACTIVE DOOR (VERTICAL ROD)	4-1/8 (104.8)



S02
467F73
STRIKE DETAIL

RESPONSIBILITY

Door and Frame Manufacturers are responsible for providing adequate construction or reinforcements for proper installation of hardware shown. All architectural builders hardware must be installed on properly reinforced doors and frames, regardless of the type, material, or method of construction.

ED6200 BY ED6400 SERIES
BY S02 STRIKE

CROSSBAR RIM BY
VERTICAL ROD DEVICES

**Corbin
Russwin**
www.corbinrusswin.com

DO NOT SCALE DRAWING

SUPERSEDES	WT30105	DR.	BTH	
DATE	03/29/93	TEMPLATE NUMBER	T30569	