


Notes:

1. Backset is measured from centerline of bevel which is centerpoint of door thickness. Refer to appropriate device template for backset dimension.
2. Notching of 2-1/8 (54) diameter cutout per ANSI standards A115.2 (Steel) and A115.W2 (Wood) is permissible. Refer to appropriate ANSI A115 Standard for details.
3. Dimensions given in inches and (mm).

TEMPLATE CROSS REFERENCE		
Device	Description	Template
Rim	ED8200 & ED8200B Series	T30436
	ED8200, ED8200B Series x M61 & M62	T30491
	ED8200A Series	T30465
Vertical	ED8400 Series	T30437
Rod	ED8400A Series	T30467

**LHR Shown
RHR Opposite**



RESPONSIBILITY

Door and Frame Manufacturers are responsible for providing adequate construction or reinforcements for proper installation of hardware shown. All architectural builders hardware must be installed on properly reinforced doors and frames, regardless of the type, material, or method of construction.

G1010, G1050, G1055,
G1057, G1059

Knob by Rose Exit Trim
For ED8000 Series Exit Devices

**Corbin
Russwin**®

www.corbinrusswin.com

Do Not Scale Drawing

Supersedes T30945 Dr. App.

Date 8-07 Template Number T30945-1