Installation Instructions



MP6600 Series

M19S/M19V Occupancy Indicators with Emergency Release

Multi-Point Lock

1 Package Contents




Figure 1	Description	Qty.
1	Indicator Button	1
2	Indicator Button Emergency Release	1
3	Housing Plate	1
4	Red/White Slide	1
5	VAC/OCC Slide	1


Figure 1	Description	Qty.
6	Rotation Plate	1
7	Snap Ring	1
8	Spindle	1
9	#6 x 5/8" Wood Screw (not shown)	2
10	#6-32 x 1/2" MS (not shown)	2

Installation Instructions



M19S/M19V Occupancy Indicator Inside of door Outside of door Template layout on door edge. Centerline of lockbody

Fold here according to door hand and bevel



Installation Instructions




Changing Indicator Slides

- 1. Remove snap ring.
- 2. Remove rotation plate, spindle, and slide.
- 3. Replace with alternate slide.
- 4. Reassemble spindle and rotation plate.

Note:


Ensure proper orientation of VAC/OCC Slide.

5. Replace snap ring into groove in button.



3

Fold here according to door hand and bevel



The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, locks, perimeter fencing, access control and service.



Corbin Russwin, Inc. 225 Episcopal Road Berlin, CT 06037 USA Phone: 800-543-3658 Fax: 800-447-6714 www.corbinrusswin.com