

LIST PRICE GUIDE 2018-A



Table of Contents



Lifetime Warranty	3	Access/Egress Controls	
Terms and Conditions	4	6000 Series Pushbuttons	18
		6200 Series Pushbuttons	18-19
Electromechanical Locks & Hardware		6170 Series Weatherproof Pushbuttons	19
1300 Series Electric Deadbolt	5	6300 Series Audible	19
1400 Series Dual Voltage Cabinet Locks	5	6335/6336 Concealed Pushbuttons	22
1600 Series Electric Strikes-Standard	5	6350 4 Zone Delay Egress Monitor	22
1663 Series 1/2" Surface Rim Strike	5	6370 Monitor/Reset Station	22
1900 Series All-In-One Electric Strikes	5	6420 Series PIR REX Sensor	22
ECL-1 Electrified Cylindrical Lock	6	6451 Series Exit Sensor Bar	22
EML Series Electrified Mortise Locks	6	6500 Series High Visibility Pushplates	19
ETH-1/ETM-1 Series Transfer Hinges	7	6600 Series Halo Lighted Push Buttons	20
EMK-VON Motorized Latch Pullback Kit	7	6700/6800 Series Pushplates	20
		6705/6805 Series Handicapped Pushplates	21
Electromagnetic Locks		6901 Series Specialty Pushplates	21
2000 Series 1200 Lbs. HF	8	7000 Series Keyswitches	23
2013 Series, 2513 Series Gate Locks	8	7075 Series Break Glass Exit Stations	22
2050 Series 1200 Lbs. HF	9	7300/7400 Series Digital Keypads	24
2101 Series Early Warning 1200 Lbs. HF	9	7500 Stand Alone Pin & Proximity Controller	24
2511 Series Early Warning 650 Lbs. HF	9	8000SF Series Consoles	24
2268 Series Low Profile 1200 Lbs. HF	10	8500 Communicating Bathroom Systems	25
2600 Series Mortise 650 Lbs. HF	11		
2280 Series Slimline 1200 Lbs. HF	11	Time Controllers	
2500 Series Mini-Mag 650 Lbs. HF	10	7080 Series Time Delay Module	23
2585 Series Bantam 650 Lbs. HF	10	7086 Series Programmable Timer	23
2800 Series Door Holders	12		
3000 Series 1500 Lbs. HF	13	Accessories	
Custom Length Housings	12	7088 Rectifiers - Prewired	23
3006 Series Free Egress Lock	13	9200 Series Door Status Switches	25
3101C Series Delay Egress 1500 Lbs. HF	14	9300 Series Door Cords	25
3101C-TJ101 Inswing Delay Egress Lock	14		
3101C-ES Series Delay Egress Controller	14	Special Finishes	26
3101C-R Series Delay Egress Controller	14		
TJ Conversion Kits	15	Notes	27
Mounting Accessories			
Specialty Brackets, Hardware & Spacers	15		
4000 Series Fillers & Angle Brackets	16		
Power Supplies			
5025 Series 1 Zone	17		
5500 Series up to 10 Zones	17		
5600 Series up to 10 Zones	17		
5200/5300 Series Transformers	17		
5400 Series Battery Back-Up	17		

Warranty Support





Except where specifically stated, a lifetime warranty applies to all standard DynaLock Corporation products.

A customer may return any DynaLock branded product, for any reason, at any time, by requesting a DynaLock Return Authorization (RMA). At RMA issuance, DynaLock Technical Support may contact the customer, in an effort to diagnose and resolve a product issue, without necessitating a return. Should the RMA proceed, DynaLock will make its best effort to, within 24 hours of receipt of the customer's item (excluding special finishes and custom products), send a replacement product, via next day freight, at no-charge.

A customer may order an advance replacement product, if they have an open account with DynaLock, or valid credit card. DynaLock will issue an RMA and bill the customer up-front, for the full price of the replacement, plus next day freight. Upon receipt of the customer's original product, DynaLock will credit the advance replacement order in-full, including the outbound freight. Inbound freight and insurance charges are exclusively the customer's responsibility.

DynaLock Corporation reserves the sole right to send a replacement product, which may be identical, or a newer product, which serves as a direct, functional replacement. In the event the customer's original product has become obsolete in DynaLock's product line, or has been intentionally damaged, abused and/or vandalized this DynaLife® PLUS warranty shall not apply.

This DynaLife® PLUS warranty does not apply to non-standard, custom-built products. These products will be repaired, if possible, at no-charge. Custom length housings and special finished products will be replaced only if found to be factory-defective.

This DynaLife® PLUS warranty also does not apply to returns for payment, distributor stock reductions/liquidations, product removal and installation/re-installation costs, or products installed outside of the United States and Canada.

This DynaLife® PLUS warranty shall be considered null and void on any product which has been electrically or mechanically altered, without specific written consent, instructions and/or component parts supplied by DynaLock Corp.

DynaLock Corporation will assume no responsibility, nor be liable to the customer, purchaser, or anyone else, for incidental or consequential damages arising from defects, or malfunctions of its products, damage or injury to person(s) or property, caused by improper storage, handling, care, maintenance, abuse, misuse, or an act of God. EXCEPT FOR THE WARRANTY PROVIDED HEREIN, WE EXPRESSLY DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDED BUT NOT LIMITED TO ANY IMPLIED WARRANTIES, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTIES RELATING TO THE CONDITION OF OUR PRODUCTS.

Emergency Technical Support

Routine technical support is available Monday - Friday, 8:00AM - 5:00PM (EST) by calling the factory toll-free at 1-877-DynaLock.

Emergency technical support is available Monday - Friday, 5:00PM - 8:00PM (EST) by dialing any of the following:

(860) 637-2599 / (860) 916-4805 / (860) 878-9085

Prices Effective April 1, 2018 Tel: 1.877.DYNALOCK Page 3 Fax: 1.860.585.0338 ©2018 DynaLock Corp.

Terms and Conditions



Terms: NET 30 days from date of invoice. Minimum single invoice \$50.00 net (\$100.00 net minimum applies to credit card orders) plus shipping. A late charge of 1.5% per month on any balance which remains unpaid after 60 days from date of invoice.

Unless firm prices have been quoted in writing for specific projects, all prices are subject to change and prices in effect on

the date of shipment will apply. Prices apply to standard domestic packaging. Errors and omissions in pricing are subject

to correction.

Domestic Shipments: All domestic shipments are F.O.B. DynaLock factory, unless otherwise agreed to in writing by DynaLock. Purchaser

assumes risk of loss upon tender of goods to carrier.

International Shipments:

Prices:

International shipments will only be made to those customers who utilize a carrier and/or freight forwarder with whom they maintain a direct-billing account. Following acceptance of the customer's order, upon request DynaLock will inform the customer of the weight(s) and dimension(s) of the shipment. It is the customer's responsibility to inform DynaLock of the carrier/forwarder they wish to utilize for the shipment, by whom they will be direct-billed for the international shipping

charges.

Routing, Receipt & Order Acceptance:

Electronically-transmitted customer orders must be routed via fax (860-585-0338) or via e-mail (orders@dynalock.com), and are subject to final acceptance by the DynaLock Customer Service/Order Entry Department. Accepted orders are normally acknowledged within 24 hours. Its the purchaser's responsibility to confirm successful electronic transmission and receipt of their orders by DynaLock Corp. and verify the accuracy of the order acknowledgment. DynaLock assumes no liability for lost or incorrectly routed, electronically-transmitted orders.

ACH & Wire Transfer Service Fees: Service fees will apply to all orders where customer payment is made by ACH or Wire Transfer. For more information on specific fees, please contact the DynaLock Customer Service Department.

Claim and Notice of Non-Conformity:

Goods must be inspected promptly. Claims relating to nonconformity of goods or shipments must be reported within (10) business days following receipt of goods. All notices and claims must include Purchaser's order number and DynaLock's invoice number. Unless written notice of a claim of nonconformity is given within such 10-day period, the claim may be disregarded. DynaLock's liability for any nonconformity in goods or shipment is expressly limited to replacement of the goods or goods of equal value, together with transportation charges, if any, incurred by Purchaser. PURCHASER SHALL NOT BE ENTITLED TO CLAIM CONSEQUENTIAL DAMAGES FOR ANY NONCONFORMITY OR DEFECT IN THE GOODS.

Cancellations: Orders and/or items may be cancelled only with DynaLock's written consent. DynaLock reserves the right to impose a cancellation charge.

carreenation enarge

Product Changes: DynaLock continuously endeavors to improve and update its products. It reserves the right to discontinue models and/or features, change design specifications, materials, components, manufacturing processes, etc., at any time, without prior

notice and without incurring any obligations for products/models manufactured prior to any changes.

Returns:

Returns will not be accepted without prior approval and a RMA number (Return Authorization) issued by DynaLock's Customer Service Department. Products returned for credit are subject to a **restocking charge of 30%**. Additional charges may be imposed if return is damaged. Purchaser must provide invoice number and information regarding original date of shipment with all returned goods. Any credit issued must be applied to open or future invoices. **Cash refunds will not be issued**. Credits not redeemed within one calendar year of issuance will be written-off. Acceptance of products returned for credit, which are more than one year-old, will be solely at DynaLock's discretion. Custom products, e.g. consoles, custom length housings, special finished products cannot be returned for credit. Electrically or mechanically altering any product(s) without specific written consent, instructions and/or component parts supplied by DynaLock Corp.

voids the DynaLife® PLUS Lifetime Warranty and renders such returned product(s) ineligible for credit.

Engineering Charges: Engineering charges will be discussed, negotiated and estimated prior to any actual engineering services being performed. DynaLock will not be responsible or bound for estimates or preliminary discussions by telephone. Firm estimates will only

be given after submittal of specifications, drawings and theory of operation.

Taxes: Purchaser is responsible for all taxes or charges in lieu of taxes now or hereafter imposed on the sale or transportation of

goods purchased, except for income or similar taxes imposed on DynaLock.

Governing Law: The rights and obligations of DynaLock and Purchaser shall be governed by and construed in accordance with the laws of

the State of Connecticut.

No Modification: These terms and conditions of sale cannot be modified or amended without DynaLock's consent. DynaLock shall not be

bound by the terms or conditions of any purchase order, order acknowledgment or other form submitted by Purchaser

unless DynaLock has consented in writing to such terms.

Electromagnetic DynaLock electromagnetic lock holding force ratings are stated at peak performance (±10%), under proper mounting and optimum input power conditions.

Cost and Expenses: In the event DynaLock incurs any expenses in connection with the enforcement of the Purchaser's obligations under

this order, DynaLock shall be entitled to collect such costs, including reasonable attorney's fees from the Purchaser in connection therewith.

Prices Effective April 1, 2018 Tel: 1.877.DYNALOCK Page 4 Fax: 1.860.585.0338 ©2018 DynaLock Corp.

Electromechanical Locks



Part #	Options	Description	List Pric
1300		Mortise Electric Deadbolt, 12/24 VAC/VDC	\$430.0
	ARSB	Auto-Relock Switch, Ball Type	\$56.
	ARSM	Auto-Relock Switch, Concealed	\$56.0
	BPS	Bolt Position Switch	\$56.0
	DPSB	Door Position Switch, Ball Type	\$56.0
	DPSM	Door Position Switch, Concealed	\$56.
	МВ	Mounting Brackets (4 Pcs.)	\$26.0
00 SERIES	CABINET LO	CKS	
1410		Cabinet Lock, 12/24 VDC	\$106.0
1420		Cabinet Lock, 12/24 VDC, Dual Monitoring Output	\$149.0
00 SERIES	ELECTRIC ST	RIKES	
1604S		Aluminum/Wood Frames, Std. Profile, 1-1/4" x 4-7/8" US32D	\$187.0
1604L		Aluminum/Wood Frames, Low Profile, 1-1/4" x 4-7/8" US32D	\$187.
1614S		Steel/Wood Frames, Std. Profile, 1-1/4" x 4-7/8" US32D	\$187.
1614L		Steel/Wood Frames, Low. Profile, 1-1/4" x 4-7/8" US32D	\$187.
1605S		Aluminum/Wood Frames, Std. Profile, 1-1/4" x 5-7/8" US32D	\$193.
1605L		Aluminum/Wood Frames, Low. Profile, 1-1/4" x 5-7/8" US32D	\$193.
1607S		Aluminum/Wood Frames, Std. Profile, 1-1/4" x 6-7/8" US32D	\$193.0
1607L		Aluminum/Wood Frames, Low. Profile, 1-1/4" x 6-7/8" US32D	\$193.0
1608S		Aluminum/Wood Frames, Std. Profile, 1-1/4" x 7-15/16" US32D	\$199.0
1608L		Aluminum/Wood Frames, Low. Profile, 1-1/4" x 7-15/16" US32D	\$199.0
	LMS	Lock Monitor Switches, Indicate Latch & Keeper Status	\$52.0
	SF	Special Finish - US3, US4, US10, US10B or US32 Available	\$30.0
63 SERIES	1/2" SURFAC	CE RIM STRIKE	
1663		Dual-Mode, 12-24VDC, 1-3/4" x 9" x 1/2"	\$471.0
00 SERIES	ALL-IN-ONE	ELECTRIC STRIKES	
1921		Fire-Rated, Fail-Secure, 12/24 VAC/VDC, US32D	\$518.0
1923		Non Fire-Rated, Fail-Safe, 12/24 VDC	\$518.
	19-LM		\$54.

Electrified Locksets



Part #	Options	Description		List Pri
ECL-1	Options	Lockset, Storeroom Function, 12/24 VAC/VDC, 626 (US26D) Finish		\$352
LCL 1	EL	Electrically Locked (Fail-Safe) Lock Mode		1 4332
	EU	Electrically Unlocked (Fail-Secure) Lock Mode		
	REX	Request to Exit Monitor Switch		\$62
	613	Dark Bronze (US10B) Special Finish ¹		70-
	625	Bright Chrome (US26) Special Finish ¹		
	605	Bright Brass (US3) Special Finish ¹		
		3		
	Accessory			
	REXKITC	Request to Exit Monitor Switch Field Upgrade Kit - Cylindrical		\$88
	Notes:	Not stocked. Consult factory for availability & lead time.		+-
L SERIES		MORTISE LOCKSETS		
EML-1	Τ	Lockset, Storeroom Function, 12/24 VAC/VDC, 626 (US26D) Finish		\$481
EML-2		Lockset, Institutional Function, 12/24 VAC/VDC, 626 (US26D) Finish		\$518
EML-3		Lockset, Classroom Function, 12/24 VAC/VDC, 626 (US26D) Finish		\$502
EML-4		Lockset, Privacy w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish		\$559
EML-5		Lockset, Entry w/Deadbolt Function, 12/24 VAC/VDC, 626 (US26D) Finish		\$518
	EL	Electrically Locked (Fail-Safe) Lock Mode ²		
	EU	Electrically Unlocked (Fail-Secure) Lock Mode		
	СН	Chassis/Only (No Trim)	Deduct	(\$181
	REX	Request to Exit Monitor Switch		\$62
	LBM	Latchbolt Monitor Switch ¹		\$78
	DPS	Door Position Sensor Switch ¹		\$78
	DBM	Deadbolt Monitor Switch 1,3		\$78
	613	Dark Bronze (US10B) Special Finish 1,4		
	625	Bright Chrome (US26) Special Finish 1,4		
	605	Bright Brass (US3) Special Finish 1,4		
	Accessory			+
	REXKITM	Request to Exit Monitor Switch Field Upgrade Kit - Mortise		\$78
	Notes:	1. Not stocked. Consult factory for availability & lead time.		+
		2. EL (Fail Safe) Locking Mode not available on EML-4.		
		3. DBM Option available on EML-4 & EML-5 Models only.		
		4. Not available with CH Option.		

Electrified Hardware



D			
Part #	Options	Description	List Pri
ETH-1		Energy Transfer Hinge, 626 (US26D) Finish	\$155.
ETM-1	1	Energy Transfer Monitor Hinge, 626 (US26D) Finish ¹	\$259.
	2W	2 Wires (20 Ga.) For Electric Locks, Exit Trim & Strikes	N
	4W	4 Wires (26 Ga.) For Electric Locks, Exit Trim & Strikes	N
	613	Dark Bronze (US10B) Special Finish ¹	N
	625	Bright Chrome (US26) Special Finish ¹	N
	605	Bright Brass (US3) Special Finish ¹	N
	Notes:	Not stocked. Consult factory for availability & lead time.	
IK-VON M		TCH PULLBACK KIT	
EMK-VON	T	Motorized Latch Pullback Kit, For Von Duprin33/35 & 98/99 Series	\$393
		The contract Later it answers may not be apprinted by a soft of solution	4535
	Accessory		
	EMKREX	Request to Exit Monitor Switch Upgrade Kit	\$88
	+		
	1		
	1		
	1		
	+		+
	+		
	1		
	+		
	1		



Part #	Options	Description		List Pric
2011	Орионе	Single/Outswing Lock, 12/24 VAC/VDC		\$448
2012		Single Pair/Outswing Lock, 12/24 VAC/VDC		\$500
2011-390		Locknetics 390+ Exact Retrofit, 12/24 VAC/VDC		\$448
2022		Double/Outswing Lock, 12/24 VAC/VDC		\$897
2022-392		Locknetics 392+ Exact Retrofit, 12/24 VAC/VDC		\$897
2011TJ20		Single/Inswing Lock, 12/24 VAC/VDC		\$575
2012TJ21		Single Pair/Inswing Lock, 12/24 VAC/VDC		\$692
2022TJ22		Double/Inswing Lock, 12/24 VAC/VDC		\$1,151
	DSM	Door Status Switch ¹		\$60
	DSM2	Door Status Switch - 2022 Series		\$120
	HSM	High Security Monitor - Includes DSM and Dynastat Force Sensor ¹		\$101
	HSM2	High Security Monitor - 2022 Series		\$203
	VOP	Value Option Package - Includes DSM, Dynastat and Anti-tamper Switch ¹		\$171
	VOP2	Value Option Package - 2022 Series		\$342
	CLH	Custom Length Housing - See page 12		7-1-
	LCB	Basic Lock / Less Circuit Board ²	Single Deduct	(\$21.
			Double Deduct	(\$41.
	LED	Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1,4		\$38
	LED2	Bi-Color LED's (2) - 2022 Series. Requires HSM2 or VOP2 ⁴		\$77
	LP	Low Power Coil - 12V only @ .16 Amps (Single Lock) ³		\$14
	LP2	Low Power Coils - 12V only @ .32 Amps (Double Lock)		\$29
	OFA	Offset Armature - For narrow stile storefront doors. Ordered with lock.		
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	Notes:	1. DSM, HSM, VOP and LED Options not available on the 2012 Series.		
		2. DSM, HSM, VOP and LED Options not available with the LCB Option.		
		3. LP Option may not be combined with the HSM or VOP Options.		
		4. LED/LED2 Options not unavailable on TJ Models.		
13 SERIES	1200 LB. ELE	CTROMAGNETIC GATE LOCK	<u> </u>	
2013		Single Gate Lock, 12/24 VDC		\$470
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond.		\$72
	GLB	Gate Lock Bracket - Adjustable "Z" bracket for swinging gate applications.	1	\$123
	GLB2	Gate Lock Bracket - "L" brackets for sliding gate applications.		\$152
	RWE	Rear Wire Exit - Lock wiring exits from back of housing.		
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	7088	Pre-Wired Rectifier Bridge, for 12/24 VAC operation.		\$25
13 SERIES		-MAG GATE LOCK		
2513		Single Mini Gate Lock - 12/24 VDC		\$409
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond.		\$72
	GLBM	Mini Gate Lock Bracket - Adjustable "Z" bracket for most gate applications.		\$131
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	7088	Pre-Wired Rectifier Bridge, for 12/24 VAC operation.	1	\$25



2050 SERIES	1200 LB. ELE	CTROMAGNETIC LOCK		
Part #	Options	Description		List Price
2050		Locknetics 350+ Exact Retrofit		\$465.00
2250		Locknetics 352+ Exact Retrofit		\$929.00
	DSM	Door Status Switch ¹		\$60.00
	DSM2	Door Status Switch - 2250 Series		\$120.00
	HSM	High Security Monitor - Includes DSM and Dynastat Force Sensor ¹		\$101.00
	HSM2	High Security Monitor - 2250 Series		\$203.00
	LCB	Basic Lock / Less Circuit Board	Single Deduct	(\$21.00)
			Double Deduct	(\$41.00)
	LED	Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1		\$38.00
	LED2	Bi-Color LED's (2) - 2250 Series. Requires HSM2 or VOP2		\$77.00
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	Notes:	1. DSM, HSM and LED Options not available with the LCB Option.		
2101 SERIES	1200 LB. EAR	LY WARNING LOCK	•	
2101		Single/Outswing Early Warning Lock, 12/24 VDC		\$585.00
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	7088	Pre-Wired Rectifier Bridge, for 12/24 VAC operation.		\$25.00
2511-EWT 65	O LB. EARLY V	WARNING LOCK		
2511-EWT		Single/Outswing Early Warning Mini Lock, 12/24 VDC		\$513.00
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond.		\$72.00
	LED	Bi-Color LED - For local signaling of lock status. Requires DYN		\$38.00
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	7088	Pre-Wired Rectifier Bridge, for 12/24 VAC operation.		\$25.00
			+	
			+	



JUU SERIES	020 FP' WINT	AND BANTAM MINI ELECTROMAGNETIC LOCKS	
Part #	Options	Description	List Pric
2511		Single/Outswing Mini Lock, 12/24 VDC	\$374.0
2522		Double/Outswing Mini Lock, 12/24 VDC	\$747.0
2511TJ		Single/Inswing Mini Lock, 12/24 VDC	\$462.0
2522TJ2		Double/Inswing Mini Lock, 12/24 VDC	\$923.0
2585		Single/Outswing Bantam Mini Lock, 12/24 VDC	\$363.0
2585-TJ85		Single/Inswing Bantam Mini Lock, 12/24 VDC	\$451.0
	ATS	Anti-Tamper Switch - Signals removal of housing cover. (N/A on 2585 Series)	\$49.0
	CLH	Custom Length Housing - See page 9. (N/A on 2585 Series)	
	DSM	Door Status Switch	\$60.
	DSM2	Door Status Switch - 2522 Series.	\$120.
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond.	\$72.
	DYN2	Dynastat Force Sensor - 2522 Series.	\$145.
	LED	Bi-Color LED - 2511 Series, for local signaling of lock status. Requires DYN	\$38.
	LED2	Bi-Color LED's (2) - 2522 Series. Requires DYN2	\$77.
	SF	Special Finish - Standard finish US28. Special finishes see page 26	
	7088	Pre-Wired Rectifier Bridge, for 12/24 VAC operation.	\$25.
	Notes:	LED/LED2 Options not unavailable on 2585 Series and TJ Models.	
260 CEDIEC			
	1200 LB. CLA	SSIC LOW PROFILE LOCKS	±496
2268-10		Single/Outswing Lock, 12/24 VDC	\$486.
2268-15		Single Pair/Outswing Lock, 12/24 VDC	\$540.
2268-20		Double/Outswing Lock, 12/24 VDC	\$972.
2268-TJ10		Single/Inswing Lock, 12/24 VDC	\$604.
2268-TJ20	ATC	Double/Inswing Lock, 12/24 VDC	\$1,209.
	ATS	Anti-Tamper Switch - Signals removal of housing cover.	\$49.
	DSM	Door Status Switch 1	\$60.
	DSM2	Door Status Switch - 2268-20 Series	\$120.
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond. 1	\$72.
	DYN2	Dynastat Force Sensor - 2268-20 Series	\$145.
	LED	Bi-Color LED - For local signaling of lock status. Requires DYN ¹	\$38.
	LED2	Bi-Color LED's (2) - 2268-20 Series. Requires DYN	\$77.
	SF 	Special Finish - Standard finish US28. Special finishes see page 26	
	TD	Relock Time Delay, 1-60 seconds. 2268-10 and 2268-15 only.	\$77.
	TD2 7088	Relock Time Delay, 1-60 seconds. 2268-20 only. Pre-Wired Rectifier Bridge, for 12/24 VAC operation.	\$145. \$25.
	7000	The Third receiver bridge, for 12/21 the operation.	,دعب
	Notes:	1. DSM, DYN and LED Options not available on the 2268-15 Series.	



2280 SERIES	1200 LB. SLII	MLINE LOCKS		
Part #	Options	Description		List Price
2280		Single/Outswing Lock, 12/24 VAC/VDC		\$519.00
2282		Double/Outswing Lock, 12/24 VAC/VDC		\$1036.00
2280TJ80		Single/Inswing Lock, 12/24 VAC/VDC		\$648.00
2282TJ82		Double/Inswing Lock, 12/24 VAC/VDC		\$1,297.00
	DSM	Door Status Switch ¹		\$60.00
	DSM2	Door Status Switch - 2250 Series		\$120.00
	HSM	High Security Monitor - Includes DSM and Dynastat Force Sensor 1		\$101.00
	HSM2	High Security Monitor - 2250 Series		\$203.00
	LCB	Basic Lock / Less Circuit Board	Single Deduct	(\$21.00)
			Double Deduct	(\$41.00)
	LED	Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1, 2		\$38.00
	LED2	Bi-Color LED's (2) - 2250 Series. Requires HSM2 or VOP2 2		\$77.00
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	Notes:	1. DSM, HSM and LED Options not available with the LCB Option.		
		2. LED/LED2 Options unavailable on TJ Models.		
2600 SERIES	650 LB. MOR	TISE MINI LOCK		
2600		Mortise Mini Lock		\$382.00
	AMB	Armature Mounting Block		\$59.00
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond.		\$72.00
	МВ	Mounting Brackets (2 pcs.)		\$25.00
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	7088	Pre-Wired Rectifier Bridge, for 12/24 VAC operation.		\$25.00

Electromagnetic Door Holders Custom Length Housings



300 SERIES	ELECTROMAG	INETIC DOOR HOLDERS	
Part #	Options	Description	List Pric
2801		Floor Mount, Single Door	\$292.0
2802		Floor Mount, Double Door	\$367.
2803		Flush Wall Mount, 1" Extended Armature	\$171.0
2804		Flush Wall Mount, Standard Armature	\$158.
2805		Surface Wall Mount	\$180.
2806		Low-Profile Wall Mount	\$171.
2810		Surface Wall Mount, 400 Lb. Holding Force	\$453.
2860		Accessory, Replacement Door Armature & Base	\$76.
2861		Accessory, Armature Extension, 1/2"	\$13.
2862		Accessory, Armature Extension, 3/4"	\$13.
2863		Accessory, Armature Extension, 1"	\$13.
2864		Accessory, Armature Extension, 2"	\$21.
2865		Accessory, Armature Extension, 4"	\$33.
2866		Accessory, Armature Extension, 6"	\$47.
2870		Accessory, Armature Swivel Extension	\$29.
USTOM LEN	GTH HOUSING	SS FOR ELECTROMAGNETIC LOCKS	
3500		CLH - LHR 30" to 48" Single Horizontal Lock - Single Door. Full Size.	\$452.
3550		CLH - LHR 30" to 48" Single Horizontal Lock - Single Door. Mini.	\$452.
3600		CLH - RHR 30" to 48" Single Horizontal Lock - Single Door. Full Size.	\$452.
3650		CLH - RHR 30" to 48" Single Horizontal Lock - Single Door. Mini.	\$452.
3700		CLV to 96" Two Vertical Locks - Single Door. Full Size.	\$564.
3750		CLV to 96" Two Vertical Locks - Single Door. Mini.	\$564.
3800		CLV to 96" Two Horizontal Locks - Double Door. Full Size.	\$564.
3850		CLV to 96" Two Horizontal Locks - Double Door. Mini.	\$564.
	Notes:	Pricing is for Housing only. Lock(s) must be ordered separately.	
		2. Standard Finish US28. For special finishes see page 26	
		Consult factory for special lengths or modifications to standard housings.	
	1		
	1		



	A 11			
Part #	Options	Description		List Pri
3000		Single/Outswing Lock, 12/24 VAC/VDC		\$486.
3001		Single Pair/Outswing Lock, 12/24 VAC/VDC		\$537.
3002		Double/Outswing Lock, 12/24 VAC/VDC		\$972.
3000TJ30		Single/Inswing Lock, 12/24 VAC/VDC		\$588.
3001TJ31		Single Pair/Inswing Lock, 12/24 VAC/VDC		\$637.
3002TJ32		Double/Inswing Lock, 12/24 VAC/VDC		\$1,175
	DSM	Door Status Switch ¹		\$60
	DSM2	Door Status Switch - 3002 Series		\$120
	HSM	High Security Monitor - Includes DSM and Dynastat Force Sensor ¹		\$101
	HSM2	High Security Monitor - 3002 Series		\$203
	VOP	Value Option Package - Includes DSM, Dynastat and Anti-tamper Switch ¹		\$171
	VOP2	Value Option Package - 3002 Series		\$342
	CLH	Custom Length Housing - See page 12		
	LC	A 3000 Series coil assembly supplied in a 2000 Series multi-piece housing.		1
		Specify "LC" after any 3000 Series model number.		
	LCB	Basic Lock / Less Circuit Board ²	Single Deduct	(\$21.
			Double Deduct	(\$41.
	LED	Bi-Color LED - For local signaling of lock status. Requires HSM or VOP 1,4		\$38
	LED2	Bi-Color LED's (2) - 3002 Series. Requires HSM2 or VOP2 ⁴		\$77
	LP	Low Power Coil - 12V only @ .16 Amps (Single Lock) ³		\$14
	LP2	Low Power Coils - 12V only @ .32 Amps (Double Lock)		\$29
	OFA	Offset Armature - For narrow stile storefront doors. Ordered with lock.		1
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	Notes:	1. DSM, HSM, VOP and LED Options not availablen on the 3001 Series.		
		2. DSM, HSM, VOP and LED Options not available with the LCB Option.		
		3. LP Option may not be combined with the HSM or VOP Options.		
		4. LED/LED2 Options unavailable on TJ Models.		
06 SERIES	1500 LB. FRE	E EGRESS ELECTROMAGNETIC LOCK		
3006		Single/Outswing Lock with Built-in P.I.R. REX Sensor		\$955
	DSM	Door Status Switch	İ	\$60
	HSM	High Security Monitor - Includes DSM and Dynastat Force Sensor		\$101
	LP	Low Power Coil - 12V only @ .20 Amps ¹		\$14
	ATS	Anti-Tamper Switch - Signals removal of housing cover.		\$47
	OFA	Offset Armature - For narrow stile storefront doors. Ordered with lock.		1
	SF	Special Finish - Standard finish US28. Special finishes see page 26		
	Notes:	1. LP Option may not be combined with the HSM Option.		
		2. 3006 is not field-handable.		
	-	 	 	-

Delayed Egress Systems



	1500 251 52	LAYED EGRESS SYSTEM (GENERATION II)	
Part #	Options	Description	List Price
3101C-G2		Single/Outswing Delayed Egress Lock (Gen II)	\$1,247.00
3121C-G2		Double/Outswing Delayed Egress lock (Gen II)	\$1,974.00
3121C2-G2		Tandem Pair Double/Outswing Delayed Egress Lock (Gen II)	\$2,002.00
3101C-TJ101-G2		Single/Inswing Delayed Egress Lock Kit (Gen II)	\$1,585.00
	AAO	Auxiliary Alarm Output - Secondary delayed egress alarm output. SPDT	\$72.00
	ATS	Anti-Tamper Switch - Signals removal of housing cover.	\$49.00
	ATS2	Anti-Tamper Switch - For the 3121C and 3121C2.	\$98.00
	BPM	Bypass Monitor - Signals bypass keyswitch activation ¹	\$60.00
	DSM	Door Status Switch	\$60.00
	DSM2	Door Status Switch - For the 3121C & 3121C2.	\$120.00
	DYN	Dynastat Force Sensor - Indicates efficient magnetic bond.	\$72.00
	DYN2	Dynastat Force Sensor - For the 3121C and 3121C2.	\$145.00
	ETR	Egress Sensor Omitted - For externally triggered egress.	N/C
	KSO	Keyswitch Omitted - Suggested for door heights over 8 ft ³	\$23.00
	LP	Low Power Coil - 12V only @ .40 Amps (Single Lock) ²	\$14.00
	LP2	Low Power Coils - 12V only @ .72 Amps (Double Lock)	\$29.00
	SF	Special Finish - Standard finish US28. Special finishes see page 26	
		BUILDING CODE SOFTWARE OPTIONS (FACTORY INSTALLED)	
	BOCA	For operation in compliance with BOCA Code.	N/C
	UBC	For operation in compliance with UBC Code.	N/C
	CHGO	For operation in compliance with Chicago Building Code.	N/C
	Notes:	1. BPM Option may not be combined with the KSO Option.	
		2. LP Option may not be combined with the DYN Option.	
		3. KSO is standard on the 3101C-TJ101.	
3101C SERIES	1500 LB DE	LAYED EGRESS SYSTEM (LEGACY VERSION)	
3101C		Single/Outswing Delayed Egress Lock	\$1,347.00
3121C		Double/Outswing Delayed Egress lock	\$2,074.00
3121C2		Tandem Pair Double/Outswing Delayed Egress Lock	\$2,102.00
3101C-TJ101		Single/Inswing Delayed Egress Lock Kit	\$1,685.00
		**All above are available with same Options as in GENERATION II	
		products above, except AAO - Auxiliary Alarm Output.**	
3101C-ES SER	IES REMOTE	DELAYED EGRESS CONTROLLERS	
3101C-ES		Indoor Delayed Egress Controller, in 15"x12"x4" Steel Enclosure	\$771.00
3101C-R		Outdoor/Weatherproof Delayed Egress Controller, in 12"x12"x4"	\$1,059.00
		Weatherproof Enclosure, with External Weatherproof Horn	

Mounting Accessories



GATE LOCK B	RACKETS		
Part #	Options	Description	List Price
GLB		Two-piece "Z" Bracket for Swinging Gates, 2013 Series	\$123.00
GLB2		Two "L" Brackets for Sliding Gates, 2013 Series	\$152.00
GLBM		Two-piece "Z" Bracket, 2513 Series	\$131.00
GLASS DOOR	BRACKETS		
4850		For Use With 2011, 2022*, 3000, 3002*	\$146.00
4852		For Use With 2012, 3001	\$292.00
4854		For Use With 2511, 2522*	\$146.00
4555		For Use With 2285	\$146.00
4856		For Use With 22268-10, 2268-20*	\$146.00
4858		For Use With 2268-15	\$292.00
4880		For Use With 2280, 2282*	\$146.00
4801		For Use With 3101 Series	\$146.00
		* For Double Locks Order Two/Ea.	
MISCELLANE	ous		·
301000		180 Piece Hardware Kit - 2000/3000 Series Commonly Used Hardware	\$146.00
301238		Hardware Kit, 3101 Series	\$134.00
4920		Metal Template for Model 2011	\$160.00
4930		Metal Template for Model 3000	\$277.00
4940		Metal Template for 3101B/3101C	\$173.0
4951		Concrete/Wood Bracket, For 2011/3000LC, 1-1/2"D x 1/2"H x 11"L	\$85.00
ТОР ЈАМВ СО	NVERSION K	ITS	
TJ20		Converts 2011 to 2011TJ20	\$160.00
TJ21		Converts 2012 to 2012TJ21	\$194.00
TJ22		Converts 2012 to 2022TJ22	\$303.00
TJ25		Converts 2511 to 2511TJ	\$128.00
TJ30		Converts 3000 to 3000TJ30	\$144.00
TJ31		Converts 3001 to 3001TJ31	\$171.00
TJ32		Converts 3002 to 3002TJ32	\$243.00
TJ80		Converts 2280 to 2280TJ80	\$135.0
TJ82		Converts 2280 to 2280TJ82	\$269.00
SPACER PLAT	ES		
4301		For Use With 2011, 3000, 3101C	\$71.00
4302		For Use With 2511	\$59.00
4303		For Use With 2522	\$67.00
4304		For Use With 2585	\$59.00
4305		For Use With 2268-10, 2268-15	\$59.00
4306		For Use With 2268-20	\$67.00
4307		For Use With 2280	\$59.00
4308		For Use With 2282	\$67.00
	Note:		
		All Spacer Plates are 1/2" thick and proper hardware packs are included.	

Mounting Accessories



FILLER PLATES /	SINGLE MAGLOCKS					
Size Thk. x Length	2000/3000/3101C (11")	2268-10 / -15 (14")	2511 (10-1/2")	2585 (8-1/2")	2280 (12-3/4")	List Price
1/8" x 1-1/4"	4011	4014	4010	4085	4080	\$40.00
1/4" x 1-1/4"	4111	4114	4110	4185	4180	\$45.00
3/8" x 1-1/4"	4211	4214	4210	4285	4280	\$49.00
1/2" x 1-1/4"	4311	4314	4310	4385	4380	\$52.00
5/8" x 1-1/4"	4411	4414	4410	4485	4480	\$55.00
3/4" x 1-14"	4441	4415	4430	4486	4448	\$59.00

FILLER PLATES /	DOUBLE MAGLOCKS					
Size Thk. x Length	2022/3002/3121C (22")	2268-20 (28")	2522 (21")	2282 (25-1/2)	List Price	Custom Length L = Length (Specify)
1/8" x 1-1/4"	4022	4025	4020	4082	\$52.00	#4000-L \$47.00 Per. Ft.
1/4" x 1-1/4"	4122	4125	4120	4182	\$57.00	#4100-L \$47.00 Per. Ft.
3/8" x 1-1/4"	4222	4225	4220	4282	\$59.00	#4200-L \$47.00 Per. Ft.
1/2" x 1-1/4"	4322	4325	4320	4382	\$61.00	#4300-L \$49.00 Per. Ft.
5/8" x 1-1/4"	4422	4425	4420	4482	\$63.00	#4400-L \$49.00 Per. Ft.
3/4" x 1-14"	4442	4425	4450	4449	\$69.00	#4440-L \$49.00 Per. Ft.

ANGLE BRACKETS	6 / SINGLE MAGLOCKS					
Size Height x Depth	2000/3000/3101C (11")	2268-10 / -15 (14")	2511 (10-1/2")	2585 (8-1/2")	2280 (12-3/4")	List Price
1" x 1"	4511	4514	4510	4 585	4580	\$55.00
1-1/2" x 1-1/2"	4611	4614	4610	4 685	4680	\$61.00
1-1/2" x 2"	4711	4714	4710	4 785	4780	\$78.00

ANGLE BRACKETS	ANGLE BRACKETS/ DOUBLE MAGLOCKS								
Size Height x Depth	2022/3002/3121C (22")	2268-20 (28")	2522 (21")	2282 (25-1/2)	List Price	Custom Length L = Length (Specify)			
1" x 1"	4522	4525	4520	4582	\$66.00	#4500-L \$47.00 Per. Ft.			
1-1/2" x 1-1/2"	4622	4625	4620	4682	\$85.00	#4600-L \$47.00 Per. Ft.			
1-1/2" x 2"	4722	4725	4720	4782	\$96.00	#4700-L \$47.00 Per. Ft.			

Power Supplies



025 SERIES	SINGLE ZON	E POWER SUPPLY	
Part #	Options	Description	List Price
5025		Power Supply, 12/24 VDC, 1 Amp Output, UL Listed, NYC MEA Approved	\$240.0
	ATS	Anti-Tamper Switch - Signals opening of enclosure cover.	\$49.0
	BBU1-4	Battery Back-up - 4AH @ 12VDC, 1 battery.	\$72.0
	BBU1-7	Battery Back-up - 7AH @ 12VDC, 1 battery.	\$105.0
	BBU2-4	Battery Back-up - 4AH @ 24VDC, 2 batteries.	\$145.0
	BBU2-7	Battery Back-up - 7AH @ 24VDC, 2 batteries.	\$209.0
	CAB	Cable Kit - For third-party batteries (Included with BBU Options).	\$25.0
	KLC	Key Locked Cover - Includes two keys.	\$42.0
	PC	Power cord - Six foot, pre-connected 3-wire grounded line cord.	\$36.0
500 & 5600	SERIES MUL	TI ZONE POWER SUPPLIES	
5500		Power Supply, 12VDC @ 3A / 24VDC @ 2A, UL Listed, NYC MEA Approved	\$524.0
5600-12		Power Supply, 12VDC, 10 Amp Output, UL Listed, NYC MEA Approved	\$727.0
5600-24		Power Supply, 24VDC, 5 Amp Output, UL Listed, NYC MEA Approved	\$727.0
	ATS	Anti-Tamper Switch - Signals opening of enclosure cover.	\$49.0
	BBU1-4	Battery Back-up - 4AH @ 12VDC, 1 battery.	\$72.0
	BBU1-7	Battery Back-up - 7AH @ 12VDC, 1 battery.	\$105.0
	BBU2-4	Battery Back-up - 4AH @ 24VDC, 2 batteries.	\$145.0
	BBU2-7	Battery Back-up - 7AH @ 24VDC, 2 batteries.	\$209.0
	CAB	Cable Kit - For third-party batteries (Included with BBU Options).	\$25.0
	CM	Control Module - Plug-in (Requires DB5 or DB10)	\$96.0
	CMTD	Control Module w/Time Delay - Plug-in (Requires DB5 or DB10)	\$110.0
	DB5	Distribution Board - 5-zone fused, accepts up to 5 CM/CMTD Modules.	\$114.0
	DB10	Distribution Board - 5-zone fused, accepts up to 5 CM/CMTD Modules.	\$145.0
	FAC	Fire Alarm Module - Plug-in (One per supply).	\$69.0
	FACMR	Fire Alarm Module with Manual Reset.	\$210.0
	ILB	Interlock Logic Board - With four independently operable DPDT relays.	\$118.0
	KLC	Key Locked Cover - Includes two keys.	\$42.0
	PC	Power cord - Six foot, pre-connected 3-wire grounded line cord.	\$36.0
200 SERIES	OPEN TRANS	FORMERS	
5212		Open Transformer, 120VAC/12VAC, 2 Amp	\$82.0
5213		Open Transformer, 120VAC/12VDC, 2 Amp	\$105.0
5224		Open Transformer, 120VAC/24VAC, 2 Amp	\$82.0
5225		Open Transformer, 120VAC/24VDC, 2 Amp	\$105.0
300 SERIES	PLUG-IN TRA	ANSFORMERS	
5312		Plug-in Transformer, 120VAC/12VAC, 3 Amp	\$42.0
5313		Plug-in Transformer, 120VAC/12VDC, 3 Amp	\$57.0
5324		Plug-in Transformer, 120VAC/24VAC, 1.5 Amp	\$42.0
5325		Plug-in Transformer, 120VAC/24VDC, 1.5 Amp	\$57.0
400 SERIES	BATTERY BA	CK-UP POWER SUPPLY	
5400		Power Supply, 12VDC, 1 Amp, woth 4AH Battery Back-up & Charger	\$263.0



6000 SERIES MONITOR PANELS				
Part #	Options	Description	List Pric	
6010		One Bi-Color LED, Red/Green, 12/24 VDC, 1 Gang	\$70.0	
6020		Two Bi-Color LED's, Red/Green, 12/24 VDC, 1 Gang	\$108.0	
	DBL-AUD	Two-gang faceplate with audible sounder, 1-28VDC.	\$28.0	
	NR	Narrow Faceplate - 1-3/4" wide, substitute.	\$9.0	
	SF	Special Finish - Standard finish US32D. Special finishes see page 236		
000 SERIES	PUSHBUTTO	NS		
6115M		One Pushbutton, 1 Gang, Momentary SPDT	\$87.0	
6115A		One Pushbutton, 1 Gang, Alternate-Action SPDT	\$89.0	
6125M		Two Pushbuttons, 1 Gang, Momentary SPDT	\$169.0	
6125A		Two Pushbuttons, 1 Gang, Alternate-Action SPDT	\$175.0	
6135M		Three Pushbuttons, 1 Gang, Momentary SPDT	\$230.0	
6135A		Three Pushbuttons, 1 Gang, Alternate-Action SPDT	\$236.0	
6145M		Four Pushbuttons, 2 Gang, Momentary SPDT	\$302.0	
6145A		Four Pushbuttons, 2 Gang, Alternate-Action SPDT	\$315.0	
	AUD	Audible Sounder - 1-28VDC (Requires DBL Option).	\$22.0	
	DBL	Two Gang Faceplate - 4-9/16" wide, for options.	\$9.0	
	ILM	Illuminated Pushbutton - Specify 12 or 24 VDC (per button).	\$13.0	
	LED	Bi-Color LED - Red/Green, 12/24 VDC	\$34.0	
	NR	Narrow Plate - 1-3/4" wide, substitute.	\$9.0	
	P2	Additional set of SPDT contacts (per button).	\$45.0	
	SF	Special Finish - Standard finish US32D. Special finishes see page 26		
	WPC	Weather Proof Cover - For single gang 6115 only.	\$20.0	
	ATS	Anti-Tamper Switch	\$47.0	
200 SERIES	PALM BUTTO	DNS		
6210		Palm Switch, Alternate-Action SPDT	\$139.0	
6220		Palm Switch, Alternate-Action DPDT	\$195.0	
6230		Palm Switch, Momentary SPDT Form "Z"	\$91.0	
6211		Palm Switch, Alternate-Action SPDT, "EXIT" Faceplate Signage	\$144.0	
6221		Palm Switch, Alternate-Action DPDT, "EXIT" Faceplate Signage	\$199.0	
6231		Palm Switch, Momentary SPDT Form "Z", "EXIT" Faceplate Signage	\$92.0	
	AUD	Audible Sounder - 1-28VDC (Requires DBL Option).	\$22.0	
	DBL	Two Gang Faceplate - 4-9/16" wide, for options.	\$9.0	
	LED	Bi-Color LED - Red/Green, 12/24 VDC	\$34.0	
	NR	Narrow Plate - 1-3/4" wide, substitute.	\$9.0	
	SF	Special Finish - Standard finish US32D. Special finishes see page 26	<u> </u>	
	GRN	Green Button, substitute.	N,	
	ATS	Anti-Tamper Switch	\$47.0	
	CB-NO	Extra Contact Block, Normally Open, SPST	\$15.0	
	CB-NC	Extra Contact Block, Normally Closed, SPST	\$15.0	
	35 110		Ψ15.0	



000 SERIES	PUSHBUTTO	NS		
Part #	Options	Description		List Price
6270		Pushbuttton, 2" Square, Illuminated, Momentary SPDT, 12/24 VDC		\$99.00
6275		Pushbutton, 3/8" Dia. Stainless Steel, 1-60 Sec. PTD, SPDT Form "Z"		\$305.00
6280		Push Button, 1" Dia. Stainless Steel, Momentary SPDT		\$177.00
6282		Push Button, 1" Dia. Stainless Steel, Alternate-Action SPDT	Ì	\$181.00
6290		Palm Switch, 1-5/8" Dia. 30 Sec. Min. PTD, SPDT Form "Z", NFPA-101	Ì	\$315.00
6291		Palm Switch, 1-5/8" Dia. 30 Sec. Min. PTD, SPDT Form "Z", City of Denver		\$315.00
6300		Audible Annunciator, 6-28 VDC		\$56.00
	LED	Bi-Color LED - Red/Green, 12/24 VDC	Ì	\$34.00
	NR	Narrow Plate - 1-3/4" wide, substitute.		\$9.00
	SF	Special Finish - Standard finish US32D. Special finishes see page 26		
	ATS	Anti-Tamper Switch		\$47.00
170 SERIES	WEATHERPR	OOF PUSHBUTTONS		
6171		Weatherproof Pushbutton, Blank Faceplate	ĺ	\$155.00
6172		Weatherproof Pushbutton, Faceplate Silkscreened "EXIT"		\$166.00
6173		Weatherproof Pushbutton, Faceplate Silkscreened "EXIT/SALIDA"		\$166.00
6174		Weatherproof Pushbutton, Faceplate Silkscreened "EXIT/SORTIE"		\$166.00
6175		Weatherproof Pushbutton, Faceplate Silkscreened "PUSH TO UNLOCK"		\$166.00
6176		Weatherproof Pushbutton, Faceplate Silkscreened "PUSH TO OPEN"		\$166.00
	BBX	Weatherproof Surface Back Box, 2-5/8" Deep		\$45.00
	CSF	Custom Silkscreened Faceplate - Consult Factory for Price & Availability		·
	SF	Special Finish - Standard finish US32D. Special finishes see page 26		
	ATS	Anti-Tamper Switch		\$47.00
500 SERIES	HIGH VISIBI	LITY PUSHPLATES		
65-*-*-*		High-Visibilty Pushplate, US28 Finish, *Specify Configurations Below*		\$354.00
		1) Signage Configurations (Choose One)		N/C
		EX - "EXIT"; PE - "PUSH TO EXIT"; OP - "OPEN"; PO - "PUSH TO OPEN"	Ì	
		SA - "SALIDA"; SO - "SORTIE"; ES - "EXIT/SALIDA"; EF - "EXIT/SORTIE"	Ì	
		AB - "ABRA"; OU - "OUVREZ"; OA - "OPEN/ABRA"; OZ - "OPEN/OUVREZ"		
		2) Switch Format Configurations (Choose One)		
		MO - Momentary SPDT	Ì	N/C
		AA - Alternate-Action SPDT		N/C
		PTD - Pneumatic Time Delay, 2-60 Sec., SPDT Form "Z"	Add	\$182.00
		3) Input Voltage Configuration (Choose One)		
		12VDC	İ	N/C
		24VDC		N/C
,				
		Configuration Example: 65-PE-PTD-24VDC / \$528.00 List		
	DP	DPDT Switch. Not Available with PTD Configuration.		\$13.00
	SF	Special Finishes - US3, US4, US10, US10B, US13, US19, US26 Available		\$77.00
	CS	Custom Signage - Consult Factory for Price & Availability		,



0 SERIES	HALU-LIGHT	ED PIEZO REX PUSHBUTTONS	
Part #	Options	Description	List Pric
6610		Single Gang, Blank Faceplate, 10-24 VDC	\$155.0
6610E		Single Gang, "PUSH TO EXIT" Faceplate, 10-24 VDC	\$155.0
6620		Narrow, Blank Faceplate, 10-24 VDC	\$144.0
6620E		Narrow, "PUSH TO EXIT" Faceplate, 10-24 VDC	\$144.0
	66BB-10	Surface Back Box, Single Gang	\$39.0
	66BB-20	Surface Back Box, Narrow	\$34.0
0/6800 S	SERIES PUSHE	PLATES	
6700		Single Gang, 1-60 Sec. PTD, SPDT Form "Z"	\$405.0
6710		Single Gang, Alternate Action SPDT	\$132.0
6720		Single Gang, Alternate Action DPDT	\$175.0
6730		Single Gang, Momentary SPDT	\$132.0
6740		Single Gang, Momentary DPDT	\$175.0
6750		Recessed Single Gang, 1-60 Sec. PTD, SPDT Form "Z"	\$420.0
6751		Recessed Single Gang, Alternate Action SPDT	\$160.0
6752		Recessed Single Gang, Alternate Action DPDT	\$204.
6753		Recessed Single Gang, Momentary SPDT	\$155.0
6754		Recessed Single Gang, Momentary DPDT	\$199.
6800		Narrow, 1-60 Sec. PTD, SPDT Form "Z"	\$405.
6810		Narrow, Alternate Action SPDT	\$128.
6820		Narrow, Alternate Action DPDT	\$168.0
6830		Narrow, Momentary SPDT	\$128.0
6840		Narrow, Momentary DPDT	\$168.0
6850		Recessed Narrow, 1-60 Sec. PTD, SPDT Form "Z"	\$414.0
6851		Recessed Narrow, Alternate Action SPDT	\$155.
6852		Recessed Narrow, Alternate Action DPDT	\$199.
6853		Recessed Narrow, Momentary SPDT	\$149.
6854		Recessed Narrow, Momentary DPDT	\$194.0
	SF	Special Finishes - US3, US4, US10, US10B, US13, US19, US26 Available	\$77.0
			· ·
	+		
	+		



7 00 7 0000 DEREE	S HANDI	CAPPED PUSHPLATES	
Part # O	ptions	Description	List Price
6705		Single Gang, 1-60 Sec. PTD, SPDT Form "Z"	\$405.00
6715		Single Gang, Alternate Action SPDT	\$132.0
6725		Single Gang, Alternate Action DPDT	\$175.0
6735		Single Gang, Momentary SPDT	\$132.0
6745		Single Gang, Momentary DPDT	\$175.0
6755		Recessed Single Gang, 1-60 Sec. PTD, SPDT Form "Z"	\$420.0
6765		Recessed Single Gang, Alternate Action SPDT	\$160.0
6775		Recessed Single Gang, Alternate Action DPDT	\$204.0
6785		Recessed Single Gang, Momentary SPDT	\$155.00
6795		Recessed Single Gang, Momentary DPDT	\$199.0
6805		Narrow, 1-60 Sec. PTD, SPDT Form "Z"	\$405.00
6815		Narrow, Alternate Action SPDT	\$128.0
6825		Narrow, Alternate Action DPDT	\$168.00
6835		Narrow, Momentary SPDT	\$128.0
6845		Narrow, Momentary DPDT	\$168.0
6855		Recessed Narrow, 1-60 Sec. PTD, SPDT Form "Z"	\$414.0
6865		Recessed Narrow, Alternate Action SPDT	\$155.0
6875		Recessed Narrow, Alternate Action DPDT	\$199.0
6885		Recessed Narrow, Momentary SPDT	\$149.0
6895		Recessed Narrow, Momentary DPDT	\$194.00
	SF	Special Finishes - US3, US4, US10, US10B, US13, US19, US26 Available	\$77.00
901 SERIES SPEC	IALTY PU	JSHPLATES	
6901		Double Gang, 1-60 Sec. PTD, SPDT Form "Z"	\$439.0
6911		Double Gang, Alternate Action SPDT	\$238.0
6921		Double Gang, Alternate Action DPDT	\$265.0
6931		Douible Gang, Momentary SPDT	\$232.0
6941		Double Gang, Momentary DPDT	\$260.0
6951		Recessed Double Gang, 1-60 Sec. PTD, SPDT Form "Z"	\$467.0
6961		Recessed Double Gang, Alternate Action SPDT	\$265.0
6971		Recessed Double Gang, Alternate Action DPDT	\$293.0
6981		Recessed Double Gang, Momentary SPDT	\$260.0
6991		Recessed Double Gang, Momentary DPDT	\$288.0
	SF	Special Finishes - US3, US4, US10, US10B, US13, US19, US26 Available	\$77.0



6335 SERIES	PUSHBUTTO	NS		
Part #	Options	Description		List Price
6335		(1) Pushbutton, Alternate Action SPDT		\$124.00
6336	1	(1) Pushbutton, Momentary SPDT		\$121.00
6337		(2) Pushbuttons, Alternate Action SPDT		\$166.00
6338		(2) Pushbuttons, Momentary SPDT		\$146.00
	P2	Upgrade to DPDT Contacts (6335/6336)		\$34.00
	P4	Upgrade to DPDT Contacts (6337/6338)		\$66.00
	ILM	Illuminated Pushbutton, Specify 12 or 24 VDC (6335/6336)		\$18.00
	ILM2	Illuminated Pushbuttons, Specify 12 or 24 VDC (6337/6338)		\$32.00
6350 SERIES	4-ZONE MON	ITOR STATION		
6350		Four-Zone Monitor Station for Delayed Egress Systems, Includes (1) 5312		\$442.00
6370 SERIES	SINGLE-ZON	E CONTROL/MONITOR STATION		
6370		Single Zone Control/Monitor Station for Delay Egress Systems		\$177.00
6420 SERIES	PASSIVE INF	RARED REX SENSOR		
6420		PIR Request-To-Exit Sensor		\$166.00
6451 SERIES	EXIT SENSOR	R BAR		
6451-36		Exit Sensor Bar, For 36" Door, US28		\$416.00
6451-42		Exit Sensor Bar, For 42" Door, US28		\$416.00
6451-48	1	Exit Sensor Bar, For 48" Door, US28		\$416.00
	CAB-64	Cable Kit, 16 ft., 8 Conductor		\$42.00
	TSB	Securitron TSB Mounting Pads		\$21.00
	SF	Special Finishes - US28 Standard; US10B and US4 Available		\$45.00
	WDK	Wood Door Mounting Hardware Kit		\$21.00
	DMB	Dummy Bar	Deduct	(\$72.00)
	PTE	Bar Engraved "PUSH TO EXIT"		\$66.00
	CLC	Custom Length Cut - Specify Overall Finished Bar Length		\$25.00
7075 SERIES	BREAK GLAS	S EXIT STATIONS		
7075		Break Glass Station, Standard		\$282.00
7076		Break Glass Station, with Bi-Color LEd, Red/Green, 12/24 VDC		\$321.00
7077		Break Glass Station, with Audible Sounder, 1-28 VDC		\$331.00
7078		Spare Contact Block, SPDT		\$71.00
7079		Spare Lenses, 5 Pk.		\$49.00

Keyswitches Miscellaneous Electronics



7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 086 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 088 PREWIRED RECTIFIER MODULE	\$140
Momentary, (1) SPDT	
Maintained, (2) SPDT 7004 Momentary, (2) SPDT 7005 Momentary, (2) SPDT 7005 Momentary, (2) SPDT 7006 Momentary, (3) DPDT 7021 Maintained, (1) DPDT 7022 Momentary, (1) DPDT 7023 Maintained, (2) DPDT 7024 Momentary, (2) DPDT 7025 Momentary, (2) DPDT 7025 Momentary, (3) DPDT 7035 Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang 7050 3101C Type, Momentary/Maintained 7051 3101C Type, Momentary/Momentary 7054 Used Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch AUD Audible Sounder, 1-28 VDC (Requires DBL Option) CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. D80 SERIES ADJUSTABLE TIME DELAY MODULE 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC D88 PREWIRED RECTIFIER MODULE	\$128
Momentary, (2) SPDT 7005 Momentary, (1) DPDT 7021 Maintained, (1) DPDT 7022 Momentary, (1) DPDT 7023 Maintained, (2) DPDT 7024 Momentary, (2) DPDT 7025 Momentary, (2) DPDT 7026 Momentary, (2) DPDT 7027 Momentary, (2) DPDT 7028 Momentary, (3) DPDT 7029 Momentary, (2) DPDT 7020 Momentary, (2) DPDT 7021 Momentary, (2) DPDT 7022 Momentary, (2) DPDT 7023 Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang 7050 3101C Type, Momentary/Maintained 7051 3101C Type, Momentary/Momentary 7054 Used Exclusively With 3101C-T3101-G2 Lock ATS Anti-Tamper Switch AUD Audible Sounder, 1-28 VDC (Requires DBL Option) CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115M Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. DBO SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC DBB SPREWIRED RECTIFIER MODULE	\$171
Momentary/Maintained, 1/Ea. SPDT 7021 Maintained, (1) DPDT 7022 Momentary, (1) DPDT 7023 Maintained, (2) DPDT 7024 Momentary (2) DPDT 7025 Momentary/Maintained, 1/Ea. DPDT 7026 Momentary/Maintained, 1/Ea. DPDT 7027 Momentary/Maintained, 1/Ea. DPDT 7038 Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang 7050 3101C Type, Momentary/Maintained 7051 3101C Type, Momentary/Momentary 7054 Used Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch 1 AUD Audible Sounder, 1-28 VDC (Requires DBL Option) 2 CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys 3 DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115M Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 1086 SERIES ADJUSTABLE TIME DELAY MODULE 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 1088 PREWIRED RECTIFIER MODULE	\$147
Maintained, (1) DPDT 7022 Momentary, (1) DPDT 7023 Maintained, (2) DPDT 7024 Momentary, (2) DPDT 7025 Momentary, (2) DPDT 7025 Momentary, (3) DPDT 7035 Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang 7050 3101C Type, Momentary/Maintained 7051 3101C Type, Momentary/Maintained 7051 Used Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch AUD Audible Sounder, 1-28 VDC (Requires DBL Option) CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. D80 SERIES ADJUSTABLE TIME DELAY MODULE 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC D88 PREWIRED RECTIFIER MODULE	\$158
Momentary, (1) DPDT 7023 Maintained, (2) DPDT 7024 Momentary, (2) DPDT 7025 Momentary/Maintained, 1/Ea. DPDT 7035 Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang 7050 3101C Type, Momentary/Maintained 7051 3101C Type, Momentary/Momentary 7054 Used Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch 1 AUD Audible Sounder, 1-28 VDC (Requires DBL Option) 2 CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys 3 DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1 Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 180 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 1088 PREWIRED RECTIFIER MODULE	\$170
Momentary, (2) DPDT 7025	\$158
Momentary, (2) DPDT 7025 Momentary/Maintained, 1/Ea. DPDT 7035 Electronic Time Delay, 0-60 Sec., SPDT, Two-Gang 7050 3101C Type, Momentary/Maintained 7051 3101C Type, Momentary/Momentary 7054 Used Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch AUD Audible Sounder, 1-28 VDC (Requires DBL Option) CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115A Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$220
Flectronic Time Delay, 0-60 Sec., SPDT, Two-Gang 3101C Type, Momentary/Maintained 3101C Type, Momentary/Momentary Jused Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch AUD Audible Sounder, 1-28 VDC (Requires DBL Option) CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 180 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 1086 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$196
Flectronic Time Delay, 0-60 Sec., SPDT, Two-Gang 3101C Type, Momentary/Maintained 3101C Type, Momentary/Momentary Jused Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch AUD Audible Sounder, 1-28 VDC (Requires DBL Option) CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. D80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC D86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC D88 PREWIRED RECTIFIER MODULE	\$203
3101C Type, Momentary/Maintained 3101C Type, Momentary/Momentary 3101C Type, Momentary/Momentary 3101C Type, Momentary/Momentary Used Exclusively With 3101C-TJ101-G2 Lock ATS Anti-Tamper Switch ¹ AUD Audible Sounder, 1-28 VDC (Requires DBL Option) ² CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys ³ DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. ² Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 180 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 186 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 188 PREWIRED RECTIFIER MODULE	\$294
Used Exclusively With 3101C-TJ101-G2 Lock	\$98
Used Exclusively With 3101C-TJ101-G2 Lock	\$140
AUD Audible Sounder, 1-28 VDC (Requires DBL Option) ² CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys ³ DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. ² Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. D80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC D86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$140
CYL Mortise Cylinder, 1-14" Long, with Cam & Two Keys ³ DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. ² Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. DBO SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC DB6 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$47
DBL Two Gang Faceplate - 4-9/16" wide, for options. KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. D80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC D86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$22
KEY Spare Key (Order with CYL Option) LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. P80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC P86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$42
LED Bi-Color LED - Red/Green, 12/24 VDC NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. P80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC P86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$9
NR Narrow Plate - 1-3/4" wide, substitute. PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. P80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC P86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC P88 PREWIRED RECTIFIER MODULE	\$9
PBA Pushbutton - 6115A Type (Requires DBL Option) PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. P80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC P86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$34
PBM Pushbutton - 6115M Type (Requires DBL Option) SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. P80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC P86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$9
SF Special Finish - Standard finish US32D. Special finishes see page 26 WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 880 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 886 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	\$65
WPC Weather Proof Cover - For single gang only. 2 Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. P80 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC P86 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC P88 PREWIRED RECTIFIER MODULE	\$65
Notes: 1. Not available with NR or WPC Option. 2. Not available on 7035. 3. All Cylinders are keyed-alike. 880 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 886 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 888 PREWIRED RECTIFIER MODULE	
2. Not available on 7035. 3. All Cylinders are keyed-alike. 880 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 886 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 888 PREWIRED RECTIFIER MODULE	\$20
3. All Cylinders are keyed-alike. 180 SERIES ADJUSTABLE TIME DELAY MODULE 7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 186 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 188 PREWIRED RECTIFIER MODULE	
7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 866 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 988 PREWIRED RECTIFIER MODULE	
7080 Adjustable Time Delay Module, 0-60 Sec., 12-30 VAC/VDC 866 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 888 PREWIRED RECTIFIER MODULE	
7086 PREWIRED RECTIFIER MODULE 786 SERIES PROGRAMMABLE DIGITAL TIMER 7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC	
7086 7-Day Programmable Digital Timer, 12/24 VAC/VDC 988 PREWIRED RECTIFIER MODULE	\$76
988 PREWIRED RECTIFIER MODULE	
	\$391
7088 1 Amp Prewired Rectifier Module	\$25

Standalone Digital Keypads Standard Slope Front Consoles



-		ALONE DIGITAL KEYPADS	
Part #	Options	Description	List Pric
7300	ļ	Single Gang Box-Mount, Heavy-Duty 3x4 Matrix Metal Piezo Keypad	\$331.0
7350	<u> </u>	Narrow Mullion Mount, Heavy-Duty 2x6 Matrix Metal Piezo Keypad	\$315.
00/7450 S	ERIES STAND	ALONE DIGITAL KEYPADS	
7400		Single Gang Box-Mount, Backlit 3x4 Matrix Rubber Keypad	\$166.
7450		Narrow Mullion Mount, Backlit 2x6 Matrix Rubber Keypad	\$157.
00 SERIES	STANDALONE	DIGITAL KEYPAD/PROX READER	
7500		Single Gang Box Mount, Heavy-Duty Keypad / Prox Reader	\$420.
	7551	Read-Only 125kHz Clamshell Proximity Card, White, Unprinted	\$6.
	7561	Read-Only 125kHz Proximity Tag, Ring Design, Gray	\$9.
	7571	Read-Only 125kHz Proximity Tag, Wafer Design, Gray	\$9.
00SF SERI	ES STANDARD	SLOPE FRONT CONSOLES	
8001SF		1 Station Slope Front Console	\$420
8002SF		2 Station Slope Front Console	\$560.
8003SF		3 Station Slope Front Console	\$700
8004SF		4 Station Slope Front Console	\$935.
8005SF		5 Station Slope Front Console	\$1,049
8006SF		6 Station Slope Front Console	\$1,261.
8007SF		7 Station Slope Front Console	\$1,471.
8008SF		8 Station Slope Front Console	\$1,623
8009SF	1	9 Station Slope Front Console	\$1,827.
8010SF		10 Station Slope Front Console	\$2,030.
8011SF		11 Station Slope Front Console	\$2,050.
8012SF		12 Station Slope Front Console	\$2,239.
	LK	Slope Front Console Label Kit	\$59.
	Notes:	*Specify Console operating voltage as either 12 or 24 VDC	
		*Specify station toggle switch action as Momentary or Alternate Action	
		*Configuration Example: 8006SF-12VDC-MOM	
	<u> </u>	Comiguration Example: Cocces = == 50 mon	
	<u> </u>		
			+
	-		+
	1		
	-		

Communicating Bathroom Systems Miscellaneous Accessories



Part #	Options	Description	List Price
8500-2	Options	Two-Door Communicating Bathroom System	\$1,990.0
0300-2	Includes	(2) 2511-DSM Mini-Maglocks	\$1,550.0
	Triciacs.	(1) 6110-CB-ILM-24V Pushbutton	
	 	(2) 6110-EO-ILM-24V Pushbutton	
	1	(1) 5500-FAC-ILB-24V Power Supply	
		(1) 900274 System Wiring Diagram	
8500-3	1	Three-Door Communicating Bathroom System	\$2,527.0
0300 3	Includes:		Ψ2,327.0
	Triciacos	(1) 6110-CB-ILM-24V Pushbutton	
	1	(3) 6110-EO-ILM-24V Pushbutton	
	1	(1) 5500-FAC-ILB-24V Power Supply	
		(1) 900274 System Wiring Diagram	
200 SERTES	DOOR POSIT	ION CONTACTS	
9200		Surface Magnetic Contact, SPDT, Screw Terminals, 0.25 Amps @ 30VDC	\$42.0
9225		Mortise Magnetic Contact, SPDT, Flying Leads, 0.25 Amps @ 30VDC	\$64.0
9250	1	Mortise Magnetic Contact, SPDT, Screw Terminals, 0.25 Amps @ 30VDC	\$82.0
9275	1	Mortise Roller Ball Contact, SPDT, 4 Amps @ 24VDC	\$72.0
9280		Mortise Roller Ball Contact, DPDT, 4 Amps @ 24VDC	\$96.0
	ARMORED DO		ψ, σ, σ, σ
9300		Flexible Armored Door Cord, 18" Long, Less Wires	\$45.0
9350		Flexible Armored Door Cord, 18" Long, With (3) 24" Wires	\$59.0
			455.5
	1		
	1		
	 		
	1		
	 		
	 		
	1		
			+
	-		

Prices Effective April 1, 2018 Tel: 1.877.DYNALOCK Page 25 Fax: 1.860.585.0338 ©2018 DynaLock Corp.

Available Special Finishes*



PART NUMBER	ALUMDIN	9828 WM	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S & S O O O O O O O O O O O O O O O O O	MEDIUM BROWN	PARK BROWN BROWN	18 8 18 18 18 18 18 18 18 18 18 18 18 18	CHROWN CHROWN USSOME
SINGLE MAG. LOCKS	STD							
SINGLE MAG. LOCKS - TJ	STD							
DOUBLE MAG. LOCKS	STD							
DOUBLE MAG. LOCKS -TJ	STD							
TJ20 AND TJ30 KIT, 4850 SERIES SPECIALITY BRACKETS	STD							
3500 AND 3600 SERIES CUSTOM LENGTH HOUSING TO 36"	STD							
3700 AND 3800 SERIES CUSTOM LENGTH TO 72"	STD	NA	NA	NA	NA	NA	NA	NA
3700 AND 3800 SERIES CUSTOM LENGTH HOUSING TO 96"	STD	NA	NA	NA	NA	NA	NA	NA
4000 SERIES TO 14"	STD							
4000 SERIES TO 36"	STD							
4000 SERIES TO 72"	STD	NA	NA	NA	NA	NA	NA	NA
4000 SERIES TO 96"	STD	NA	NA	NA	NA	NA	NA	NA
* 6000 AND 7000 CONTROLS AND KEYSWITCH	NA			NA	NA		NA	
6451 EXIT SENSOR BAR	STD	NA		NA	NA		NA	NA

^{*}CONSULT FACTORY FOR CURRENT AVAILABILITY, COST, DELIVERY AND MINIMUM LOT CHARGES THAT APPLY.

NA = FINISH NOT AVAILABLE. FOR BEST COLOR MATCH SUBMIT SAMPLE.

Prices Effective April 1, 2018 Tel: 1.877.DYNALOCK Page 26 Fax: 1.860.585.0338 ©2018 DynaLock Corp.

^{*} Excludes 6500, 6700, 6800 & 6900 Series. See pages 16-18 for pricing on these products. Special Finishes are not available on the 6600 Series.



Fax: 1.860.585.0338



LIST PRICE GUIDE 2018-A



Lifetime Product Warranty

All DynaLock standard products are covered by our lifetime warranty. Any factory defective product will be repaired or replaced at no charge.

Emergency Technical Support

Routine technical support is available Monday - Friday, 8:00 AM - 5:00 PM (EST) by calling the factory toll-free at **1-877-DYNALOCK (396-2562)**

Emergency technical support is available Monday - Friday, 5:00 PM - 8:00 PM (EST) by calling (860) 637-2599, (860) 916-4805, or (860) 878-9085

For Additional Information Contact:





Proudly Made In The USA

DynaLock Corporation

705 Emmett Street
P.O. Box 2728
Bristol, CT 06011-2728
Ph/ 877-DYNALOCK (396-2562) Toll Free
860-582-4761
Fx/ 860-585-0338
E-mail/ info@dynalock.com
Web/ www.dynalock.com