

DON-JO MFG., INC.

ARCHITECTURAL HARDWARE & ACCESSORIES



Minneapolis, Minnesota

DOOR STOPS, HOLDERS & BUMPERS

DON-JO MFG., INC.
P.O. Box 929
Sterling, MA 01564

PHONE: 978.422.3377
FAX: 978.422.3467
WATS: 800.628.8389
WATS FAX: 800.278.8202

WEB: www.don-jo.com
E-mail: info@don-jo.com
Section C, Version 1



INDEX

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
I400	1c	I448	3c	I473	3c	I507	8c
I401	1c	I449	3c	I474	3c	I508	8c
I402	1c	I449P	3c	I475	3c	I509	8c
I406	1c	I450	4c	I476	3c	I510	8c
I407	1c	I452	4c	I477	3c	I511	8c
I410	1c	I453	4c	I478	3c	I512	8c
I412	1c	I455	5c	I480	3c	I513	8c
I413	1c	I457	6c	I486	4c	I514	7c
I420	9c	I458	6c	I487	4c	I517	7c
I430	9c	I462	5c	I488	4c	I520	6c
I432	9c	I463	5c	I490	7c	I521	6c
I440	2c	I464	5c	I492	7c	I522	6c
I441	2c	I465	5c	I500	8c	I523	6c
I442	2c	I466	5c	I501	7c	I608	8c
I443	2c	I467	5c	I502	8c	I609	8c
I444	2c	I468	5c	I503	8c	I610	8c
I445	2c	I469	5c	I504	7c		
I446	2c	I471	3c	I505	8c		
I447	2c	I472	3c	I506	7c		



WROUGHT WALL BUMPERS



I400



I402



I406



I407

NUMBER	TYPE	PROJ.	DIA.	ANSI A156.16	MATERIAL
I400	Convex	1/2"	1"	L02101	Brass
I402	Concave	1 1/8"	1 1/2"	—	Solid Brass
I406	Convex	1 1/8"	2 1/2"	L22101, L52101	Wrought
I407	Concave	1"	2 1/2"	L22251, L52251	Wrought

SHELF PACK: (I400, I406, I407) 50 Polybagged
(I402) 10

FASTENERS: (I400) 1 ea. #8 x 1" SMS, 1 ea. Brad Nail, 1 ea. Plastic Anchor
(I402) 1 ea. #10 x 1 1/4" SMS, 1 ea. Plastic Anchor &
Plastic Drywall Anchor
(I406, I407) 1 ea. #8 x 1 1/4" SMS, 1 ea. Plastic Anchor &
Plastic Drywall Anchor

FINISHES: (I400) 605, 606, 613, 625, 626
(I402) 626
(I406) 605, 606, 612, 613, 619, 620, 625, 626, 630
(I407) 605, 606, 612, 613, 619, 620, 625, 626, 630

CAST WALL BUMPERS



I412



I413



I410

NUMBER	TYPE	PROJ.	DIA.	ANSI A156.16	MATERIAL
I410	Convex	7/8"	3 7/8"	—	Cast Brass
I412	Convex	1"	2 1/2"	L12101	Cast Brass
I413	Concave	1"	2 1/2"	L12251	Cast Brass

SHELF PACK: 10 Polybagged

FASTENERS: (I412, I413) 1 ea. #10 x 1 1/4" SMS, 1 ea. Plastic Anchor &
Plastic Drywall Anchor
(I410) 1 ea. 1/4-20 x 1 1/4" MS, 3 ea. #8-32 x 1/4" MS, 1 ea.
Lead Expansion Shield

FINISHES: (I412, I413) 605, 606, 613, 626
(I410) 626

OPTIONS: (I410) Torx screws available

RUBBER WALL BUMPERS



I401

NUMBER	TYPE	PROJ.	DIA.	MATERIAL
I401	Concave	9/16"	1 13/16"	Rubber

SHELF PACK: 10 Polybagged

FASTENER: Adhesive

FINISHES: White & Gray

Proj. = Projection, Dia. = Diameter

CONTEMPORARY FLOOR STOP



I441

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I441	1 1/2"	1 1/4"	L02131	Cast Brass

SHELF PACK: 10
FINISHES: 626

Polybagged

FLOOR STOPS



I440



I442



I447

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I440	1"	1/8" x 1 3/4"	L12141	Cast Brass
I442	1 1/4"	3/8" x 1 3/4"	L12161	Cast Brass
I447	1 5/8"	1/4" x 1 3/4"	L02161	Cast Brass

SHELF PACK: (I440, I442) 20 (I447) 10
FASTENERS: (I440, I442) 1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4" x 1 1/4" SMS,
1 ea. Plastic Anchor and 1 ea. Lead Expansion Shield
FINISHES: (I440, I442) 605, 606, 612, 613, 619, 620, 625, 626
(I447) 605, 613, 625, 626

Polybagged

RISERS



I446

NUMBER	HEIGHT	BASE	MATERIAL
I446	1/2"	1 3/4"	Cast Brass

SHELF PACK: 50
FINISHES: 605, 612, 613, 625, 626

Polybagged

FLOOR STOPS



I445

NUMBER	HEIGHT	BASE	MATERIAL
I445	1 1/2"	5/8" x 1 3/4"	Cast Brass

SHELF PACK: 20
FASTENERS: 1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4" x 1 1/4" SMS,
1 ea. Plastic Anchor and 1 ea. Lead Expansion Shield
FEATURES: I445 is made by combining the I440 & I446
FINISHES: 605, 612, 613, 625, 626

Polybagged

FLOOR STOPS



I443



I444

NUMBER	HEIGHT	BASE	MATERIAL
I443	1"	1/8" x 4"	Cast Brass
I444	1 3/8"	1/2" x 4"	Cast Brass

SHELF PACK: (I443, I444) 10
FASTENERS: (I443, I444) 2 ea. 1/4-20 x 1 1/4" MS, 2 ea. 1/4" x 1 1/4" SMS,
2 ea. Plastic Anchor and 2 ea. Lead Expansion Shield
FINISHES: (I443, I444) 605, 613, 626

Polybagged




DOOR STOPS



**I471 (shown),
I472**



**I473 (shown)
I474**



**I475 (shown),
I476**



**I477 (shown)
I478**

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I471	3 1/8"	2 1/4"	L12131	Cast Brass
I472	3 1/8"	2 1/4"	L12121	Cast Brass
I473	3 7/8"	2 1/4"	L11371	Cast Brass
I474	3 7/8"	2 1/4"	L11361	Cast Brass
I475	3 7/8"	2 1/4"	L12021	Cast Brass
I476	3 7/8"	2 1/4"	L12011	Cast Brass
I477	3 1/2"	2 1/4"	L11351	Cast Brass
I478	3 1/2"	2 1/4"	L11341	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (I471, I475) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 1/16-18 x 2 5/8" SMS Stud, 1 ea. #10 x 1" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield
(I472, I476) 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors
(I473, I477) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors, 1 ea. Lead Expansion Shield
(I474, I478) 5 ea. #10 x 1" SMS, 3 ea. Plastic Anchors

FEATURES: (I471, I473, I475, I477) concealed mounting
(I472, I474, I476, I478) surface mounting

FINISHES: (I471, I477) 605, 613, 626
(I472, I474, I476, I478) 626
(I473, I475) 605, 613, 626

ANGLE STOP



I480

NUMBER	BASE	RUBBER	
		HEIGHT	WIDTH
I480	2 1/2" x 1"	2 5/8"	1 1/2"

SHELF PACK: 10

Polybagged

FASTENERS: 2 ea. 1/4" x 1 1/2" SMS, 2 ea. Plastic Anchors
FINISH: 626

DOOR STOPS



I448



I449



I449P

NUMBER	HEIGHT	BASE	MATERIAL
I448	1 5/8"	2 1/4" x 1 5/8"	Cast Brass
I449	2 1/2"	2 1/4" x 1 5/8"	Cast Brass
I449P	3 3/4"	2 11/16" dia.	Cast Aluminum

SHELF PACK: 10

Polybagged

FASTENERS: (I448, I449) 3 ea. 8/32 x 1" MS, 3 ea. #8 x 1 1/4" SMS, 3 ea. Plastic Anchors, 3 ea. Lead Expansion Shields
FINISHES: (I448, I449) 605, 613, 626
(I449P) 628

DOOR STOPS



I450



I452



I453

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I450	2 1/8"	2 5/8" x 1 5/8"	L12131	Cast Brass
I452	2 3/4"	2 1/2" x 1 1/2"	L12131	Cast Brass
I453	3"	2 1/2" x 1 1/2"	L13171	Cast Brass

SHELF PACK: 10

Polybagged

FASTENERS: (I450, I452) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 1 ea. #10 x 1" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield

(I453) 1 ea. 5/16-18 x 2 5/8" MS Stud, 1 ea. 5/16-18 x 2 5/8" SMS Stud, 2 ea. #8 x 1" SMS, 1 ea. 1/4-20 x 1 1/4" MS, 1 ea. 1/4 x 1 1/2" SMS, 3 ea. Plastic Anchors, 1 ea. Lead Expansion Shields

FINISHES: (I450, I452) 605, 613, 619, 620, 626

(I453) 605, 613, 626

ROLLER BUMPERS



I486



I487



I488

NUMBER	BASE	PROJECTION	ANSI A156.16	MATERIAL
I486	2" dia.	4 1/2"	L12191	Cast Brass
I487	2" dia.	6"	L12201	Cast Brass
I488	1 5/8" x 2 1/4"	2 3/4"	L12211	Cast Brass


SHELF PACK: 10

Polybagged


FASTENERS: 3 ea. #10 x 1" SMS, 3 ea. Plastic Anchors

FINISHES: 605, 613, 626

I488



I486 & I487





DETENTION STOP



I462



I463

NUMBER	HEIGHT	BASE	MOUNTING BOLT
I462	4 1/2"	1 1/2 x 2"	1/2" x 3"
I463	6"	3 1/2 x 2"	1/2" x 2 1/2"

SHELF PACK: (I462) 20, (I463) 10
FINISH: Black

Polybagged

DOOR HOLDERS

I455



I464



I465



I466



I467



I468



I469



NUMBER	PROJECTION	ANSI A156.16	MATERIAL
I455	4"	L1 I382	Cast Aluminum
I464	4"	L1 I382	Solid Brass
I465	4"	L1 I382	Solid Brass
I466	4"	—	Cast Iron
I467	5"	L1 I382	Solid Brass
I468	-	—	Rubber
I469	-	—	Rubber

SHELF PACK: 10 **Polybagged**

FASTENERS: (I455) 3 ea. #8 x 1" SMS
(I464, I465, I466, I467) 4 ea. #8 x 1" SMS
(I469) 1 ea. #8-32 x 7/8" MS

FINISHES: (I455) 626, BP (Brass Plated), BZ (Bronze Sprayed), CP (Chrome Plated), DU (Duro Coated)
(I465) 605, 613, 625, 626
(I466) Sprayed Brass, Sprayed Bronze, Sprayed Aluminum, Sprayed Durocoat
(I464) (I467) 605, 613, 626
(I468) Gray Rubber
(I469) Gray Rubber

PLUNGER STOP



1457



1458

NUMBER	PROJECTION	BASE	ANSI A156.16	MATERIAL
1457	1 1/4"	6 3/16" x 1 7/16"	L11401	Cast Aluminum
1458	1 7/8"	1 3/8" x 5 3/8"	L01411	Brass

SHELF PACK: 10 Polybagged

FASTENERS: (1457) 2 ea. #8 x 1" SMS

(1458) 3 ea. #10 x 3/4" OHSMS

FINISH: (1457) 628

(1458) 626

DOOR HOLDER




NUMBER	DOOR TO FLOOR CLEARANCE	HOLDER DIMENSIONS	ANSI A156.16	MATERIAL
1520	1/2" or less	3" W x 3 1/2" H	L11301	Cast Brass
1521	9/16" – 1 1/16"	3" W x 3 1/2" H	L11301	Cast Brass
1522	1 1/8" – 1 9/16"	3" W x 3 1/2" H	L11301	Cast Brass
1523	1 5/8" – 2 1/16"	3" W x 3 1/2" H	L11301	Cast Brass

SHELF PACK: 1


Box Pack

FASTENERS: 3 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4 x 1 1/4" SMS, 4 ea. #12-24 x 1" MS,
4 ea. #12 x 1" SMS, 3 ea. Lead Expansion Shields


FINISH: 626




1520



1521



1522



1523



DOOR HOLDER



1517

NUMBER	HEIGHT	BASE DIMENSIONS	ANSI A156.16	MATERIAL
1517	3 1/2"	2" x 3 1/2"	L11241	Brass

SHELF PACK: 1 Polybagged
FASTENERS: 2 ea. Plastic Anchors, 1 ea. 1/2-13" x 3 1/4" Stud, 1 ea. Lead Anchor,
 2 ea. 1/4 x 1 1/2" FHMS, 1 ea. 1/4-20 x 1 1/4" FHMS, 1 ea. Lead Anchor
FINISH: 626

DOOR HOLDER



1514

NUMBER	PROJECTION	HOLDER DIMENSIONS	ANSI A156.16	MATERIAL
1514	3 1/2"	2 1/2" H x 2 1/4" W	L11291	Cast Brass

SHELF PACK: 10 Polybagged
FASTENERS: 2 ea. #10-24 x 1 1/4" MS, 5 ea. #10 x 1" SMS, 3 ea. Plastic Anchors
FINISH: 626

DOOR STOPS



1490



1492

NUMBER	HEIGHT	LENGTH	MATERIAL
1490	3"	3 3/4"	Cast Brass
1492	3"	3 3/4"	Cast Brass

SHELF PACK: 10 Polybagged
FASTENERS: (1490) 3 ea. 1/4-20 x 3/4" MS, 3 ea. 1/4 x 1 1/2" SMS, 3 ea. Plastic Anchors, 3 ea. Lead Expansion Shield
 (1492) 1 ea. 5/16-18 x 2 5/8" SMS Stud, 1 ea. 1/4 x 1 1/2" SMS, 1 ea. Plastic Anchor, 1 ea. Lead Expansion Shield
FINISH: 626

RIGID BASE STOPS



1501



1504



1506

NUMBER	BASE	PROJECTION	ANSI A156.16	MATERIAL
1501	3/4"	3"	L32031	Cast Zinc
1504	1"	3"	L32031	Cast Aluminum
1506	1"	3 1/4"	L12031	Cast Brass

SHELF PACK: (1501) 50 Polybagged
 (1504, 1506) 10
FASTENERS: #10 SMS
FINISHES: (1501) 605, 609, 625
 (1504, 1506) 605, 609, 613, 619, 620, 622, 625, 626

SPRING BASE STOPS



I508



I509
I510
I511

NUMBER	BASE	PROJECTION	MATERIAL
I508	3/4"	3"	Spring Steel
I509	1"	3 1/8"	Spring Steel
I510	1"	3 3/4"	Spring Steel
I511	1"	3 1/8"	Spring Steel

SHELF PACK: 50 Polybagged
FASTENERS: (I508) #8 SMS
 (I509, I510) #8 x 1" SMS
 (I511) #8 x 1 1/4" SMS
FINISHES: 605, 609, 613, 619, 620, 625, 626

HINGE STOP



I500



I502



I507



I512



I503



I505



I513

NUMBER	DOOR OPEN ADJ.	MATERIAL
I500	70° - 100°	Cast Zinc
I502	70° - 100°	Steel
I503	70° - 100°	Cast Brass
I505	70° - 100°	Cast Zinc
I507	Opens to 170°	
I512	Opens to 170°	
I513	Opens to 170°	

SHELF PACK: (I500) 100, (I502, I503, I505, I507) 20 Polybagged
 (I512, I513) 10
FINISHES: (I500) 605, 619, 620, 625
 (I502) 605, 613, 619, 620, 626
 (I503) 605, 609, 619, 620, 625
 (I505) 605, 609, 613, 619, 620, 622, 626
 (I507) 605, 613, 619, 625
 (I512) 613, 619, CP, BP
 (I513) 613, 619, CP
FEATURES: (I500, I502, I503, I505, I507) Works w/ 1/4" hinge pins only!
 (I512, I513) Works with commercial grade standard weight hinges

DOOR SILENCERS



I608
For metal frame



I609
For wood frame



I610
Adhesive mounting

NUMBER	ANSI A156.16
I608	L03011
I609	L03021
I610	—

SHELF PACK: 100 Polybagged
FINISHES: Gray Rubber
 (I610 also available in clear)



DOOR STOPS



I430



I432

NUMBER	HEIGHT	BASE	ANSI A156.16	MATERIAL
I430	1 5/16"	1 1/4"	—	Cast Brass
I432	1 5/16"	1 1/4"	L32181	Cast Aluminum

SHELF PACK: 10 Polybagged

FASTENERS: (I430) #8 x 1 SMS

(I432) 2 ea. #8 x 3/4" SMS

FINISHES: 605, 613, 619, 620, 626

APPLIED STOP



I420

NUMBER	WIDTH	HEIGHT	LENGTH
I420	1 1/2"	3/4"	3 1/2"

SHELF PACK: 10 Polybagged


FASTENERS: 2 ea. #12 x 1 1/2" FHWS and

2 ea. 12-24 x 3/4" FHWS

FEATURES:

- For use with single or double doors without stops
- Supplied with machine & wood screws

FINISHES: 605, 613, 626



Check out our website at www.don-jo.com
to take advantage of these great conveniences:

- On-line Ordering
- Checking Status of Open Orders
- Templates
- Plus Many Other Features

Please contact DON-JO for a username and password
to access all of these features on the DON-JO website.