


8500 Series

Communicating Bathroom Systems



① 2511 MAGLOCK



② 6110 BUTTON



③ 6110 BUTTON



(4) 5500 POWER SUPPLY



Specific part & ordering information on reverse

Application

Communicating Bathroom Systems ensure privacy for the occupant of a single bathroom shared by adjacent rooms. The system also allows for emergency access should the need arise. Typical installations include hospitals, nursing and convalescent homes, schools and dormitories.

LIFE SAFETY PRODUCTS

Electromagnetic Locks | Controls | Power Supplies

8500 Communicating Bathroom

System Description of Operation

When the bathroom is not occupied all doors are normally closed and unlocked. All switch indicators are not illuminated. Upon entering the bathroom from one of the rooms the occupant presses the inside pushbutton switch to lock all doors. All doors must be closed for locking to occur. Interior and exterior indicators will illuminate red to indicate bathroom is occupied and doors are locked. To unlock doors and exit, occupant presses inside pushbutton again. All indicators will extinguish and all doors will unlock. Depressing outside emergency pushbutton switches, located above or adjacent to each door, will unlock all doors. Outside pushbutton, if used, must be pushed again to reset system to normal use. When connected to a fire panel system all doors will unlock during a fire emergency.

Model 8500-2

Two Door Communicating Bathroom System

System Components

(2) 2511-DSM Maglock with door status switch (1) 6110-CB-ILM-24V Red pushbutton, SPDT, maintained

silk screened "LOCKED WHEN LIT, PRESS TO OPERATE"

(2) 6110-EO-ILM-24V Red pushbutton, SPDT, maintained

silk screened "EMERGENCY UNLOCK, OCCUPIED WHEN LIT"

(1) 5500-FAC-ILB-24V Power supply, 24VDC, 2A (1) 900274 System wiring diagram

When ordering, simply specify "8500-2"

Model 8500-3

Three Door Communicating Bathroom System

System Components

(3) 2511-DSM Maglock with door status switch (1) 6110-CB-ILM-24V Red pushbutton, SPDT, maintained

silk screened "LOCKED WHEN LIT, PRESS TO OPERATE"

(3) 6110-EO-ILM-24V Red pushbutton, SPDT, maintained

silk screened "EMERGENCY UNLOCK, OCCUPIED WHEN LIT"

(1) 5500-FAC-ILB-24V Power supply, 24VDC, 2A (1) 900419 System wiring diagram

When ordering, simply specify "8500-3"

DYNALOCK CORPORATION

705 EMMETT STREET / PO BOX 2728
BRISTOL, CT 06011-2728
PHONE: 877-DYNALOCK / FAX: 860-585-0338
F-MAII: INFO@DYNALOCK COM

E-MAIL: INFO@DYNALOCK.COM WEBSITE: WWW.DYNALOCK.COM

