


MLRK 1

INSERT INSTRUCTIONS

The Command Access MLRK1 is a field-installable motorized latch-retraction kit for:

- MLRK1-JAC 12 - Jackson 1285, 1286 and 1295 series devices
- MLRK1-KAW17 - Kawneer 1686 and 1786 series devices
- MLRK1-AHT - AHT 8 and 9 series devices



KIT INCLUDES

- | | |
|---------------------------------|----------------------------------|
| A. 60241 – MLRK1 MOTOR | E. 40059 – CABLE MOUNTING PAD |
| B. 60372 – MM4 MODULE | F. 40060 – CABLE TIE (X2) |
| C. 50453 – MAGNET BRACKET | G. 50636 – CABLE GUIDES (X3) |
| D. 40040 – PHILLIPS SCREWS (X2) | H. 50944 – MOLEX PIGTAIL |
| | I. 6' POWER LEAD W/ VD CONNECTOR |

TOOLS REQUIRED

- CORDLESS DRILL
- 1/16" DRILL BIT
- MINOR CUTTING TOOLS AND FILE
- #0 PHILLIPS SCREWDRIVER
- #2 PHILLIPS SCREWDRIVER

SPECIFICATIONS



- INPUT VOLTAGE: 24VDC +/- 10%
- STANDARD TORQUE AVERAGE LATCH RETRACTION CURRENT: 1.3A
- HIGH TORQUE AVERAGE LATCH RETRACTION CURRENT: 2A
- AVERAGE HOLDING CURRENT: 215 MA
- WIRE GAUGE: MINIMUM 18 GAUGE
- DIRECT WIRE RUN - NO RELAYS OR ACCESS CONTROL UNITS IN-BETWEEN POWER SUPPLY & MODULE

RECOMMENDED POWER SUPPLIES:

All Command Access exit devices & field installable kits have been thoroughly cycle tested with Command Access power supplies at our factory. If you plan on using a non-Command power supply it must be a filtered & regulated linear power supply.

OPTIONAL BUILT-IN REX

- SPDT - RATED .5A @24V
- GREEN= COMMON (C)
- BLUE = NORMALLY OPEN (NO)
- GREY = NORMALLY CLOSED (NC)




SETTING PTS

****IMPORTANT INFO****

MAKE SURE TO SET PTS BEFORE FINISHING INSTALLATION

- STEP 1** - Select your preferred torque mode (ships in standard torque). Press the device push pad to the desired setting. (We recommend to fully depress and release 5%, giving the device room for changing door conditions.)
- STEP 2** - While depressing the push pad, apply power. (i.e. presenting the credential to the reader).
- STEP 3** - Continue to keep the pad depressed, the device will beep 6 times. After the beeps have stopped, release the pad and the adjustment is now complete. If not to your liking repeat the 3 steps.




TROUBLESHOOTING & DIAGNOSTICS


BEEPS	EXPLANATION	SOLUTION
2 Beeps	Over Voltage	> 30V unit will shut down. Check voltage & adjust to 24 V.
3 Beeps	Under Voltage	< 20V unit will shut down. Check voltage & adjust to 24 V.
4 Beeps	Failed Sensor	Verify all 3 sensor wires are installed correctly. Replace sensor if problem persists by contacting office.
5 Beeps	Retraction or dogging failure	After 1st fail: 5 beeps then immediately attempts to retract again. After 2nd fail: 5 beeps with pause in-between for 30 seconds then device attempts to retract again. After 3rd fail: 5 beeps every 7 minutes, device will not attempt to retract. To Reset: Depress bar for 5 seconds at any time.
6 Beeps	PUSH TO SET	Device is recording it's new position and power mode after the 6th beep.

INSTALLATION INSTRUCTIONS


1 Remove the **Front and Back End Caps**, which are held on by four screws (two each).



2 Material will need to be removed from the **Back End Cap**.




3 Flip the bar over to remove **Head Assembly**. RIM devices will be held in by 1 screw, CVR devices by 2.




INSTALLATION INSTRUCTIONS


- 4** Flip the device back over and slide the **Push Pad** to the right, exposing the **Front Activating Bracket**.
*Move the Push Pad slowly as some Front Activating Bracket pieces are held in by the Push Pad and tend to fall out when exposed.




- 5** With the **Front Activating Bracket** exposed, remove the **Guides**, **Thin Clear Washers** and **Roll Pin**.



- Roll Pin with Thin Clear Washers** (Washers were placed Roll Pin to prevent losing them) **Guides**




- 6** Slide the **Push Pad** to the left to expose the **Back Activating Bracket** and remove its pieces as well. Once removed, continue sliding the **Push Pad** to the left and remove it from the **Base Rail**.




INSTALLATION INSTRUCTIONS



7 Reinstall the **Head Assembly**.




8 Flip the **Push Pad** over and remove the **Dogging Assembly** underneath (four screws).



9 Install the **Magnet Bracket** by first hooking the bottom tab under the **Front Activating Bracket**. Then press on the top plane to snap the **Magnet Bracket** in place.




10 Once snapped in place, tighten the **Top Screw** to secure the **Bracket** in position.




INSTALLATION INSTRUCTIONS


- 11** Remove the four screws from the **Bottom Dogging Bracket**, keep the **Bracket** in place.



- 12** Flip MLRK1 over and angle the **Scissor Bracket** to match the position shown below.




- 13** To install the MLRK1, slide the **Rolling Guide** over the **Front Activating Bracket**. Then place the **Rear Mounting Bracket** over the **Bottom Dogging Bracket** as shown below.




INSTALLATION INSTRUCTIONS

- 14** If you are installing the MLRK1 into a Jackson series device:
- Use the **Front** screw hole locations on the **Rear Mounting Bracket** and align with the front holes on the Base Rail.
- If you are installing the MLRK1 into a Kawneer or AHT series device:
- Use the **Back** screw hole locations on the **Rear Mounting Bracket** and align with the back holes on the Base Rail.




To verify you have used the correct hole locations, temporarily install the two provided screws into the **Rear Mounting Bracket**. Then press down the **Front Activating Bracket** and compare how it lines up with the **Green Sensor Board** to the pictures shown below.

CORRECT




INCORRECT




- 15** After verifying the correct screw hole location, add the provided **Cable Tie** to the **Rear Mounting Bracket** as shown and tighten the back two screws.

Then ensure the **Screws** holding down the **Scissor Bracket** are still angled correctly and the MLRK1 is sitting flush against the **Base Rail**. Once the MLRK1 is in place, rotate the **Scissor Bracket** until its **Screws** stop against the cut outs as shown, then tighten the **Screws**.




INSTALLATION INSTRUCTIONS



16 Next, slide the **Module Bracket** into the **Channel** at the bottom of the **Base Rail**.



17 Line up the edge of the **Module Bracket** to the machining mark on the **Base Rail**, then tighten all four screws. (The **Module Harness** should be running out the back of the **Base Rail**)




18 Plug the other end of the **Module Wiring Harness** into the the MLRK1 and secure it with the **Zip Tie**. You will use the three provided **Cable Guides** to finish installing the **Module Wiring Harness**, which will be installed on the **Channel** as shown below.




INSTALLATION INSTRUCTIONS

16 Install the **Cable Guides** as shown, then press the **Module Wiring Harness** into them.




17 Reassemble the **Front and Back Activating Brackets** by:

- First sliding the **Rolls Pins** into the brackets
- Then placing the two **Connecting Rods** on the **Roll Pins** as shown
- Finally slide on the **Thin Clear Washers** and **Guides** to complete the assembly



18 Reinstall the **Push Pad**, making sure the **Activating Bracket Guides** sit in their correct channel. Then install the **Front End Cap** and its two screws.





19 ***IMPORTANT*** When reinstalling the **Rear End Cap**, make sure that it is riding on the **Push Pad Guide**.





INSTALLATION INSTRUCTIONS

20 ***IMPORTANT*** After reinstalling the **Rear End Cap** and its two screws, double check to make sure the **Module Wiring Harness** is in the **Cut Out** and not being hit by the **Rear End Cap**.



21 Install Molex Pigtail & hook up to power. Set the “**Push to Set Adjustment**” following the steps below, remembering to turn the Programming Switch to the **off** position when completed.



MAKE SURE TO SET PTS BEFORE FINISHING INSTALLATION

- STEP 1** - Select your preferred torque mode (ships in standard torque). Press the device push pad to the desired setting. (We recommend to fully depress and release 5%, giving the device room for changing door conditions.)
- STEP 2** - While depressing the push pad, apply power. (i.e. presenting the credential to the reader).
- STEP 3** - Continue to keep the pad depressed, the device will beep 6 times. After the beeps have stopped, release the pad and the adjustment is now complete. If not to your liking repeat the 3 steps.

MM4 SWITCHES		
1	OFF	STANDARD TORQUE
	ON	HIGH TORQUE
2	ON	PTS PROGRAMMING ON
	OFF	PTS PROGRAMMING OFF

SPECIFICATIONS FOR OPTIONAL REX:

- Single Pole - Double Throw (SPDT)
- Rating: 0.5A @24VAC
- Configuration: Green - Common (C)
Blue - Normally Open (NO)
Gray - Normally Closed (NC)