
Architectural Door Accessories

McKinney $4^{1/2} \times 4$, $4^{1/2} \times 4^{1/2}$ Template Full Mortise, QC* Hinge x MM Hinge (10 to 12 Wires)

NOT RECOMMENDED FOR USE ON WOOD OR SOLID CORE DOORS.

DO NOT SCALE



CATALOG NUMBER		CALLER	101	"F"	"E"	"S" (SWAGE LINE)	
STEEL	**NON-FERROUS	- GAUGE OF METAL	"D" OUTSIDE DIAMETER	WIRE LOCATION	WIRE LOCATION	HINGE WIDTH	
HINGES	HINGES					4 (101.6)	4½ (114.3)
TA 714xQCxMM	TA 314xQCxMM	.134 (3.40)	.585 (14.86)	1.125 (28.57)	.812 (20.64)	1-21/32 (42.1)	1-29/32 (48.4)
TA 786xQCxMM	TA 386xQCxMM	.180 (4.57)	.720 (18.29)	1.125 (28.57)	.812 (20.64)	1-9/16 (39.7)	1-13/16 (46.0)
TA/TB 2714xQCxMM	TA/TB 2314xQCxMM	.134 (3.40)	.585 (14.86)	1.125 (28.57)	.688 (17.47)	1-21/32 (42.1)	1-29/32 (48.4)
T4A/T4B 3786xQCxMM	T4A/T4B 3386xQCxMM	.180 (4.57)	.752 (19.10)	1.062 (26.96)	.750 (19.05)	1-9/16 (39.7)	1-13/16 (46.0)

door opening solutions

The global leader in

ASSA ABLOY

Template 257-17

Effective date: July 27, 2017

Supercedes: All Previous

McKINNEY Template Hinges of the Catalog Numbers are made to conform to ANSI/BHMA 156.7 for Screw Hole Location and Gauge of Metal. Switch size, wire location and hole size conforms to this drawing.

Machine Screw Size: 1/2 x 12-24 F.H.

Wood Screw Size: 1¹/₄ x 12 F.H.

*Connector system utilizes wire colors & locations compatible with doors & hardware from other ASSA ABLOY Group Companies.

**Check Catalog for Metals.