







Architectural Door Accessories

McKinney Architectural Hinges

ASSA ABLOY Opening Solutions

Experience a safer and more open world



DECORATIVE TIPS

It's all about details, details, details. Even the smallest accessories matter. Dress up your hinge by adding decorative tips to enhance your design. Available for the two, three, or five knuckle hinge, in flat, round, grooved or lined, these tips will give the finishing touches to your decorative suite.



The cleanest of all hinge types. The two knuckle hinge is simple yet sophisticated.



Reliable and classy. The three knuckle hinge provides that little extra detail.



- TA2731 full mortise bearing hinge, standard weight, medium frequency doors, or doors with closing devices
- 4" x 4", 4-1/2" x 4", 4-1/2" x 4-1/2", 5" x 4-1/2", 5" x 5" sizes available
- Electrified options available ElectroLynx[®] quick connect
- Concealed circuit
- Handed

Available in:







Grooved Tip



Three Knuckle Standard Weight Hinge

- TA314/TA714 full mortise bearing hinge, standard weight, medium frequency doors, or doors with closing devices
- 4" x 4", 4-1/2" x 4", 4-1/2" x 4-1/2", 5" x 4-1/2", 5" x 5" sizes available
- Electrified options available
- ElectroLynx[®] quick connect
- Concealed circuit
- Non-handed











GT-Grooved Tip

LT -Lined Tip



Strength and beauty. The heavy weight three knuckle hinge commands attention.

Three Knuckle Heavy Weight Hinge

- TA786 full mortise bearing hinge, extra heavy doors, or those exposed to high frequency use
- 4-1/2" x 4", 4-1/2" x 4-1/2",
- 5" x 4-1/2", 5" x 5" sizes available
- Electrified options available
- ElectroLynx[®] guick connect
- Concealed circuit
- Non-handed

Available in:









With it's one-piece construction, the five knuckle hinge is dependable and long-lasting.

Five Knuckle Standard Weight Hinge

- TA2314/TA2714 full mortise bearing hinge, standard weight, medium frequency doors, or doors with closing devices
- 4" x 4", 4-1/2" x 4", 4-1/2" x 4-1/2", 5" x 4-1/2", 5" x 5" sizes available
- Electrified options available
 - ElectroLynx[®] quick connect
 - Concealed circuit
- Non-handed

Available in:









Grooved Tip



BT -Ball Tip





ST -Steeple Tip



The heavy weight five knuckle hinge is robust and strong, exceeding expectations.

Five Knuckle Heavy Weight Hinge

- T4A3386/ T4A3786 full mortise bearing hinge, extra heavy doors, or those exposed to high frequency use
- 4-1/2" x 4", 4-1/2" x 4-1/2", 5" x 4-1/2", 5" x 5" sizes available
- Electrified options available
 - ElectroLynx[®] quick connect
 - Concealed circuit
- Non-handed

Available in:



Flat Tip





ST -Steeple Tip





Finishes

- 10BE Dark Oxidized Satin Bronze Equivalent
- 14 Bright Nickel, Clear Coated
- 15 Satin Nickel, Clear Coated
- 26 Bright Chrom
- 26D Satin Chrome
- D4* Black Powder Coat
- BSP Black Suede Powder Coat
- WSP White Suede Powder Coat

*GT and LT tips are not available in any D4 finish combination.

SPLIT FINISHING

Mix it up a bit! Combine bright with satin, or light with dark, and create that extra bit of drama for your opening. The McKinney split finish offering allows you to customize your hinge to complement any building interior.



Two Knuckle Hinge, Flat Tips

Shown - Satin chrome hinge Bright chrome tips



Two Knuckle Hinge, Round Tips

Shown - Black powder coat hinge Satin nickel tips



Three Knuckle Hinge, Flat Tips

Shown - Bright chrome hinge Black powder coat tips



Three Knuckle Hinge, Round Tips

Shown - Satin nickel hinge Satin nickel tips



Five Knuckle Hinge, Button Tips

Shown - Black powder coat hinge Satin chrome tips



Five Knuckle Hinge, Button Tips

Shown - Satin chrome hinge Bright chrome tips

HINGE FINISH	D4	D4	D4	D4		0514	US15	US26	US26D
TIPS	US14	US15		LICOCD	D/1	D4	D4	D4	D4
HINGE FINISH	11514	US14	US15	US15	: 11526	LIS26D	US26	11526	10BE
TIPS	US14	US15	11017	LIC1E	LIS26D	US26	US26		10RF



SQUARE BARREL

Clean, crisp, and classy - the two and three knuckle square barrel hinges make a bold statement. Paired with decorative levers and square trim set from Corbin Russwin or SARGENT and Rockwood pulls and accessories, your door opening will be all squared away.



Two Knuckle Square Barrel Hinge

- Designation: SQ3331
- Extruded brass
- Material thickness: .177"
- Handed
- Size: 4-1/2" x 4-1/2"
- Bearing contains anti-friction component
- Recommended for use on doors of average weight with average frequency
- Interior or exterior hollow metal and wood frame doors
- 1-3/4" thick doors
- Used with square edge doors only
- Cannot be electrified

Finishes

03 – Bright Brass, Clear Coated 10B – Dark Oxidized Satin Bronze, Oil Rubbed 10BE – Dark Oxidized Satin Bronze, Equivalent 14 – Bright Nickel, Clear Coated 15 – Satin Nickel, Clear Coated 26 – Bright Chrome 26D – Satin Chrome BSP – Black Suede Powder Coat WSP – White Suede Powder Coat



CULUSTED

Three Knuckle Square Barrel Hinge

- Designation: SQ314
- Material thickness: .177"
- Non-Handed
- Sizes: 4-1/2" x 4-1/2", 4-1/2" x 4"
- Bearing contains anti-friction component
- Recommended for use on doors of average weight with average frequency
 - Interior or exterior hollow metal and wood frame doors
 - 1-3/4" thick doors
 - Used with square edge doors only
- UL Listed for both hollow metal or steel covered composite fire doors rated up to 3 hours
- UL Listed for wood core fire doors rated 20 minutes
- Cannot be electrified

Finishes

32D - Satin Stainless Steel 10BE – Dark Oxidized Satin Bronze, Equivalent BSP – Black Suede Powder Coat WSP – White Suede Powder Coat

(other finishes upon request)



CONCEALED

Beautifully disguised. McKinney concealed hinges virtually disappear from view when an opening is closed, while providing aesthetic continuity when a door is open.

Concealed Hinge

- Base material: Zinc alloy
- Non-handed
- Opening angle: 180 degrees
- 3-Dimensional adjustability
- For wood or hollow metal doors with wood or metal frames

Finishes

- Satin Chrome
- Matte Black
- Additional finishes on request



	SSA ABLOY	
	Ē	
e M	O Jair rasi	





MK40A Series

- Covers included
- Overall hinge length: 115mm (4.53")
- Hinge width: 23mm (.91")
- Door thickness minimum: 1-1/4"

Υ	Number of Hinges	Door Width				
PACIT		32"	36"	42"	48"	
ЧU	2	92 lbs	88 lbs	72 lbs	66 lbs	
ЧGЕ	3	105 lbs	99 lbs	81 lbs	74 lbs	
ИH	4	116 lbs	110 lbs	86 lbs	79 lbs	

MK80/ MK80A Series

- MK80 no covers, MK80A covers included
- Hinge width: 29mm (1.14")
- Door thickness minimum: 1-3/8"
- Overall hinge length: 111.5mm (4.39")

\succeq	Number of	Door Width				
PACIT	Hinges	32"	36"	42"	48"	
CAP	2	185 lbs	176 lbs	143 lbs	132 lbs	
В	3	211 lbs	198 lbs	160 lbs	149 lbs	
HIN	4	233 lbs	220 lbs	171 lbs	158 lbs	

MK100 Series

- Covers included
- Overall hinge length: 160 mm (6.30")
- Hinge width: 28mm (1.10")
- Door thickness minimum: 1-3/8"

Number of	Door Width				
Hinges	32"	36"	42"	48"	
2	224 lbs	220 lbs	180 lbs	165 lbs	
3	253 lbs	246 lbs	202 lbs	185 lbs	
4	282 lbs	275 lbs	216 lbs	198 lbs	
		Hinges 32" 2 224 lbs 3 253 lbs	Hinges 32" 36" 2 224 lbs 220 lbs 3 253 lbs 246 lbs	Hinges 32" 36" 42" 2 224 lbs 220 lbs 180 lbs 3 253 lbs 246 lbs 202 lbs	



OLIVE KNUCKLE

Would you like an olive with your door? The oval shaped knuckle is a classic design that has been around for centuries. Recommended for use on doors of average weight with average frequency, such as offices, restaurants, recreational facilities and residences; this high-end hinge is suitable for contemporary and traditional interiors.




Olive Knuckle Hinge

- Designation: TA3383
- Forged brass, polished and finished
- Full mortise standard weight
 - bearing hinge
 - Handed
 - Size Open: 6" x 3-7/8"
 - Width of leaves: 13/16"
- Bearing contains anti-friction component
- For use on interior or exterior hollow metal and wood frame doors
 - 1-3/8" to 1-3/4" thick doors
- Meets grade 2 cycle testing
- Cannot be electrified

Finishes

03 – Bright Brass, Clear Coated 03NL – Bright Brass, No Lacquer 10B – Dark Oxidized Satin Bronze, Oil Rubbed 10BE – Dark Oxidized Satin Bronze, Equivalent 14 – Bright Nickel, Clear Coated 15 – Satin Nickel, Clear Coated 26 – Bright Chrome 26D – Satin Chrome BSP – Black Suede Powder Coat WSP – White Suede Powder Coat





in access solutions. Every day, we help billions

the development within door openings and products for access solutions in window hardware, locks, perimeter fencing, access control and service.

ASSA ABLOY Opening Solutions Architectural Accessories Group Berlin, CT 800 346 7707 www.assaabloydooraccessories.us

yright © 2019, ASSA ABLOY Accessories and Door Controls Group, Inc., an ASSA ABLOY Group company. ights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY essories and Door Controls Group, Inc. is prohibited.

the good design studio

ASSA ABLOY

Opening Solutions

ASSA ABLOY Group brands.

Visit www.thegooddesignstudio.com to learn more.