

# SLIDING DOOR

— HARDWARE -





#### SLIDING DOOR HARDWARE INDEX:

		Page
Aluminum:		
Bi-Fold Sliding Door Hardware		
		SL7
		SL1, SL3
_		SL4
		SL5
Pocket Door Hardware with Fram	e Kit	SL6
Stainless Steel:		
		SL9
Barn Door Hardware — Top Mour	nt	SL8
Accessories:	<del>-</del>	CLII
Drywall Spacer for Stainless Steel Track		
Sliding Door Hardware Accessories		SLIU
NUMERICAL INDEX:		
SL-BCGSL10	SLAL-250-BPSL3	SLSS1-6-SCSL8
SL-RDSL4	SLAL-250-PDSL5, SL7	SLSS1-8SL8
SL-SQ18SL4	SLAL-250-PDKITSL6	SLSS1-8-SCSL8
SL-SQ20SL3, SL5, SL7	SLAL-250-SWSL4	SLSS2-6SL9
SL-WGSL10	SLSS-FGSL10	SLSS2-6-SCSL9
SLAL-75-BF2DRSL2	SLSS-DWS-6SL11	SLSS2-8SL9
SLAL-75-BF4DRSL2	SLSS-DWS-8SL11	SLSS2-8-SCSL9
SLAL-75-BPSL1	SLSS1-6SL8	

#### RATING SYMBOLS LEGEND






ANSI/BHMA CERTIFIED. Certified sliding door hardware complies with American National Standard for Sliding and Folding Door Hardware ANSI/BHMA A156.14, and is listed in the BHMA Certified Products Directory.

#### **ALUMINUM SIDE MOUNT TRACK SYSTEM**

- Designed for Multi-family Applications
- Up to 1¾" Doors
- Max Weight Load 75 lbs.
- 5-year Warranty

SKU	TRACK LENGTH
SLAL-75-BP-48	48"
SLAL-75-BP-60	60"
SLAL-75-BP-72	72"
SLAL-75-BP-96	96"





DOOR THICKNESS	3/4"	1-3/8"
DIMENSION A	0"	7/8"
DIMENSION B	2-3/4"	4"



#### **ALUMINUM TOP MOUNT TRACK SYSTEM**

- Designed for Multi-family Applications
- Up to 1¾" Doors
- Max Weight Load 75 lbs.
- 5-year Warranty









SKU	TRACK LENGTH
SLAL-75-BF2DR-36	36"
SLAL-75-BF2DR-48	48"

#### Two Door Complete Kits Include:

- (1) Track
- (1) Aligner
- (1) Top Pivot
- (1) Wood Knob
- (1) Bottom Pivot
- (4) Brass Hinges
- (1) Roller
- (4) Chrome Hinges
- (1) Snugger

### **FOUR DOOR SYSTEMS**



SKU	TRACK LENGTH
SLAL-75-BF4DR-60	60"
SLAL-75-BF4DR-72	72"
SLAL-75-BF4DR-96	96"

#### Four Door Complete Kits Include:

- (1) Track
- (2) Aligners
- (2) Top Pivots
- (2) Wood Knobs
- (2) Bottom Pivots
- (8) Brass Hinges
- (8) Chrome Hinges
- (2) Snuggers





#### **ALUMINUM TOP MOUNT TRACK SYSTEM**

- Commercial Grade for 13/8" To 13/4" Doors
- Max Weight Load 250 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft Close Feature
- Hangers with Heavy Duty Ball Bearing Wheels
- 5-Year Warranty


SKU	TRACK LENGTH
SLAL-250-BP-48	48"
SLAL-250-BP-60	60"
SLAL-250-BP-72	72"
SLAL-250-BP-96	96"




- (1) Track Clear Anodized
- (2) Universal Hardware Packs, **Each Consist Of:** 
  - (2) Ball Bearing Heavy Duty Hangers
  - (2) Snap-In Door Brackets
  - (2) In-Track Stops
  - (1) Angle Stop
  - (1) Bumper Stop
  - (1) Door Guide

Heavy Duty Floor Guides

- Soft Close Specify "SCBY"
- Bottom Channel Guide SL-BCG (Page SL10)
- Snap-On Fascia (SL-SQ20) Clear Anodized − Shown Right







Includes End Caps

## SIDE WALL MOUNT

#### SLIDING DOOR HARDWARE

#### **ALUMINUM TOP MOUNT TRACK SYSTEM**

- Commercial Grade for 13/8" To 13/4" Doors
- Max Weight Load 250 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft Close Feature
- Hangers with Heavy Duty Ball Bearing Wheels
- 5-year Warranty


SKU	TRACK LENGTH
SLAL-250-SW-48	48"
SLAL-250-SW-60	60"
SLAL-250-SW-72	72"
SLAL-250-SW-96	96"
SLAL-250-SW-144	144"




- (1) Track Clear Anodized
- (1) Universal Hardware Pack, Consists Of:
  - (2) Ball Bearing Heavy Duty Hangers
  - (2) Snap-In Door Brackets
  - (2) In-Track Stops
  - (1) Angle Stop
  - (1) Bumper Stop
  - (1) Door Guide
  - Heavy Duty Floor Guides


- Soft Close specify "SC"
- Wall Mounted Guide SL-WG included in Universal Hardware Pack (page SL10)
- Bottom Channel Guide SL-BCG (page SL10)
- Snap-on Fascias Clear Anodized Shown Right











Includes End Caps

#### **ALUMINUM TOP MOUNT TRACK SYSTEM**

- Ocmmercial Grade for 13/8" To 13/4" Doors
- Max Weight Load 250 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft Close Feature
- Hangers with Heavy Duty Ball Bearing Wheels
- 5-Year Warranty




SKU	TRACK LENGTH
SLAL-250-PD-48	48"
SLAL-250-PD-60	60"
SLAL-250-PD-72	72"
SLAL-250-PD-96	96"

#### Complete Kits Include:


- (1) Track Clear Anodized
- (1) Universal Hardware Pack, Consists Of:
  - (2) Ball Bearing Heavy Duty Hangers
  - (2) Snap-In Door Brackets
  - (2) In-Track Stops
  - (1) Angle Stop
  - (1) Bumper Stop
  - (1) Door Guide

Heavy Duty Floor Guides

- Soft Close Specify "SC"
- Wall Mounted Guide SL-WG (page SL10)
- Bottom Channel Guide SL-BCG (page SL10)
- Snap-On Fascia (SL-SQ20) Clear Anodized − Shown Right









Includes End Caps



### POCKET DOOR

#### SLIDING DOOR HARDWARE FRAME KIT

#### **ALUMINUM TOP MOUNT TRACK SYSTEM**

- Ocmmercial Grade for 13/8" To 13/4" Doors
- Frames Accommodate 2'0 3'0" x 6'8" -9'0" Doors
- Max Weight Load 250 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000
  Cycles Including Soft Close Feature
- Hangers with Heavy Duty Ball Bearing Wheels
- 5-year Warranty
- Patent Pending



SLAL-250-PDKIT N/A

#### Order two sets for Bi-Parting applications


#### Complete Kits Include:

- (1) 73" Header Track Assembly
- (1) Universal Hardware Pack, Consists Of:
  - (2) Ball Bearing Heavy Duty Hangers
  - (2) Snap-In Door Brackets
  - (2) In-Track Stops
  - (1) Angle Stop
  - (1) Bumper Stop
  - (1) Door Guide


Heavy Duty Floor Guides

- (1) Pocket Frame Kit
  - (4) Jamb Stiffeners
  - (4) Jamb Stiffener Extensions
  - (4) Jamb Splice Brackets
  - (2) Floor Brackets
  - (1) End Bracket

- Soft Close Specify "SC"
- Wall Mounted Guide SL-WG (page SL10)
- Bottom Channel Guide SL-BCG (page SL10)







### **BI-PARTING**

#### SLIDING DOOR HARDWARE

#### **ALUMINUM TOP MOUNT TRACK SYSTEM**

- Ocmmercial Grade for 13/8" To 13/4" Doors
- Max Weight Load 250 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft Close Feature
- Hangers with Heavy Duty Ball Bearing Wheels
- 5-Year Warranty



SKU	TRACK LENGTH
SLAL-250-PD-48	48"
SLAL-250-PD-60	60"
SLAL-250-PD-72	72"
SLAL-250-PD-96	96"

#### Order two sets for Bi-Parting applications


#### Complete Kits Include:


- (1) Track Clear Anodized
- (1) Universal Hardware Pack, **Consists Of:** 
  - (2) Ball Bearing Heavy Duty Hangers
  - (2) Snap-In Door Brackets
  - (2) In-Track Stops
  - (1) Angle Stop
  - (1) Bumper Stop
  - (1) Door Guide

Heavy Duty Floor Guides

For Bi-Parting Frame Kits – refer to page SL6

- Soft Close Specify "SC"
- Wall Mounted Guide SL-WG (page SL10)
- Bottom Channel Guide SL-BCG (page SL10)
- Snap-On Fascia (SL-SQ20) Clear Anodized Shown Right







Includes End Caps



## BARN DOOR TOP MOUNT

#### SLIDING DOOR HARDWARE


- ▶ Fits 1" To 2" Thick Door Panel
- Brushed Stainless Steel 304
- Side Wall Mount
- Nylon Coated Stainless Steel Wheels for Smooth Operation
- Max Weight Load 220 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft Close Feature
- 5 year Warranty
- Order Two Sets for Bi-parting Applications



# STAINLESS STEEL TOP MOUNT ROUND TRACK SYSTEM

SKU	TRACK LENGTH
SLSS1-6	78 3/4"
SLSS1-8	987/16"

### BHMA



#### Complete Kits Include:


(1) **Track** (2) Door Stops (2) Hangers (1) Floor Guide

SLSS1-6 includes: (5) Wall Attachments SLSS1-8 includes: (6) Wall Attachments

# STAINLESS STEEL TOP MOUNT ROUND TRACK SYSTEM (WITH SOFT CLOSE)

SKU	TRACK LENGTH
SLSS1-6-SC*	783/4"
SLSS1-8-SC*	987/16"

\* Soft Close Hardware is Included in Addition to the SLSS1-6 and SLSS1-8 Complete Kit Contents.



# OOR SIDE MOUNT

#### SLIDING DOOR HARDWARE


- ▶ Fits 1"3/8" To 13/4" Thick Door Panel
- Brushed Stainless Steel 304
- Side Wall Mount
- Nylon Coated Stainless Steel Wheels for Smooth Operation
- Max Weight Load 220 lbs.
- ANSI/BHMA A156.14 Grade 1 Certified to 100,000 Cycles Including Soft Close Feature
- 5 year Warranty
- Order Two Sets for Bi-parting Applications



#### STAINLESS STEEL SIDE MOUNT **ROUND TRACK SYSTEM**

SKU	TRACK LENGTH
SLSS2-6	78 3/4"
SLSS2-8	987/16"

### BHMA



#### Complete Kits Include:


(1) Track (2) Door Stops (2) Hangers (1) Floor Guide

SLSS2-6 includes: (5) Wall Attachments SLSS2-8 includes: (6) Wall Attachments

#### STAINLESS STEEL SIDE MOUNT **ROUND TRACK SYSTEM (WITH SOFT CLOSE)**

SKU	TRACK LENGTH
SLSS2-6-SC*	78 <sup>3</sup> / <sub>4</sub> "
SLSS2-8-SC*	987/16"


\* Soft Close Hardware is Included in Addition to the SLSS2-6 and SLSS2-8 Complete Kit Contents.



#### **FLOOR GUIDE**


Furnished Standard with Stainless Steel and Commercial Grade Aluminum Sliding Door Hardware Sets

SKU	MATERIAL/FINISH
SLSS-FG	Aluminum Dark Bronze Powder Coat




#### **WALL MOUNTED GUIDE**

SKU	MATERIAL/FINISH
SL-WG	Aluminum Floor Guide on Steel Bracket Dark Bronze Powder Coat #8-18 x 1-1/4" Truss Head Self- Tapping Screws



#### **BOTTOM CHANNEL GUIDE**

SKU	MATERIAL/LENGTH/COLOR
SL-BCG	Polypropylene 60" Dark Brown



#### FOR STAINLESS STEEL TRACK


#### **FEATURES:**


- Spacer Kits Include Two Sizes of Spacers Allowing Installation Directly to the Blocking Behind the Drywall
- The Finished Stainless Steel Plate Accepts Mounting of the SLSS Track

SKU	# OF SPACERS/TRACK LENGTH
SLSS-DWS-6	5 Total Spacers/6' Track"
SLSS-DWS-8	6 Total Spacers/8' Track









### SOFT CLOSE

#### FOR ALUMINUM SLIDING DOOR HARDWARE

#### **FEATURES:**

### SC

#### For Single Sliding Aluminum Hardware Sets

- > Slows travel of the door to softly close
- Soft Close for Single Sliding Aluminum Hardware Sets



### **SCBY**

#### For By-Pass Sliding Aluminum Hardware Sets

- > Slows travel of the door to softly close
- Set of (2) Soft Close for By-Pass Sliding Aluminum Hardware Sets

