


## 5845xWTO 700 Series Wave-to-Open Installation Instructions

## **ASSA ABLOY**



## Operation:

Power + Power -

> N/O C

N/C

To operate the switch, make a slow waving motion with your hand within 4 inches of the front of the plate. A tone will sound and the circle will flash to indicate that the relay has been activated. The relay will activate for the amount of time as set by the time delay jumpers.

10 Sec

15 Sec

5 Sec

Time Delay Selection Jumpers

35 Sec

25 Sec

30 Sec


20 Sec


1 Sec



## To change plate from DOUBLE GANG to SINGLE GANG:

- 1. Remove the lock nut and washer from the back of the switch.
- 2. Remove the switch assembly and O-ring from the Double Gang plate.
- 3. Reassemble the O-ring and switch assembly on the Single Gang plate.
- 4. Reassemble the washer and lock nut to secure switch assembly to Single Gang plate.





Specifications:

Input Voltage: 12-24 VDC


SPDT Contact Rating: 2A @30V AC or DC Sensor Detection Range: Up to 4 inches Operating Temperature: -25°C to 55°C

Current Draw: 50mA @12VDC, 65mA @24VDC

Contact Info:


Norton Rixson 3000 Highway 74 East Monroe, NC 28112 Tel: 877.974.2255





The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.





**Technical Product Support:** Monroe, NC 28112 USA Phone: 877.974.2255 ext: 2

Techsupport.NortonRixson@assaabloy.com

NortonRixson.com

Copyright © 2017, 2023, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSAABLOY Accessories and Door Controls Group, Inc. is prohibited.