9300BCH

Non Handed Door Closer

Regular Arm Top Jamb Mount Parallel Arm

Hold Open Arm Models

Sized (Sizes 3,4) 9303BC-H 9304BC-H




ASSA ABLOY, the global leader in door opening solutions





N WARNING


This product can expose you to lead which is known to the state of For more information go to www.P65warnings.ca.gov.


Ce produit peut vous exposer au plomb qui, dans l'état de la Californie, California to cause cancer and birth defects or other reproductive harm. est reconnu pour causer le cancer, des anomalies congénitales ou d'autres problèmes de reproduction. Pour plus d'informations, visitez: www.P65warnings.ca.gov.











Before You Begin

ATTENTION:


An incorrectly installed or improperly adjusted door closer can cause property damage or personal injury. These installation instructions should be followed to avoid the possibility of misapplication or misadjustment.


- For special applications, a separate door and frame preparation template is packed with these instructions. Use this instruction sheet for installation sequence and closer adjustments only.
- Doors should be hung on ball bearing or anti-friction hinges.
- A separate door stop is recommended.

- Always consult door/frame manufacturer for fastener compatibility.
- Door and frame must be properly reinforced.
- Adjust closing time speed between 3 and 7 seconds from 90° to 0°.
- These door closers should NOT be installed on exposed side (weather side) of exterior doors.
- Dimensions are given in inches (millimeters).

Mounting Hardware		Door or Frame	Drill	
	Closer, H/O Shoe or Optional PA Bracket: 1/4-14 x 1-1/2 Oval Flat Head Mach. Screw	Wood	3/16" (4.76mm)	
Dunnin	Closer, H/O Shoe or Optional PA Bracket: 1/4-20 x 3/4 Oval Flat Head Mach. Screw	Metal	Drill #7 (.201 dia. or 5.10mm) Tap 1/4-20	
(Januar)	H/O Shoe to Optional PA Bracket: 1/4-20 x 1/2 Oval Flat Head Mach. Screw	Metal		
District Transport	Closer: Sleeve Nut and Bolt (SNB) (optional)	Hollow Metal	9/32" (7.00mm) thru 3/8" (9.50mm) door face opposite to closer	
		Aluminum or Wood	3/8" (9.50mm) thru	
Consessed and a second and a se	Closer: Thru Bolt and Grommet Nut (TBGN) (optional)	All	9/32" (7.00mm) thru 3/8" (9.50mm) dia. x 3/8" (9.500mm) deep, door face opposite to closer	

Closer Adjustments








9300BCH Regular Arm Installation (Right Hand Shown)


1. Prepare door and frame.



Opening	Dimension "A"	
To 100°	<u>7</u> (178)	
101° to 120°	<u>6</u> (152)	
*121° to 180°	<u>3-1/2</u> (89)	

* Door/Wall/Hardware/Jamb conditions permitting


2. Mount closer to door.




3a. Remove dial from Hold Open arm.




3b. Install arms separately.




4. Connect arms, preload spring and tighten set screw.



5. Set Hold Open.



Keep door open in position until dial screw secures dial.



You've installed the 9300BCH Hold Open Closer - Regular Arm.


Go to page 2 for closer adjustments and decorative cap installation.



perpendicular to frame.

9300BCH Top Jamb Mount Installation (Right Hand Shown)


1. Prepare door and frame.




Opening	Dimension "A"	
To 100°	7-1/2 (191)	
101° to 120°	6 (152)	
*121° to 180°	<u>3-1/2</u> (89)	

Door/Wall/Hardware/Jamb conditions permitting

A longer connecting rod is required for reveals greater than 3" (76)




2. Mount closer to frame.




3a. Remove dial from Hold Open arm.




3b. Install separate arms.



4. Connect arms, preload spring and tighten set screw.




5. Set Hold Open.



tighten.

Keep door open in position until dial screw secures dial.




You've now installed the 9300BCH Hold Open Closer - Top Jamb Mount.

Go to page 2 for closer adjustments and decorative cap installation.



9300BCH Parallel Arm Installation (Right Hand Shown)


1. Prepare door and frame.



Door Opening	A-	B- -	с-ф-
To 100°	9-1/4	7-5/8	8-5/8
	(235)	(194)	(219)
101° to 130°	7-3/4	6-1/8	7-1/8
	(197)	(156)	(181)
*131° to 180°	<u>5-3/4</u> (146)	4-1/8 (105)	<u>5-1/8</u> (130)

Door/Wall/Hardware/Jamb conditions permitting


2. Close latch and sweep valves.




3. Remove dial from Hold Open arm.




4. Install soffit plate and mount closer.



5. Install Hold Open arm to plate.




6. Place main arm on closer spindle and rotate.






9300BCH Parallel Arm Installation (Right Hand Shown) continued


7. Remove arm and attach as shown.




8. Open latch and sweep valves.



9. Connect arms, preload spring and tighten set screw.



10. Set Hold Open.



Keep door open in position

You've now installed the 9300BCH Hold Open Closer - Parallel Arm.

Go to page 2 for closer adjustments and decorative cap installation.

www.nortondoorcontrols.com

Norton Technical Product Support: Monroe, NC 28112 USA Phone: 800.438.1951 ext: 6030 TechSupport.Norton@assaabloy.com