STANLEY.



Commercial Hardware

PRICE LIST 69CH

EFFECTIVE: APRIL 8, 2019

dormakaba 🞽

Table of Contents

General Information		ļ
Terms & Conditions	3-4	
Limited Warranty	5	
BEST Masterkey Code and		1
Master Key Service Policy	7-9	
Return Order Request	109	
	110-111	E
Fulfillment Issues	111	
- 5 5	107-108	
	112-113	
Keying System Summary	114-115	
		E
Cylinders Keys & Keying	10	
Keying Options	10	
Key Blanks	11	
Cut Keys	12	E
Uncombinated SFIC Cores & Key Blanks		
Cylinder Options	14	
Cylinder Parts	15-16	
Mortise Locksets - Grade 1		
QMS100/QME100 Series	17-24	_
QML100 Series	25-27	
QMETOD Series	25-27	
Cylindrical Locksets - Grade 1		г
QCL100 Series	28-33	[
	20 00	
Cylindrical Locksets - Grade 2		ſ
QCL200 Series	34-38	
Interconnected Levers		
QCI200 Series	39-44	
Tubular Locksets		
QTL200 Series	45-49	:

Auxiliary Deadbolts - Grade 1 QDB100 Series	50-54
Auxiliary Deadbolts - Grade 2 QDB200 Series	55-61
Exit Devices & Trims - Heavy Duty QED100 Series QRM100 Series QET100 Series	62-64, 67-70 71-72 73-74, 77
Exit Devices & Trims - Narrow Stile QED200 Series QET200 Series	65-70 75-77
Exit Devices & Trims - Standard Du QED300 Series QRM300 Series QET300 Series QRT300 Series	ty 78-83 84-85 86-87 88-91
Door Closers - Extra Heavy Duty QDC100 Series	92-95
Door Closers - Heavy Duty QDC200 Series	96-98
Door Closers - Standard Duty QDC300 Series	99-101
Index Weights & Measurements	102-106

TERMS AND CONDITIONS OF SALE

The terms and conditions contained herein shall govern the sale of all products located in the price catalog and/or offered for sale by dormakaba USA Inc. ("dormakaba USA"), except for those products as set forth under separate Value Added Reseller Agreements. The acceptance of any order is expressly made conditional upon your assent to these Terms and Conditions of Sale.

PRICES: dormakaba USA reserves the right, in its sole discretion, to change or amend its price list (including, but not limited to, adding or removing Products from the price list), and standard terms and conditions of sale as contained in its catalogs, price list or published sales policies, without incurring any liability whatsoever to its Customer or others. All orders will be filled at the List Price in effect at the time of order placement. All prices are subject to change without notice and are not guaranteed.

TAXES: List prices do not include federal, state or local taxes.

ORDERS: No order for Products shall be deemed to have been accepted by dormakaba USA until written notice of its acceptance is received by the Customer from dormakaba USA via an order acknowledgement. dormakaba USA reserves the right, in its sole discretion, to decline to accept any order. Purchase Orders will bind dormakaba USA only to the extent accepted by dormakaba USA's written confirmation or delivery.

dormakaba USA will attempt to fill orders in the order in which they are received, subject to prior orders. However, dormakaba USA reserves the right to allocate orders or fill an order or orders ahead of prior orders, if, in its judgment, the facts warrant such a change.

Any additional provisions in a Purchase Order, including any pre-printed terms, shall be void and not binding on dormakaba USA, unless expressly accepted by dormakaba USA. For greater certainty, the acceptance by dormakaba USA of a Purchase Order shall not be deemed acceptance of the additional terms of such Purchase Order.

dormakaba USA will accept orders via phone, email, fax or courier. dormakaba USA will send out an order acknowledgement for all orders received via email, phone or fax.

NOTE: Receipt or possession of this price catalog does not grant approval to quote or purchase products. Please contact your dormakaba USA Sales Representative for further details.

KEYING SYSTEM ORDERS: All orders of keying systems specifying delayed fulfillment must be fulfilled within twelve (12) months of the order date. Said request for fulfillment must include complete keying instructions for the order to be acknowledged with an estimated delivery date. Failure to properly request fulfillment of the order within twelve (12) months of the order date will make the order void and nonrefundable.

SPECIAL ORDERS: Any modification to a standard product configuration is considered a special order. No credits will be issued for returned special orders unless authorized by dormakaba USA Customer Service.

INCOMPLETE ORDERS: An incomplete order is one that is not fully specified according to the appropriate nomenclature required for that product. Any incomplete order will not be entered and will be referred to the appropriate dormakaba USA Sales Representative for resolution.

SAMPLES: Please contact your local dormakaba USA Sales Representative for sample requests.

MINIMUM CHARGE: The expense of handling an order necessitates a minimum charge of \$50.00 net per invoice.

CREDIT LIMITS: dormakaba USA's policy is to extend Net 30-day terms/open account combined with a credit line based on financial capacity. For all accounts dormakaba USA requires a Credit Application and Sales Tax Exempt Certificate (if applicable). dormakaba USA evaluates traditional sources of credit information: D&B, trade and bank references, financial information, and business plans. The supply of credit herein shall be at the discretion of dormakaba USA. If available information and/or financial circumstances will not support open accounts terms, dormakaba USA offers Cash in Advance and Credit Card (MasterCard or VISA) terms. dormakaba USA performs periodic reviews of credit lines and terms of payment and may request updated financial information.

dormakaba USA reserves the right to withhold delivery of Product if Customer does not meet dormakaba USA's credit requirements for the amount of Product ordered, or the amount of Product which remains unpaid (whether or not overdue) exceeds the limit established by dormakaba USA for Customer. Customer shall provide, at dormakaba USA's request, an acceptable letter of credit or guarantee or security in a form and amount determined by dormakaba USA.

If Customer shall become overdue on its account or otherwise defaults in any payment to dormakaba USA or if its financial condition shall at any time appear inadequate to warranty further shipment on an open account basis, dormakaba USA shall have the right, without liability, to refuse to accept any or all orders, to cancel any and all orders, to delay shipments, or to require advance payment before accepting or shipping any orders. All orders and all shipments are subject to approval by the dormakaba USA Credit Department.

PAYMENT TERMS: dormakaba USA standard payment terms are 2% 15, net 30 days from date of invoice.

Effective September 28, 2014, a \$45.00 convenience fee will apply to all payments made by Credit Card towards open invoices on your account. You may choose to pay by credit card by reaching out to your Credit Analyst directly in order to process payment. You can avoid paying the \$45.00 convenience fee by enrolling and paying open invoices via Billtrust Invoice Gateway (https://secure.billtrust.com/ stanleymechanical/ig/signin) with an ACH Payment (bank transfer from checking or savings account) free of charge. Payments by check, or money order should continue to be sent directly to the remit-to address noted on invoices.

dormakaba USA shall be entitled to charge and Customer shall pay interest on overdue invoices at the rate of two percent (2%) per month calculated from the date of the invoice to the date of payment, including any attorney fees incurred by dormakaba USA resulting from the collection of such overdue payment. Customer shall pay all sums owing to dormakaba USA without any deduction or abatement and Customer shall have no right of set-off.

In the event that Customer disputes any portion of the payment due, Customer shall be obligated to pay the balance which is not the subject of dispute.

Without limiting any other rights it may have under these terms of sale and applicable law, all of dormakaba USA's obligations under this Agreement, including obligations of supply, or any Purchase Order, can be suspended or cancelled should Customer be delinquent in making payment for previously shipped Products.

INTERNATIONAL SALES:

International Resellers located outside of the United States of America who place orders are subject to and must pay by (1) Cash in Advance, (2) Confirmed Irrevocable Letter of Credit, (3) Standby Letter of Credit.

All international shipments shall be FCA (Incoterms 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title and risk of loss or damage shall pass to Customer.

May 2018

TERMS AND CONDITIONS OF SALE (continued)

SHIPPING/FREIGHT: All Products shall be shipped FOB Origin domestic or FCA International (INCOTERMS 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title, risk of loss or damage shall pass to Customer. All shipments will be made in accordance with the preferred routing, carrier assignments, and operational guidelines of dormakaba USA. Customer shall bear all costs of freight, insurance and associated costs and shall make all arrangements for same.

Single or combined shipments including dormakaba USA lock sets, exit devices, hinges and door closers will be considered for free freight with orders at or above \$5000 net (product combination must be on same purchase order). Orders less than \$5,000 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

Hinge only orders will be considered for free fright with orders at or above \$750 net. Orders less than \$750 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

These freight terms apply only to a single destination within the contiguous United States.

Should a shipment qualify for one of dormakaba USA's free freight programs, the Products shall be shipped FOB Origin domestic (with exception to prepaid freight) or FCA International (INCOTERMS 2010) (with exception to prepaid freight) from dormakaba USA's facility in Indianapolis, Indiana USA.

DELIVERY: Orders shall be acknowledged and given a scheduled delivery date based on estimated manufacturing lead times. Manufacturing lead time will begin once all information is received to process an order. Delivery dates given by dormakaba USA as part of order acknowledgment for accepted orders for Products or related goods will be honored by dormakaba USA on a best effort basis. Shipping dates shown on order acknowledgments are based upon dormakaba USA's estimate and cannot be guaranteed. dormakaba USA will not be liable for any loss or damage resulting from delay in filling orders, including any direct or consequential loss or damage. dormakaba USA reserves the right to make partial shipments unless the order specifies otherwise.

CHANGES/CANCELLATIONS: After orders are entered for manufacturing, changes or cancellations cannot be accepted without dormakaba USA written permission, and may be subject to a change or cancellation charge equivalent to 30% of the purchase price.

Orders for special and/or custom designed goods not immediately saleable to another customer are not changeable, cancelable, or returnable.

RETURNED GOODS: dormakaba USA Customer Service MUST authorize all returns. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Use fax number 888-214-1918 for returned goods authorization only. Only goods with an invoice date of less than one (1) year will be considered for a Return Goods Authorization (RGA). All material returned to dormakaba USA, regardless of the reason, must have a correct RGA number applied to the outside of the shipping carton. A restocking charge of 30% of the purchase price will be applied to the Customer's account except for warranty returns. Transportation charges of returned goods must be prepaid by Customer. All goods must be returned within sixty (60) calendar days of RGA issue date. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Product not returned in salable condition or after sixty (60) days of the RGA issue date is subject to disposal by dormakaba USA with no credit issued.

dormakaba USA cannot authorize the return of discontinued product. Under no circumstances will special order items be accepted for return, unless covered by warranty.

EXPORT REGULATIONS: Customer agrees to conform to, and abide by, the export laws and regulations of the US, including, but not limited to, the Export Administration Act of 1979 as amended and its implementing regulations. Diversion contrary to US laws and regulations is prohibited.

MASTERKEYING: Best Masterkey Code and Masterkey Service Policy can be found at www.bestaccess.com.

LIMITATION OF LIABILITY: EXCEPT AS OTHERWISE REQUIRED BY APPLICABLE LAW, dormakaba USA SHALL HAVE NO LIABILITY FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, EXEMPLARY, LIQUIDATED OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS, COSTS OF DELAY, ANY FAILURE OF DELIVERY, OR BUSINESS INTERRUPTION, REGARDLESS OF WHETHER THE CLAIM GIVING RISE TO SUCH DAMAGES IS BASED UPON BREACH OF WARRANTY, BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, OR OTHERWISE, EVEN IF dormakaba USA HAS BEEN ADVISED OF THE POSSIBILITY THEREOF. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL dormakaba USA's TOTAL AGGREGATE LIABILITY TO CUSTOMER, UNDER ANY LEGAL THEORY, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, INFRINGEMENT OF OR DAMAGE TO ANY PATENT, COPYRIGHT, TRADEMARK, OR OTHER INTELLECTUAL PROPERTY RIGHTS OF ANY PERSON OR ENTITY, OR OTHERWISE IN RELATION TO THE SALE OF dormakaba USA PRODUCTS TO CUSTOMER, EXCEED THE AGGREGATE OF THE AMOUNT PAID OR PAYABLE TO dormakaba USA BY CUSTOMER FOR THE ORDER GIVING **RISE TO THE ALLEGED LIABILITY.**

LIMITED WARRANTY: The terms and conditions outlined above are subject to dormabaka USA's Limited Warranty, which is included in the Price Catalog and is incorporated herein by reference. Upon return of a defective product, dormakaba USA shall either repair or replace the product, in its sole discretion, in accordance with our standard warranty.

EXCEPT AS SET FORTH HEREIN, dormakaba USA MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, AND BUYER ACKNOWLEDGES THAT NO REPRESENTATIONS, WARRANTIES, PROMISES OR STATEMENTS HAVE BEEN MADE BY dormakaba USA, WITH RESPECT TO THIS PRODUCT, OR ANY PART OR PORTION THEREOF. IN ADDITION, dormakaba USA MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT OR ANY PART OR PORTION THEREOF, FOR ANY PURPOSE, NOR ANY WARRANTY WHICH EXTENDS BEYOND THE DESCRIPTION ON THE FACE HEREOF. dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES SUFFERED BY BUYER OR ANYONE CLAIMING BY, THROUGH OR UNDER BUYER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF, AND THERE ARE NO ORAL OR WRITTEN UNDERTAKINGS OR AGREEMENTS OF ANY TYPE PROVIDED BY dormakaba USA EXCEPT AS EXPRESSLY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

GOVERNING LAW: These Terms and Conditions of Sale and any subsequent sales agreements between dormakaba USA and Customer shall be construed in accordance with the laws of the State of Indiana. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement.

May 2018

LIMITED WARRANTY

What is Covered: dormakaba USA Inc. ("dormakaba USA") warrants that the Products manufactured by dormakaba USA, identified below, and sold under its trade name "STANLEY COMMERCIAL HARDWARE" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA

Who is Covered: This warranty is extended only to dormakaba USA's distributors of products and the end user who purchases products for purposes other than resale (collectively, "Purchaser").

Hardware Warranty Period:

QCL Cylindrical Lock, QTL Tubular Lock, QMS/QME/QML Mortise Lock, QCI Inter connected Lock, QDB Auxiliary Deadbolt, QDC Door Closers, QED Exit Devices, QET/QRT Exit Trim, QGI Inter connected Lock, QGT Tubular Lock, QGD Deadbolt and QRM Mullions shall have the following warranty periods:

- Mechanical products warranty term shall be limited lifetime for a period of the useful life of the building in which the products are originally installed.
- Electrical products shall be warranted for one (1) year from the date of sale.

6CS and 7CS products shall have the following warranty period:

• Three (3) years from the date of sale.

Finishes shall be warranted for three (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

<u>Warranty Claims</u>: Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty; dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

Exclusions: This warranty specifically excludes, and Best shall not be held responsible for the following:

- a) COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranty product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk and expense of the party making the modifications.
- dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.

LIMITED WARRANTY (continued)

Third Party Warranty: Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third-party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

LIMITATION OF WARRANTIES: THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTA-TIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDEN-TAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.

May 2018

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

I. DISTRIBUTOR MASTERKEY SERVICES

All dormakaba USA Inc. ("dormakaba USA") Authorized Distributors, Aftermarket Wholesalers, and Locksmiths ("Authorized Distributors") can create, modify or extend masterkey codes for the benefit of their end user customers ('End Users") for Best non-patented masterkey systems; provided, however, the services must be performed in line with industry standards. With the express written permission of dormakaba USA, select Authorized Distributors can create, modify or extend masterkey codes for the benefit of End Users for a Best Patented Masterkey System (pursuant to the terms and conditions of Section C below). Authorized Distributor's failure to comply with the terms of this policy could result in dormakaba USA's termination of its Distributor Agreement as well as dormakaba USA's pursuit of any remedies available at law.

A. END USER INFORMATION AND CODE RELEASE:

All masterkey codes (both patented and non-patented) previously generated by dormakaba USA are available for distribution to End Users (and/or their designated Authorized Distributor, if applicable) via the End User Web Portal at http://masterkeycodeportal. bestaccess.com/Login.aspx. For a hard copy of the End User Information and Code Release Form, please contact your dormakaba USA End User Consultant. End user codes will be distributed solely to those Authorized Distributors (a) identified by the End User on a fully executed End User Information and Code Release Form received by Best, and (b) for the release of Best Patented Masterkey Codes, the Authorized Distributor is authorized by dormakaba USA to receive and process Best Patented Masterkey Codes (as more fully described in Section C below.) No exceptions will be made to this policy.

B. BEST NON-PATENTED MASTERKEY SYSTEM

As of September 4, 2012, dormakaba USA no longer requires a Security Authorization Form to be signed by the End User prior to dormakaba USA and/or its Authorized Distributor accepting core and key orders for non-patented keying systems. All valid End User communications for orders related to non-patented keying systems will be fulfilled at the End User's liability.

C. BEST PATENTED MASTERKEY SYSTEM

The Best Patented Masterkey System provides a higher level of protection against unauthorized key duplication and crossovers and, in order to maintain the quality of a Best Patented Masterkey System, the following terms and conditions of this policy shall apply to any and all Authorized Distributors with access to Best Patented Masterkey Systems. For the purpose of this policy, "Best Patented Product" shall mean the Best Cormax (including cores and keys), as well as any and all future product dormakaba USA designates as patented product for the purpose of this policy. "Best Patented Masterkey Systems" and "Best Patented Masterkey Codes" shall mean the respective masterkey system or codes of any Best Patented Masterkey Product.

Sale of Best Patented Product: As further described in this <u>Section C</u>, only those Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be

at the sole discretion of dormakaba USA and shall be evidenced in writing via the Distributor Agreement or its select addendums.

Best Patented Security Authorization Form: It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "Security Authorization Form") as outlined in this Section C. The Security Authorization Form designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The Security Authorization Form must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the <u>Security Authorization</u> Form prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed <u>Security Authorization Form</u> to dormakaba USA.

dormakaba USA shall have the right to audit all Security Authorization Forms maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

Sale of Combinated Best Patented Product through Distributor: dormakaba USA may authorize select Authorized Distributor to purchase and resell to an End User Best Patented Product that has been combinated by dormakaba USA Personnel. In this instance, a Security Authorization Form must be completed and signed by the End User and provided by the Authorized Distributor to dormakaba USA with each Best Patented Product order.

Stocking of Best Patented Product: dormakaba USA may authorize select Authorized Distributors to purchase and stock Best Patented Product and have access to Best Patented Masterkey Codes by entering into a <u>Best Patented Masterkey System Distributor</u> <u>Agreement Addendum</u> (the "Authorized Stocking Distributor") As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the <u>Best Patented Key Systems Security Procedure</u>. In addition, it is the responsibility of the Authorized Stocking Distributor to ensure that they have a completed <u>Security Authorization Form</u> on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the <u>Security Authorization Form</u>.

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY (continued)

Best Patented Masterkey Code Generation: To assist in reducing the possibility of duplication within a keying system and ensure security, all Best Patented Masterkey Codes must be created, modified and/or extended by Best's masterkey personnel and/or an Authorized Stocking Distributor. The unauthorized duplication or release of Best Patented Masterkey Codes to non-authorized people or organizations, including, but not limited to, unauthorized distributors, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors, is a violation of this policy as well as the infringement of patent rights and other intellectual property rights of dormakaba USA. In addition to any other recourse available under law, the unauthorized release of Best Patented Masterkey Codes by any Authorized Stocking Distributor shall result in immediate termination.

Best Patented Masterkey System Exclusive Keyways: Upon request from an End User to release Best Patented Masterkey Codes previously generated by dormakaba USA that are on an exclusive keyway, dormakaba USA will send a notification to the End User reminding them that their patented codes are on an exclusive keyway. dormakaba USA will provide a copy of this notice to the Authorized Stocking Distributor. To assist in reducing the possibility of duplication within an End User exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Should dormakaba USA approve an Authorized Stocking Distributor to establish a Best Patented Masterkey System on an exclusive keyway, the Authorized Stocking Distributor shall be required to sign a <u>Best Patented Masterkey System Exclusive</u> <u>Keyway Addendum</u>. To assist in reducing the possibility of duplication within a Distributor exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Copies of Best Patented Masterkey Codes: dormakaba USA shall have a right to a copy of all Best Patented Masterkey Codes that have been originated, modified, extended or otherwise maintained by the Authorized Stocking Distributor in the dormakaba USA BESTCode system in order for dormakaba USA to be able to provide continued support either directly, or indirectly, to the End User.

II. BEST MASTERKEY SERVICES

A. BEST MASTERKEY SERVICES PROVIDED TO DISTRIBUTOR:

dormakaba USA, upon request and at its sole discretion, may provide select masterkey services to an Authorized Distributor for both non-patented masterkey systems and Best Patented Masterkey Systems. In order for an Authorized Distributor to place an order for the extension of, or modification to, a masterkey system previously created or maintained by dormakaba USA, the End User must have selected that Authorized Distributor as its authorized designee in the End User Information & Code Release Form received by dormakaba USA. Complete keying instructions must be given before a Best order can be properly acknowledged with an estimated delivery date. dormakaba USA reserves the right to charge for the service of a customized masterkey security solution with the purchase of a Best product. A masterkey service charge will be assessed for each order for cylinders or cores for use in non-Best manufactured locks for which Best has an equivalent product. Best Patented Masterkey System products shall not be provided without the associated masterkey services being provided by dormakaba USA. All Masterkey Services provided by dormakaba USA shall be subject to the terms and conditions of the Best Masterkey Service Order Acknowledgment which shall be provided upon acceptance of the order for Masterkey Services.

B. BEST BESTCODE:

dormakaba USA may, in its sole discretion, make available its BESTCode masterkey code management tool to select Authorized Distributors that meet certain training and certification requirements. If offered, BESTCode will be made available for an annual subscription fee as outlined in the Best pricing catalog. All codes made available to Authorized Distributors in the BESTCode system shall be subject to the BESTCode User License Agreement and will be provided in accordance with this Policy. The BESTCode masterkey code management tool is not available for use with Stanley Commercial Hardware products.

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

III. FORMS

For a copy of the following forms please contact the dormakaba USA End User Consultant.

- End User Information and Code Release Agreement
- Best Patented Masterkey System Distributor Agreement Addendum (Exhibit B)
- Best Patented Masterkey System Security Authorization Form
- Best Patented Key Systems Security Procedure
- Best Patented Masterkey System Exclusive Keyway Addendum
- Best Patented Masterkey System End User Specific Distributor Agreement Addendum (Exhibit D)

dormakaba USA reserves the right to change, modify or update this Policy at any time, in its sole discretion.

Keying Guide | Keying Options | Key Stamping

KEYING OPTIONS

Order	Description	Qty	List Price
KD	Keyed Different	1	NC
KA	Keyed Alike	1	NC
МК	Master Keyed (One Level Only)	1	16.00
СК	Construction Keyed (AKA as Protecto Keying)	1	16.00
СМК	Construction & Master Keyed	1	16.00
MAIS	Maison Keyed / Cross Keyed	1	16.00
GMK	Grand Master Keyed	1	16.00
GGMK	Great Grand Master Keyed	1	16.00

KEY STAMPING OPTIONS

Order	Description	Qty	List Price
VCK0	No bitting or keyset stamping on keys	1	NC
VCK1	Visual Key Stamping (Keys Only)	1	NC
VCK2	Special Key Stamping (Other than standard symbols)	1	6.30
VCK3	Visual Key Control (Cylinder Face Only - Levers and Deadbolts)	1	6.30
VCK4	Visual Key Control (Keys & Cylinder Face)	1	11.00
DND	Keys stamped with "Do Not Duplicate"	1	NC
CKC2	Concealed Key Control (Cylinders & VKC Keys)	1	11.00
СКСЗ	Concealed Key Control (Cylinders Only)	1	11.00

- Maximum Characters: Keys - 6

Cylinder Face - 4 CKC Cylinders - 6

Keying Guide | Key Blanks

KEY BLANKS (SOLD IN QUANTITIES OF 50)

Description	Each	Service Part #	List Price				
6-PIN KEY BLANKS							
Kwikset KW 6-Pin Blank (STANLEY Bow, Embossed One Side)	1	6AQ1KW16	2.60				
Weiser WE 6-Pin Blank (STANLEY Bow, Embossed One Side)	1	6AQ1WE16	2.60				
Schlage SC 6-Pin Blank (STANLEY Bow, Embossed One Side)	1	6AQ1SC16	2.60				
Sargent LA 6-Pin Blank (Ilco Standard Bow)	1	6AQ1LA16	2.60				
Yale GA 6-Pin Blank (Ilco Standard Bow)	1	6AQ1GA16	2.60				
STANLEY BF 6-Pin Blank (Ilco Bow, Do Not Duplicate)	1	6AQ1BF16DND	2.60				
Kwikset KW 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1KW16DND	2.60				
Weiser WE 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1WE16DND	2.60				
Schlage SC 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1SC16DND	2.60				
5-PIN KEY BLANKS							
Kwikset KW 5-Pin Blank (STANLEY Bow, Embossed One Side)	1	6AQ1KW15	2.60				
Kwikset KW 5-Pin Blank for QDB288 Control Cylinder	1	6AQ2KW15	2.60				
Weiser WE 5-Pin Blank (STANLEY Bow, Embossed One Side)	1	6AQ1WE15	2.60				
Schlage SC 5-Pin Blank (STANLEY Bow, Embossed One Side)	1	6AQ1SC15	2.60				
Kwikset KW 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1KW15DND	2.60				
Weiser WE 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1WE15DND	2.60				
Schlage SC 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1SC15DND	2.60				

* Key blanks sold in quantities of 50.

Keying Guide | Cut Keys

CUT KEYS

Description	Qty	Part #	List Price
6-PIN CUT KEYS			
STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1BF26	6.40
STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3BF26	6.40
Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1KW26	6.40
Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3KW26	6.40
Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1WE26	6.40
Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3WE26	6.40
Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1SC26	6.40
Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3SC26	6.40
Sargent LA 6-Pin Cut Key (Ilco Standard Bow)	1	6AQ1LA26	6.40
Sargent LA 6-Pin Cut Key (Ilco Standard Bow, Master Key)	1	6AQ3LA26	6.40
Yale GA 6-Pin Cut Key (Ilco Standard Bow)	1	6AQ1GA26	6.40
Yale GA 6-Pin Cut Key (Ilco Standard Bow, Master Key)	1	6AQ3GA26	6.40
STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1BF26DND	6.40
Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1KW26DND	6.40
Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1WE26DND	6.40
Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate)	1	6AQ1SC26DND	6.40
5-PIN CUT KEYS			
Kwikset KW 5-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1KW25	6.40
Kwikset KW 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3KW25	6.40
Kwikset KW 5-Pin Cut Key for QDB288 Control Cylinder	1	6AQ2KW25	6.40
Weiser WE 5-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1WE25	6.40
Weiser WE 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3WE25	6.40
Schlage SC 5-Pin Cut Key (STANLEY Bow, Embossed One Side)	1	6AQ1SC25	6.40
Schlage SC 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key)	1	6AQ3SC25	6.40

* All cut keys require specification of keyway and key combination.

* When being ordered separate from product Master Keys, Top Level Masters, and Do Not Duplicate Keys require Signature Authority.

* Builder key orders get 10 builder keys at no charge.

* Master key orders get 1 master key at no charge.

Keying Guide | Key Blanks

Uncombinated Cores (SFIC)

	How To Order							
7CS	7CS 7 A 1 626							
Core Type	Lock Body	Keyway	Combinating Code	Finish	Price			
7CS - SFIC	6 - 6-pin 7 – 7-pin	Designate specific keyway (A, D, E, etc.)	1 - Uncombinated	626 – Satin Chrome 606 – Satin Brass 613 – Oil Rubbed Bronze	\$32.00			

Combinated Cores (SFIC)

How To Order - SFIC Cores									
6CS	6CS 7 BF 2 626								
Core Type	Lock Body	Keyway	Combinating Code	Finish	List Price				
6CS - SFIC	6- 6-pin 7 - 7-pin	BF - BEST F	2 - Combinated	605 626	\$48.00				
				690					

6-7 PIN SFIC Key Blanks

			How To Order		
7AS	1	A	1		
Series	Key Type	Keyway	Cut Code	Key Stamp	Price
7AS - Standard	1 - Blank	Designate specific keyway (A, D, E, etc.)	1 - Blank	KS915 x KS800 – " DUPLICATION PROHIBITED" with stars on Front and a blank back - Standard	\$2.50

NOTES:

Consult factory for lead times.

7CS packaged in mulitples of 50 cores and 7AS packaged in multiples of 100 keys. A 10% broken box service fee applies unless total order exceeds \$5,000.

Cylinder Guide

Key-in-Lever and Deadbolt Cylinders

How To Order										
6EQ D 6 BF 2 626 QDB180 CC										
Cylinder Type	Cylinder Type	Lock Body	Keyway	Combinating Code	Finish	Tailpiece	Options			
6EQ - Standard Cylinder	L – Key in Lever D – Deadbolt		KW – Kwikset WE – Weiser SC – Schlage C GA – Yale LA – Sargent	2 – Combinated 5 – Zero Bitted	606 626	Must specify Series/ Function	CC - Constuction			

Keyway	Price with Lock	Service Part List Price
KW - Kwikset		
WE - Weiser	NC	\$27.00
SC - Schlage C		
GA - Yale	NC	¢50.00
LA - Sargent	NC	\$56.00

Mortise and Rim Cylinders

How To Order											
6EQ	М	6	ĸw	2	626	E	118	сс			
Cylinder Type	Cylinder Type	Lock Body	Keyway	Combinating Code	Finish	Cam	Length	Options			
6EQ - Standard Cylinder	M – Mortise R – Rim	5 - 5-pin 6 – 6-pin	KW – Kwikset WE – Weiser SC – Schlage C GA – Yale LA – Sargent	2 – Combinated 5 – Zero Bitted	606 613 626	For Mortise Cylinders: M – Cloverleaf Cam E – Straight Cam A – Adams Rite Cam	118 – 1-1/8″ 138 – 1-3/8″	CC - Constuctior			

Keyway	Price with Lock	Service Part List Price	NOTES:
KW - Kwikset WE - Weiser			M - Cloverleaf Cam 1 - 1/8'' is standard for QMS/QME/QML mortise locks. 1 - 3/8'' is available for thick doors.
SC - Schlage C	NC	\$58.00	E – Straight Cam 1 – 1/8" is standard for QED exit devices
GA - Yale			and QET trims that use mortise cylinders.
LA - Sargent			Refer to BEST Cylinders (1E) when SFIC mortise cylinders
			are required.

For all cylinders, consult factory for lead times.

Cylinder Guide | Parts

CYLINDER PARTS


	Description	Series	Service Part #	List Price
	Cylinder Locking Pin	All	8Q00209	1.40
	Cylinder Locking Cap	All	8Q00210	2.00
0100000000	Cylinder Locking Spring	All	8Q00211	1.40
	Tailpiece QCL1 50/QCL1 70 - Entry/Storeroom	QCL100	8Q00069	2.90
	Tailpiece QCL160 - Classroom (all keyways except KW)	QCL100	8Q00070	2.90
	Tailpiece QCL160 - Classroom (KW keyway only)	QCL100	8Q00071	2.90
AP	Cylinder Plug Holder QCL100 Series	QCL100	8Q00065	2.00
	Tailpiece QCL250/QCL270/QCl250 - Entry/Storeroom/ Interconnect	QCL200/ QCI200	8Q00072	2.90
	Tailpiece QCL260 - Classroom	QCL200	8Q00074	2.90
	SFIC Tailpiece QCL200 Series	QCL200	8Q00302	2.80
AD	Cylinder Plug Holder QCL200 Series	QCL200	8Q00066	2.00
	Tailpiece QCI200 Series Interconnect Deadbolt	QCI200	8Q00076	2.90

Cylinder Guide | Parts

CYLINDER PARTS (CONTINUED)

	Description	Series	Service Part #	List Price
	Tailpiece QTL200/QRT300 Series	QTL200/QRT300	8Q00073	2.90
	Cylinder Plug Holder for QTL200 Series - Summit Style	QTL200	8Q00067	2.20
	Cylinder Plug Holder for QTL200 Series - Sierra Style	QTL200	8Q00068	2.20
	Tailpiece QDB100/QDB200 Series Single Cylinder	QDB100/QDB200	8Q00083	2.90
	Tailpiece QDB100/QDB200 Series Double Cylinder (QTY 2)	QDB100/QDB200	8Q00085	2.90
(i)	Thick door kit - Tailpiece for QDB100/QDB200 Series Single Cylinder (1-3/4" - 2-1/4")	QDB100/QDB200	8Q00084	2.90
	Cylinder Screw QDB100/QDB200 Series	QDB100/QDB200	8Q00086	2.90
	Standard Cam for Mortise Cylinder	Mortise Cylinders	8Q00119	5.10
	Cam Mounting Screws for Mortise Cylinders (QTY 2)	Mortise Cylinders	8Q00118	1.70
	Rim Cylinder Tailpiece	RimCylinders	8Q00140	2.90
20000	Rim Cylinder Tailpiece For Thick Doors	RimCylinders	8Q00480	2.90
F	Cloverleaf Mortise Cam for QME/QMS/QML	QME, QMS, QML	8Q01084	2.00
	Adams Rite Cam		8Q00571	2.00

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks



Example

If you ordered: QME160 E626 BF6 KD

You would get: Grade 1 Classroom Mortise Lock, Sierra Lever Escutcheon Trim, Satin Chrome, SFIC "F" Keyway, Keyed Different.

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks



Model/Series	Functions	Style	Culindors	Case Qty	List	List Price			
Model/Series	Functions	Style	Cylinders	Case Qty	626	605, 613, 619, 625			
QMS120	Single Dummy	E / M / A		4	148.00	163.00			
QMS122	Full Dummy	E/M/A		4	293.00	308.00			
QMS130	Passage	E/M/A		4	447.00	462.00			
QMS140	Privacy	E/M/A		4	453.00	468.00			
QMS145	Privacy w/ Dead bolt	E/M/A		4	480.00	495.00			
QMS150	Entry	E/M/A	Sgl	4	525.00	540.00			
QMS152	Exit	E/M/A	Sgl	4	525.00	540.00			
QMS154	Corridor	E/M/A	Sgl	4	525.00	540.00			
QMS158	Dormitory	E/M/A	Dbl	4	576.00	591.00			
QMS160	Classroom	E/M/A	Sgl	4	525.00	540.00			
QMS162	Classroom Security	E/M/A	Dbl	4	576.00	591.00			
QMS164	Apartment	E/M/A	Dbl	4	576.00	591.00			
QMS170	Storeroom	E/M/A	Sgl	4	525.00	540.00			
QMS172	Institutional	E/M/A	Dbl	4	576.00	591.00			
QMS174	Store Door	E/M/A	Dbl	4	576.00	591.00			

	Less Cylinder	List Price				
LC	Less Cylinder	Deduct 47.00				

NOTES:

Consult factory for lead times on 605 & 625 finishes.

Prices include standard cylinders. Reference cylinder options for complete listing.

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

Ð





Model/Series	Functions	Style	Culindors	Case Qty	List	Price
Model/Series	Functions	Style	Cylinders	Case Qty	626	605, 613, 619, 625
QME120	Single Dummy	E / M / A		4	180.00	196.00
QME122	Full Dummy	E/M/A		4	357.00	374.00
QME130	Passage	E/M/A		4	508.00	524.00
QME140	Privacy	E/M/A		4	513.00	528.00
QME145	Privacy w/ Dead bolt	E/M/A		4	540.00	557.00
QME150	Entry	E/M/A	Sgl	4	583.00	600.00
QME152	Exit	E/M/A	Sgl	4	583.00	600.00
QME154	Corridor	E/M/A	Sgl	4	583.00	600.00
QME158	Dormitory	E/M/A	Dbl	4	633.00	648.00
QME160	Classroom	E/M/A	Sgl	4	583.00	600.00
QME162	Classroom Security	E/M/A	Dbl	4	633.00	648.00
QME164	Apartment	E/M/A	Dbl	4	633.00	648.00
QME170	Storeroom	E/M/A	Sgl	4	583.00	600.00
QME172	Institutional	E/M/A	Dbl	4	633.00	648.00
QME174	Store Door	E/M/A	Dbl	4	633.00	648.00

	Less Cylinder	List Price
LC	Less Cylinder	Deduct 47.00

NOTES:

Prices include standard cylinders. Reference cylinder options for complete listing.

Consult factory for lead times on 605 & 625 finishes.

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

CYLINDER RING CHART - ESCUTCHEON TRIMS

Mode	el #	Door Thick- ness	Cylin- der Length	Guard Dimen- sion	Part Number	Qty*	List Price Single	Mod	el #	Door Thick- ness	Cylin- der Length	Dimen- Num- Qty*		List Price Double	
			1″		-						1″		-		
			1-1/8″		-						1-1/8″		N/A		
	1-3/4″	1-1/4″		-					1-3/4″	1-1/4″		N/A			
			1-3/8″	1/2″	8Q01086	1	26.00				1-3/8″	1/2″	8Q01086	1	26.00
			1-1/2″	1/2″	8Q01086	1	26.00				1-1/2″	5/8″	8Q01087	1	30.00
			1″		N/A						1″		N/A		
Escutcheon	QME150, QME152,	2″	1-1/8″		-				QME158, QME162,		1-1/8″		-		
Single	QME154,		1-1/4″		-			Double	QME164,	2″	1-1/4″	N/A			
Cylinder	QME160, QME170		1-3/8″		-				QME172, QME174		1-3/8″	N/A			
			1-1/2″	1/2″	8Q01086	1	26.00				1-1/2″	1/2″	8Q01086	1	26.00
			1″		N/A		-				1″		N/A		
			1-1/8″		N/A						1-1/8″	N/A			
		2-1/4″	1-1/4″		-		-			2-1/4″	1-1/4″	-			
			1-3/8″		-						1-3/8″	-			
			1-1/2″		-						1-1/2″		N/A		

NOTES:

"-" Additional cylinder spacers not required.

"N/A" Cylinder length not compatible with door thickness.

CYLINDER RING CHART - SECTIONAL TRIMS

Mod	Model # T		Cylin- der Length	Guard Dimen- sion	Part Num- ber	Qty*	List Price Single	Mod	el #	Door Thick- ness	Cylin- der Length	Guard Dimen- sion	Part Num- ber	Qty*	List Price Double
			1″		-						1″				
			1-1/8″		-						1-1/8″	1/16″	8Q01088	1	17.00
	1-3/4″	1-1/4″		-					1-3/4″	1-1/4″	3/16″	8Q01089	1	21.00	
			1-3/8″	3/16″	8Q01089	1	21.00		QMS158, QMS162, QMS164, QMS172, QMS174		1-3/8″	5/16″	8Q01090	1	26.00
			1-1/2″	5/16″	8Q01090	1	26.00				1-1/2″	7/16″	8Q01091	1	30.00
			1″		N/A						1″		N/A		
Sectional	QMS150, QMS152,		1-1/8″		-			Sectional Double			1-1/8″		-		
Single	QMS154,	1, 2″),	1-1/4″		-					2″	1-1/4″	1/16″	8Q01088	1	17.00
Cylinder	QMS160, QMS170		1-3/8″		-			Cylinder			1-3/8″	3/16″	8Q01089	1	21.00
			1-1/2″	1/16″	8Q01088	1	17.00				1-1/2″	5/16″	8Q01090	1	26.00
			1″		N/A						1″		N/A		
			1-1/8″		N/A						1-1/8″		N/A		
		2-1/4″	1-1/4″		-					2-1/4″	1-1/4″		-		
			1-3/8″		-						1-3/8″	1/16″	8Q01088	1	17.00
			1-1/2″		-						1-1/2″	3/16″	8Q01089	1	21.00

NOTES:

"-" Additional cylinder spacers not required.

"N/A" Cylinder length not compatible with door thickness.

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

SECTIONAL TRIM KITS (SPECIFY FINISH WHEN ORDERING)

Sectional trim kits include interior and exterior trims, screw pack for trim installation and strike dust box. Trim kits are shipped in the standard mortise packaging allowing mortise cases to be configured for a complete lock.

	Tri	im Description		Order		Master	List Price			
Model #	Exterior (Secure)	Interior	Lever Style	Part #	Qty	Carton	626	603, 613, 625, 626		
QMS130	Lever	Lever	E	8Q01093						
QIVISTSU	Level	Level	М	8Q01094						
QMS 140	Lever,	Lever,	E	8Q01066						
QMS 145	emergency access plate	turnpiece	М	8Q01067						
QMS150			_							
QMS 160	Lever, cylinder collar	Lever	E	8Q01072						
QMS 170			М	8Q01073						
QMS152	Lever,	Lever, cylinder Lever, turnpiece collar	E	8Q01070	1	4	306.00	320.00		
QMS 154			М	8Q01071						
QMS158										
QMS 162			E	8Q01068						
QMS 164	Lever, cylinder, collar	Lever, cylinder, collar								
QMS 172			М	8Q01069						
QMS 174			IVI	0201009						
ALL	(Includes standard	linder collar kit d cylinder guard, w d gap washer)	ave washer	8Q01016	1	1	39.00	46.00		
ALL	Turr (Requires	npiece assembly screw pack 8Q010	30)	8Q01014	1	1	44.00	50.00		

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

ESCUTCHEON TRIM KITS (SPECIFY FINISH WHEN ORDERING)

Escutcheon trim kits include interior and exterior trims, screw pack for trim installation and strike dust box. Trim kits are shipped in the standard mortise packaging allowing mortise cases to be configured for a complete lock.

	Trim D	escription		Order		Master	List Price			
Model #	Exterior (Secure)	Interior	Lever Style	Part #	Qty	Carton	626	605, 613, 619, 625		
OME120	1		E	8Q01074						
QME130	Lever	Lever	М	8Q01075						
QME140			E	8Q01076						
QME145	Lever, Emergency Access Hole	Lever, Turnpiece	М	8Q01077						
QME150			E	8Q01082	-					
QME160	Lever, Cylinder	Lever	M	8Q01083						
QME170	Hole			0001005						
QME152	Lever, Cylinder	Lever,	E	8Q01080	1	4	387.00	387.00		
QME154	Hole	Turnpiece	М	8Q01081						
QME158			E	8Q01078						
QME162				0001070						
QME164	Lever, Cylinder Hole	Lever, Cylinder Hole								
QME172			М	8Q01079						
QME174										

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

MORTISE CASE KITS

Mortise case kits include case, instruction sheets & template, and case mounting screws.

Model #	Case Description		Order Part #	QTY	List Price
QMS/QME130	F1	Passage	8Q01059	1	155.00
QMS/QME140	F22	Privacy	8Q01054	1	162.00
QMS/QME145	F19	Privacy with Deadbolt	8Q01061		
QMS/QME150	F4	Entry	8Q01058		
QMS/QME152	F13	Exit	8Q01063		
QMS/QME154	F20	Corridor	8Q01060		
QMS/QME158	F11	Dormitory	8Q01064		
QMS/QME160	F5	Classroom	8Q01057	1	187.00
QMS/QME162	F32	Classroom Security	8Q01052		
QMS/QME164	F9	Apartment	8Q01055		
QMS/QME170	F7	Storeroom	8Q01056]	
QMS/QME172	F30	Institutional	8Q01053		
QMS/QME174	F14	Store Door	8Q01062		

$ARMOR\ FRONT\ KITS\ (\text{specify finish when ordering})$

Armor front kits include a finished armor front and installation screws.

Model #			Description		Order Part #	Qty	List Price
	Latch	Deadbolt	Auxiliary	Toggle		~	
QMS/QME120					8Q01040		
QMS/QME130	х				9001022		
QMS/QME140	х				8Q01033		
QMS/QME145							
QMS/QME152	x				8Q01043	8Q01043	
QMS/QME174							
QMS/QME150	х		х	х	8Q01042	8Q01042 1 12 8Q01032	18.00
QMS/QME154	×	×		×	9001022		18.00
QMS/QME158	X	х		х	8Q01052		
QMS/QME160							
QMS/QME162							
QMS/QME164	x		х		8Q01031		
QMS/QME170							
QMS/QME172							

QMS/QME100 Series | Grade 1 | Heavy Duty Mortise Locks

STRIKE KITS (SPECIFY FINISH WHEN ORDERING)

Strike kits include finished strike and installation screws.

Model #	Strike Description	Order Part #	Qty	List Price
QMS/QME130				
QMS/QME140				
QMS/QME150				
QMS/QME160	Strike for locks with latch bolt only or latch bolt with auxiliary.	8Q01035		
QMS/QME162				
QMS/QME164				
QMS/QME170			1	17.00
QMS/QME172				
QMS/QME145				
QMS/QME152				
QMS/QME154	Strike for locks with latch bolt with dead bolt.	8Q01036		
QMS/QME158				
QMS/QME174				
ALL	Strike dust box, black plastic	8Q01045	1	7.00

SCREW PACKS AND OTHER PARTS

Part Description	Order Part #	QTY	List Price
Mortise case front bracket (bracket that connects armor front to lock case)	8Q01028	1	16.00
Screw pack - Trim only. Specify finish. (2 - M4x0.7 x 35mm flat head machine screws)	8Q01029	1	6.60
Screw pack - Turnpiece / Sectional Emergency Plate. Specify finish. (2 - M4 x 19mm flat head machine screws and 2 - #8-32 x 3/4" flat head wood screws)	8Q01030	1	6.60
Sectional Thick Door Kit - interior lever assembly for 2" - 2-1/4" doors	8Q01044	1	36.00
Spanner wrench for sectional lever installation	8Q01046	1	6.60
Screw pack - Armor Front. Specify finish. (2 - 0.7 x 5mm flat head machine screws)	8Q01047	1	6.00
Screw pack - Mortise Case.	8Q01048	1	6.60
Screw pack - Escutcheon Trims (for installation of trims, armor front and strike). Specify finish. (2 - M4 x 0.7 x 35mm flat head machine screws; 2 - #12 x 3/4" dual purpose screws; 2 - M4 x 0.7 x 5mm flat head machine screws)	8Q01049	1	16.00
Screw pack - Sectional Trims (for installation of trims, armor front and strike). Specify finish. (2 - M4 x 0.7 x 35mm flat head machine screws; 2 - #12 x 3/4" dual purpose screws; 2 - M4 x 0.7 x 5mm flat head machine screws; 2 - #8-32 x 3/4" flat head wood screws; 2 - M4 x 19mm flat head machine screws; 1 /8" allen wrench)	8Q01050	1	18.00
Mortise cam - Cloverleaf (All STANLEY Commercial Hardware Mortise Locks & Deadlocks)	8Q01084	1	2.00

QML100 Series | Grade 1 | Heavy Duty Mortise Locks

KD	Keyed Different
KA	Keyed Alike
SK	Special Keying
	-Construction Keyed
	-Construction Master Keyed
	-Maison Keyed
	-Master Keyed
	-Grand Master Keyed
	-Great Grand Master Keyed
ZB	Zero Bitted

			Bas	e Part Num	ber		1
Series	Functi	on	Finish	Handing*	Keywa	y # of Pins	Keying
QML1	86		626	RH	BF	6	KD
	605	Brig	ht Brass		BF	BEST "F" SFIC	
	613	Oil	Rubbed Bronze		KW	Kwikset "KW"	
	619	Sati	n Nickel		WE	Weiser "E"	
	625	Brig	ght Chrome		SC	Schlage "C"	
	626	Sati	n Chrome		GA	Yale "GA"	
					LA	Sargent "LA"	
					LC	Less Cylinder	
					ML186 On		
				RH	Right Ha	·····÷	
				LH	Left Han	ıd	

Example

80

82

84

86

Single Cylinder

Double Cylinder

Cylinder Only Classroom

If you ordered: QML186 626 RH BF6 KD

You would get: Grade 1 Classroom Mortise Lock, Satin Chrome, Right-Hand, SFIC "F" Keyway, Keyed Different.

NOTES:

*Classroom function requires handed cylinder turn. Specify handing when ordering.

QML100 Series | Grade 1 | Heavy Duty Mortise Locks



X				
Functions	Case	List Price		
Functions	Qty	626	605, 613, 619, 625	
ylinder	10	254.00	265.00	

QML 180

Model/Series	Functions		List Price		
Model/Series			626	605, 613, 619, 625	
QML180	Single Cylinder	10	254.00	265.00	
QML182	Double Cylinder	10	285.00	297.00	
QML184	Cylinder Only	10	215.00	215.00	
QML186*	Classroom	10	260.00	269.00	

NOTES:

*QML100 are special order, consult factory for lead times.

*Classroom function requires handed cylinder turn. Specify handing when ordering. Prices include standard cylinders. Reference cylinder options for complete listing.

QML100 Series | Grade 1 | Heavy Duty Mortise Locks

MORTISE DEADLOCK KITS

Mortise deadlock kits include case, instruction sheets & template, and case mounting screws.

Model #	Description	Order Part #	Qty	List Price
ALL QML	Mortise deadlock case	8Q01051	1	147.00

ARMOR FRONT KITS (SPECIFY FINISH WHEN ORDERING)

Armor front kits include a finished armor front and installation screws.

Model #	Description	Order Part #	Qty	List Price
ALL QML	Mortise deadlock armor front	8Q01039	1	13.00

STRIKE KITS (SPECIFY FINISH WHEN ORDERING)

Strike kits include finished strike and installation screws.

Model #	Description	Order Part #	Qty	List Price
ALL QML	Mortise deadlock strike	8Q01034	1	10.00
ALL QML	Deadlock strike dust box, black plastic	8Q01085	1	6.40

DEADLOCK TRIM KITS (SPECIFY FINISH WHEN ORDERING)

			List Price		
Description	OrderPart #	Qty	626	605, 613, 619, 625	
Cylinder guard kit (Includes standard cylinder guard, wave washer and gap washer)	8Q01016	1	39.00	46.00	
Turnpiece assembly (Requires screw pack 8Q01030)	8Q01014	1	44.00	50.00	

MISC.

Model #	Description	Order Part #	Qty	List Price
QML 186	Left hand mortise cylinder thumbturn	8Q01005	1	56.00
QML 186	Right hand mortise cylinder thumbturn	8Q01006	1	56.00

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

20	Single Dumm	y		ADD	ED FUNCTIO	ONS							
30	Passage			92	92 Electronically Locked (fail safe)								
35	Communicati	ng		93	93 Electronically Locked SFIC (fail safe)								
40	Privacy			94	Electror	nically Unlocke	ed (fail secure)						
50	Entry/Office			95	Electror	nically Unlocke	ed SFIC (fail sec	cure)					
51	Entry/Office S	FIC											
54	Corridor							<u>.</u>					
55	Corridor SFIC							BF	BEST "F" SFIC				
60	Classroom						······	KW	Kwikset "KW"				
61	Classroom SFI	C			605 E	Bright Brass		WE	Weiser "E"				
68	Classroom Sec	curity			613 (Dil Rubbed Bro	onze	SC	Schlage "C"				
69	Classroom Sec	curity SFIC			619	atin Nickel		GA	Yale "GA"		,		
70	Storeroom				625 E	Bright Chrome		LA	Sargent "LA"		24V	24 Volt AC/DC	
71	Storeroom SFI	С			626	atin Chrome		LC	Less Cylinder		12V	12 Volt AC/DC	
										A			
<u> </u>				ase Part N					-		al Option		
Series	Function	Design	Finish	Latch	Strike	Keyway	# Of Pins	Keying	Hurricane	Power	Reques To Exit		
	71		626	C 4	4705	BF	6		Compliant		TO EXI		
QCL1	71	E	626	S4	4785	DF	6	KA	Н				
	E Si	erra			478S	ANSI 4 %" x	1¼" Strike			625	Bright Ch	rome	
	M Su	ımmit			118F	ANSI 11/8" x 2	2¾" Strike						
	A SI	ate			NOS	No Strike							
	•••••••••••••••••••••••••••••••••••••••	•			•••••		••••••						
			0(11)	_ATCH TABLE				KD	Keyed Different				
			FR4	7	/4 with 3/4 t	brow		KA	Keyed Alike				
			FN4 FS4	÷		·····		SK					
					/4 with 3/4 t	IIIOW		л	Special Keying	vod			
NOL No Latch						-Construction Key							
	R4 Radius 2-3/4			+	•••••				-Construction Ma	ster neyed			
				Radius 2-3,					-Maison Keyed				
				Square 2-3	/4				-Master Keyed	······			
			S4	÷									
			S5	Square 5					-Grand Master Key				
				÷	/8			ZB	-Grand Master Key -Great Grand Mas Zero Bitted				

Example

If you ordered: QCL171 E626 S4 478S BF6 KA H

You would get: Grade 1 Hurricane Compliant Cylindrical Storeroom Lock, Sierra Lock, Satin Chrome, 2 ³/₄" Deadlatch Square, ANSI 4⁷/₈" x 1¹/₄" Strike, BEST "F" Keyway, Keyed Alike.

÷

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



Summit (M) Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



Slate (A)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



Model/Series	Functions	Style	Case Qty	List Price		
Model/Series	Functions	Style	Case Qty	626	605, 613, 619, 625	
QCL120	Half Dummy	E/M/A	12	136.00	141.00	
QCL130	Passage	E/M/A	6	265.00	275.00	
QCL135	Communicating	E/M/A	6	299.00	309.00	
QCL140*	Privacy	E/M/A	6	320.00	330.00	
QCL150	Entrance/Office	E/M/A	6	366.00	376.00	
QCL151	Entrance/Office SFIC	E/M/A	6	414.00	424.00	
QCL154	Corridor	E/M/A	6	366.00	376.00	
QCL155	Corridor SFIC	E/M/A	6	414.00	424.00	
QCL160	Classroom	E/M/A	6	366.00	376.00	
QCL161	Classroom SFIC	E/M/A	6	414.00	424.00	
QCL168	Classroom Security	E/M/A	6	395.00	405.00	
QCL169	Classroom Security SFIC	E/M/A	6	443.00	453.00	
QCL170	Storeroom	E/M/A	6	366.00	376.00	
QCL171	Storeroom SFIC	E/M/A	6	414.00	424.00	

	Options	Add
Н	Hurricane Compliant	5.80

NOTES:

* Privacy split finishes are priced at the highest finish price.

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

ELECTRIFIED OPTIONS (CONSULT FACTORY FOR LEAD TIMES)



Model #	Description	List Price			
model #	Description	626	605/613/625		
QCL192	Electronically locked (fail safe). Outside lever continuously locked electrically. Unlocked by key outside, by switch, or by power failure. Inside always free for	743.00	756.00		
QCL193 (SFIC)	immediate egress.	799.00	813.00		
QCL194	Electronically unlocked (fail secure). Outside lever continuously locked until	743.00	756.00		
QCL195(SFIC)	unlocked by key or electric current. Inside always free for immediate egress.	799.00	813.00		
QCL170X	Request to exit. Switch monitors inside lever rotation. Incorporates into alarm	692.00	707.00		
QCL171X(SFIC)	systems or in conjunction with an electromagnet.	750.00	763.00		
QCL192X	Electronically locked (fail safe) with request to exit. Outside lever continuously locked electrically. Unlocked by key outside, by switch, or by power failure.	1016.00	1030.00		
QCL193 X(SCFIC)	Inside always free for immediate egress. Ability to tie into alarm systems.	1071.00	1086.00		
QCL194X	Electronically unlocked (fail secure) with request to exit. Outside lever	1016.00	1030.00		
QCL195 X(SCFIC)	continuously locked until unlocked by key or electric current. Inside always free for immediate egress. Ability to tie into alarm systems.	1071.00	1086.00		
8Q00314	Fail Safe / Fail Secure 24VDC Power Supply	899.00	899.00		

Electrified Product Specifications	Power Supply Specifications
 Consult Factory for lead times. Electrification prices should be added to list price of lock. Standard door prep. Deadlocking latch. Key override allows key to retract latchbolt momentarily on electronically locked models. Inside lever always free for immediate egress. Continuous duty solenoids. Tie into alarm systems and electromagnetic locks. 12V AC/DC with .250 amp current. 24V AC/DC with .150 amp current. Specify voltage when ordering. Lifetime warranty on lock body; 1 year warranty on electric components. 	 Consult Factory for lead times. Provides power for fail safe or fail secure locking devices. UL listed, US & Canada, Class 2. Filtered and regulated 24DC constant voltage. 2 AMP load capacity. Over voltage/short circuit protection. Surge suppression for locking devices. Interface relay to isolate the locking device current from the control switch. Auxilliary 24VDC constant voltage for powering stand alone devices such as keypads, motion detectors, status indicators, etc. Field terminal block set at 45° for ease of installation. Can power up to 12 24V Cylindrical fail safe/ fail secure levers - refer to installation manual for additional details.

30 Cylindrical Locks

Uses power supply 8Q00314.Warranty: 1 Year Electrical.

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

OF	Y I IONS (SPECIFY FINISH)			
	Description	Price With Lock	Service Part List Price	
ACE PL	ATE, 1" HOUSING DIAMETER, GRADE 1, UL (WIDI	E FACE)		
64	2 3/4" dead latch - square corner	NC	15.00	
54	2 3/4" dead latch - square corner - corridor function	8Q00574	NC	15.00
D4	2 3/4" dead latch - radius corner	8Q00171	NC	15.00
K4	2 3/4" dead latch - radius corner - corridor function	8Q00573	NC	15.00
60	2 3/8" dead latch - square corner	8Q00174	NC	15.00
28	2 3/8" dead latch - square corner - corridor function	8Q00576	NC	15.00
Do	2 3/8" dead latch - radius corner	8Q00173	NC	15.00
K8	2 3/8"" dead latch - radius corner - corridor function	8Q00575	NC	15.00
S5	5" dead latch - square corner	8Q00175	Add 25.00	41.00
	5" spring latch privacy - square corner	8Q00180	Add 25.00	38.00
S5	5″ spring latch passage - square corner	8Q00185	Add 25.00	38.00
	ATE, 1" HOUSING DIAMETER, GRADE 1,			
FS4	2 3/4" dead latch - square corner, 3/4" throw	8Q00438	Add 109.00	122.00
FR4	2 3/4" dead latch - radius corner, 3/4" throw	8Q00437	Add 109.00	122.00
	No Latch		Deduct 13.50	
	ACE PLA S4 R4 S8 R8 S5 S5 S5	ACE PLATE, 1" HOUSING DIAMETER, GRADE 1, UL (WIDD SA 2 2.3/4" dead latch - square corner 2 3/4" dead latch - radius corner 2 3/4" dead latch - square corner 2 3/8" dead latch - square corner 2 3/8" dead latch - square corner 2 3/8" dead latch - radius corner 2 3/8" dead latch - square corner 55 5" dead latch - square corner 55 5" spring latch privacy - square corner 55 5" spring latch passage - square corner FACE PLATE, 1" HOUSING DIAMETER, GRADE 1, RUL FS4 2 3/4" dead latch - square corner, 3/4" throw FR4 2 3/4" dead latch - radius corner, 3/4" throw	ACE PLATE, 1" HOUSING DIAMETER, GRADE 1, UL (WIDE FACE) S4 2 3/4" dead latch - square corner 8Q00172 S4 2 3/4" dead latch - square corner - corridor function 8Q00574 R4 2 3/4" dead latch - radius corner - corridor function 8Q00171 S8 2 3/8" dead latch - radius corner - corridor function 8Q00573 S8 2 3/8" dead latch - square corner - corridor function 8Q00576 S8 2 3/8" dead latch - square corner - corridor function 8Q00575 S5 5" dead latch - radius corner - corridor function 8Q00173 R8 2 3/8" dead latch - radius corner - corridor function 8Q00575 S5 5" dead latch - square corner 8Q00175 S5 5" dead latch - square corner 8Q00175 S5 5" spring latch privacy - square corner 8Q00185 S5 5" spring latch passage - square corner 8Q00185 F54 2 3/4" dead latch - square corner, 3/4" throw 8Q00438 FR4 2 3/4" dead latch - radius corner, 3/4" throw 8Q00437	ACE PLATE, 1" HOUSING DIAMETER, GRADE 1, UL (WIDE FACE) Price With Lock SA ² 3/4" dead latch - square corner 8Q00172 NC SA ² 3/4" dead latch - square corner - corridor function 8Q00171 NC RA ² 3/4" dead latch - radius corner - corridor function 8Q00171 NC RA ² 3/4" dead latch - radius corner - corridor function 8Q00174 NC SB ² 3/8" dead latch - square corner - corridor function 8Q00173 NC SB ² 3/8" dead latch - radius corner - corridor function 8Q00173 NC SB ² 3/8" dead latch - radius corner - corridor function 8Q00173 NC RB ² 3/8" dead latch - radius corner - corridor function 8Q00175 NC S5 S" dead latch - square corner 8Q00175 NC S5 S" dead latch - square corner 8Q00185 Add 25.00 S5 S" spring latch passage - square corner

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

STRIKE OPTIONS (SPECIFY FINISH)

Order With Lo		Description	Service Part #	Price With Lock	Service Part List Price
0	118 F	1 1/8" x 2 3/4"T-Strike (Does not include screws. Screwpack 8Q00058)	8Q00165	NC	5.40
() () ()	4785	4 7/8" x 1 1/4" ANSI Strike (Does not include screws. Screwpack 8Q00058)	8Q00166	NC	8.40

	Less Cylinder	List Price
	Less Cylinder	Deduct 21.00
LC	Less SFIC Cylinder	Deduct 48.00

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Service Part List Price
	Installation Jig for Cylindrical Levers	8Q00075	14.00
	Tailpiece QCL150/QCL170 - Entry/Storeroom	8Q00069	2.90
	Tailpiece QCL160 - Classroom (all keyways except KW)	8Q00070	2.90
	Tailpiece QCL160 - Classroom (KW keyway only)	8Q00071	2.90
AF	Cylinder Plug Holder QCL100 Series	8Q00065	2.00
	Screw Pack for QCL100 Series Dummy (Specify finish)	8Q00056	2.00
6/12/11	Screw Pack for QCL100 Series (Specify finish)	8Q00057	2.90
	Screw Pack for T-Strike (Specify finish)	8Q00058	2.10
	Trim Ring for Cylindrical Locks (Shims Lock off door approximately 1/8") (Available in 605, 613, 619, 626)	8Q00221	26.00

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

35 Communicating 40 Privacy 50 Entry/Office 51 Entry/Office SFIC 54 Corridor 55 Corridor 56 Corridor SFIC 50 Classroom 51 Classroom SFIC 51 Classroom SFIC 613 Oil Rubbed Bronze 625 Bright Brass 619 Satin Nickel 625 Bright Chrome 626 Satin Orice 626 Satin Chrome LA Sargent "LA" LC Less Cylinder	20	Single Dumn													
Bit Privacy Bit Priv2Office 50 Entry/Office SFIC 54 Corridor 55 Corridor SFIC 60 Bit Priv2Office SFIC 55 Corridor 56 Corridor 57 Classroom 613 Olf Rubbed Bronze 613 Olf Rubbed Bronze 613 Olf Rubbed Bronze 625 Bright Chrome 626 Satin Nickel 626 Satin Chrome 70 Storeroom SFIC 626 Satin Chrome 71 Storeroom SFIC Base Part Number Additional Option Series Function Design Finish Latch Strike Keyway # of Pins Keying G13 QCL2 71 E 626 S4 4785 8 Finsl 4785 ANSI 4/4* x 1/x* Strike 108 ANSI 4/4* x 1/x* Strike 118F ANSI 1/4* x 2/x* Strike	30	Passage													
00 Entry/Office 31 Entry/Office SFIC 34 Corridor SFIC 35 Corridor SFIC 36 Classroom 37 Classroom 38 Classroom 39 Classroom SFIC 30 Storeroom 31 Classroom 32 Storeroom 33 Storeroom SFIC 34 Corridor SFIC 35 Corridor SFIC 36 Storeroom SFIC 37 Storeroom SFIC 36 Storeroom SFIC 36 Storeroom SFIC 37 Storeroom SFIC 36 Storeroom SFIC 37 Storeroom SFIC 38 Storeroom SFIC 37 E 38 Storeroom SFIC 39 Storeroom SFIC 30 Classon 39 Function 30 Design 30 Latch 30 Storeroom SFIC 30 Storeroom SFIC 30	35	Communicat	ting												
11 Entry/Office SFIC 34 Corridor SFIC 35 Corridor SFIC 30 Classroom SFIC 31 Classroom SFIC 32 Classroom SFIC 33 Classroom SFIC 34 Corridor SFIC 35 Corridor SFIC 36 Classroom SFIC 37 Storeroom SFIC 38 Base Part Number 58 Function 59 Classroom SFIC 50 Design 613 Oil Rubbed Bronze 626 Satin Nickel 626 Satin Nickel 627 Storeroom SFIC 628 Satin Chrome 529 Function 529 Pase Part Number 520 Satin Chrome 521 Satin Nickel 622 Satin Chrome 521 Gat Arabis 622 Satin Chrome 521 Gat Arabis 622 Satin Chrome 521 Fill Dia Vin Master Keyed 623 <t< td=""><td>40</td><td>Privacy</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	40	Privacy													
54 Corridor 55 Corridor SFIC 605 Bright Brass 613 OII Rubbed Bronze 613 OII Rubbed Bronze 619 Satin Nickel 626 Bright Chrome 627 Bright Chrome 628 Storeroom SFIC 626 Satin Nickel 626 Satin Chrome 70 Storeroom SFIC 626 Satin Chrome 71 Eostin Chrome 72 Function 73 Eostin Chrome 74 Eostin Chrome 74 Eostin Chrome 75 Function 75 Design 76 Storeroom SFIC 76 Storeroom Senton 77 Eostin Chrome 78 Function 79 Storeroom Senton 70 Eostin Chrome 71 Eostin Chrome 76 AVSI 4% x 1%' Strike 76 Storeroom 77 Eostin Chrome 78 ANSI 4% x 1%' Strik	50	Entry/Office													
55 Corridor SFIC 605 Bright Brass WE Welser "E" 50 Classroom 613 Oil Rubbed Bronze 614 Yale "GA" 51 Classroom SFIC 625 Bright Chrome LA Sargent "LA" 625 Bright Chrome LA Sargent "LA" LC Less Cylinder 71 Storeroom SFIC 626 Satin Nickel LC Less Cylinder Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 S4 4785 BF 6 KA QCL2 71 E 626 S4 4785 BF 6 KA QCL2 71 E 626 S4 4785 BF 6 KA M Summt A Slate Image: Sargent TA" 613 Oil Rubbed Bronze 625 Bright Chrome FL Full Lip Sauare Corner Strike FL 613 Oil Rubbed Bronze M Summt A <	51	Entry/Office	SFIC						BF		BEST "F" SFIC				
50 Classroom 613 Ol Rubbed Bronze 5C Schlage"C" 61 Storeroom 625 Bright Chrome LA Sargent"LA" 70 Storeroom SFIC 626 Satin Nickel LC Less Cylinder 71 Storeroom SFIC 626 Satin Chrome LC Less Cylinder 71 Storeroom SFIC 626 Satin Chrome LC Less Cylinder 72 Storeroom SFIC Design Finish Latch Strike Keyway # of Pins Keying 70 Design Finish Latch Strike Keyway # of Pins Keying 70 E 626 54 4785 BF 6 KA 70 E 626 54 4785 BF 6 KA 70 Image: Store Strike Finish Latch Strike Finish H 625 70 Image: Store Strike Full Lip Square Corner Strike Finish H 625 Bright Chrome 70 R Radius 2-3/4 with 3/4 throw <td< td=""><td>54 (</td><td>Corridor</td><td></td><td></td><td></td><td></td><td></td><td></td><td>KW</td><td></td><td>Kwikset "KW"</td><td></td><td></td><td></td><td></td></td<>	54 (Corridor							KW		Kwikset "KW"				
Stareroom 619 Satin Nickel GA Yale "GA" 70 Storeroom 625 Bright Chrome LA Sargent "LA" 1 Storeroom SFIC 626 Satin Chrome LC Less Cylinder Storeroom SFIC Base Part Number IL Less Cylinder Hurricane 2nd Storeroom SFIC Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 S44 4785 BF 6 KA Keying Image: Compliant Strike Strike Keyway # of Pins Keying 613 Oil Rubbed Bronze M Summit A Slate Image: Comer Strike FL 613 Oil Rubbed Bronze FLS Full Lip Square Corner Strike FU Full Lip Square Corner Strike FL 613 Oil Rubbed Bronze VASI A% No No Strike NOS No Strike KD Keyed Different KA Keyed Alike SS Special Keying Construction Master Keyed -Construction Keyed -Construction Master Keyed -Construction Master Ke	55 (Corridor SFIC	-		605	Brigh	nt Brass		WE		Weiser "E"				
70 Storeroom 625 Bright Chrome LA Sargent "LA" 71 Storeroom SFIC 626 Satin Chrome LC Less Cylinder Additional Option Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 54 4785 BF 6 KA QCL2 71 E 626 54 4785 BF 6 KA M Summit Latch Strike Keyway # of Pins Keying 613 Oil Rubbed Bronze E Siera Image: Siera Image: Siera ANSI 1/4" x 1/4" Strike 613 Oil Rubbed Bronze M Summit A Slate File Full Lip //* Radius Corner Strike KD Keyed Different FR4 Radius 2-3/4 with 3/4 throw FS4 Square 2-3/4 KA KA Keyed Gornstruction Master Keyed NNE Narrow Radius 2-3/4 Narrow Radius 2-3/8 Narrow Radius 2-3/8 Gornstruction Master Keyed	60	Classroom			613	Oil R	ubbed Bron:	ze	SC		Schlage "C"				
Image: Problem of the second secon	61 (Classroom SF	FIC		619	Satir	n Nickel		GA		Yale "GA"				
Base Part Number Additional Option Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 S4 4785 BF 6 KA H 625 QCL2 71 E 626 S4 4785 BF 6 KA H 625 W Summit A Slate Slate 4785 ANSI 4%" x 1%" Strike 613 Oll Rubbed Bronze M Summit A Slate Full Lip Square Corner Strike Full Lip Square Corner Strike Full Lip Square Corner Strike KD Keyed Different FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Alike SK Special Keying -Construction Master Keyed NR4 Narrow Radius 2-3/4 Narrow Square 2-3/4 Narrow Square 2-3/4 Andius 2-3/8 -Additional Option NR4 Narrow Square 2-3/4 Radius 2-3/4 Radius 2-3/8 Zer on Bitted	70	Storeroom			625	Brigh	nt Chrome		LA		Sargent "LA"				
Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 54 4785 BF 6 KA E Sierra Image: Sierra Image	71	Storeroom SI	FIC		626	Satir	n Chrome		LC		Less Cylinder				
Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 54 4785 BF 6 KA E Sierra Image: Sierra Image															
QCL2 71 E 626 54 4785 BF 6 KA H 625 QCL2 71 E 626 54 4785 BF 6 KA H 625 Image: Construction of the second o		I			I	Bas	se Part Nu	mber	I					Additiona	l Optior
QCL2 71 E 626 54 4785 BF 6 KA H 625 QCL2 71 E 626 54 4785 BF 6 KA H 625 Image: Construction of the second o	Series	Funct	ion	Design	Finisł	n	Latch	Strike	Kevwa	IV	# of Pins	Kevin			
E Sierra M Summit A Slate QCL2 LATCH TABLE FR4 Radius 2-3/4 with 3/4 throw FS4 Square 2-3/4 with 3/4 throw NOL No Latch NR8 Narrow Radius 2-3/4 NS8 Narrow Square 2-3/4 NS8 Narrow Square 2-3/4 R4 Radius 2-3/8 R4 Radius 2-3/8 R4 Radius 2-3/8 R4 Radius 2-3/8				J								- /	-		Finisl
M Summit 478S ANSI 4% X 1/k Strike 625 Bright Chrome A Slate 118F ANSI 1/k" x 2/k" Strike 625 Bright Chrome V FLS Full Lip Square Corner Strike 625 Bright Chrome FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 NA Narrow Square 2-3/8 -Construction Keyed NS8 Narrow Square 2-3/8 -Maison Keyed -Maison Keyed R4 Radius 2-3/4 -Great Grand Master Keyed R8 Radius 2-3/8 -Great Grand Master Keyed	QCL2	71		Е	626		S4	478S	BF		6	KA		Н	625
M Summit 478S ANSI 4% X 1/k Strike 625 Bright Chrome A Slate 118F ANSI 1/k" x 2/k" Strike 625 Bright Chrome V FLS Full Lip Square Corner Strike 625 Bright Chrome FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 NA Narrow Square 2-3/8 -Construction Keyed NS8 Narrow Square 2-3/8 -Maison Keyed -Maison Keyed R4 Radius 2-3/4 -Great Grand Master Keyed R8 Radius 2-3/8 -Great Grand Master Keyed		!			1	I	,								
M Summit 478S ANSI 4% X 1/k Strike 625 Bright Chrome A Slate 118F ANSI 1/k" x 2/k" Strike 625 Bright Chrome V FLS Full Lip Square Corner Strike 625 Bright Chrome FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 NA Narrow Square 2-3/8 -Construction Keyed NS8 Narrow Square 2-3/8 -Maison Keyed -Maison Keyed R4 Radius 2-3/4 -Great Grand Master Keyed R8 Radius 2-3/8 -Great Grand Master Keyed		ľ	E	Sierra				1	ANICI 47/8				613	Oil Rubbed	I Bronze
A Slate Fill Also 1/8 × 2/4 state Image: Also 1/8 × 2/4 state FLS Full Lip Square Corner Strike FL Full Lip ½" Radius Corner Strike FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOS No Strike KA Keyed Alike NOL No Latch KA Keyed Second Keyed -Construction Keyed NR4 Narrow Radius 2-3/4 NA -Maison Keyed -Maison Keyed -Maison Keyed NS8 Narrow Square 2-3/4 NS8 Narrow Square 2-3/4 -Master Keyed -Grand Master Keyed R4 Radius 2-3/4 R8 Radius 2-3/8 -Grand Master Keyed -Grand Master Keyed															
FLS Full Lip Square Corner Strike FLR Full Lip Vare Corner Strike FLR Full Lip Vare Corner Strike NOS No Strike KD Keyed Different KA Keyed Alike Square 2-3/4 with 3/4 throw SK Special Keying NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 Aurrow Radius 2-3/8 -Construction Master Keyed NS8 Narrow Square 2-3/4 Aurrow Square 2-3/4 -Construction Master Keyed R4 Radius 2-3/8 -Great Grand Master Keyed -Great Grand Master Keyed R8 Radius 2-3/8 Zero Bitted													025		iic.
QCL2 LATCH TABLENOSNo StrikeKDKeyed DifferentFR4Radius 2-3/4 with 3/4 throwKAKeyed AlikeFS4Square 2-3/4 with 3/4 throwSKSpecial KeyingNOLNo LatchSKSpecial KeyingNR4Narrow Radius 2-3/4-Construction KeyedNS4Narrow Square 2-3/4-Maison KeyedNS8Narrow Square 2-3/4-Maiser KeyedR4Radius 2-3/4-Grand Master KeyedR8Radius 2-3/8ZB		i.													
QCL2 LATCH TABLEKDKeyed DifferentFR4Radius 2-3/4 with 3/4 throwKAKeyed AlikeFS4Square 2-3/4 with 3/4 throwSKSpecial KeyingNOLNo Latch-Construction KeyedNR4Narrow Radius 2-3/4-Construction Master KeyedNS4Narrow Square 2-3/4-Maison KeyedNS8Narrow Square 2-3/4-Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB										ad	ius Corner Strike				
FS4Square 2-3/4 with 3/4 throwSKSpecial KeyingNOLNo Latch-Construction KeyedNR4Narrow Radius 2-3/4-Construction Master KeyedNR8Narrow Square 2-3/4-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB			QCL2	LATCH TABLE				NOS	No Strike			KD	Keyed	Different	
NOLNo Latch-Construction KeyedNR4Narrow Radius 2-3/4-Construction Master KeyedNR8Narrow Radius 2-3/8-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8Zero Bitted			FR4	Radius 2-3	3/4 with 3	/4 thro	W					KA	Keyed	Alike	
NR4Narrow Radius 2-3/4-Construction Master KeyedNR8Narrow Radius 2-3/8-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB		-	FS4	Square 2-	3/4 with 3	3/4 thrc	W					SK	Specia	Il Keying	
NR8Narrow Radius 2-3/8-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB		-	NOL	No Latch									-Const	ruction Keyed	
NS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB			NR4	Narrow Ra	adius 2-3/	4							-Const	ruction Master	Keyed
NS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB		-	NR8	Narrow Ra	adius 2-3/	8							-Maisc	on Keyed	
R4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8Zero Bitted			NS4	Narrow So	quare 2-3/	/4							-Maste	er Keyed	
R8 Radius 2-3/8 ZB Zero Bitted			NS8	Narrow So	quare 2-3/	/8							-Granc	d Master Keyed	
		-	R4	Radius 2-3	3/4								-Great	Grand Master	Keyed
S3 Square 3-3/4			R8	Radius 2-	3/8							ZB	Zero B	itted	
			S3	Square 3-	3/4							••••••	••••		

Example

If you ordered: QCL271 E626 S4 478S BF6 KA H 625

.

You would get: Grade 2 Hurricane Compliant Cylindrical Storeroom Lock, Sierra Lever, Satin Chrome x Bright Chrome, 2^x Deadlatch Square, ANSI 4^x x 1^x Strike, BEST "F" SFIC Keyway, Keyed Alike.

S4

S5

S8

Square 2-3/4

Square 2-3/8

Square 5

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

Sierra (E)

Slate (A)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613*



Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613*

Summit (M)



Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613*



Model / Series	Functions	Stulo	Case Otre	List Price		
Model / Series	Functions	Style	Case Qty	626	605, 613, 619, 625	
QCL220	Half Dummy	E / M / A	12	73.00	78.00	
QCL230	Passage	E/M/A	6	149.00	159.00	
QCL235	Communicating	E/M/A	6	158.00	168.00	
QCL240*	Privacy	E/M/A	6	158.00	168.00	
QCL250	Entrance/Office	E/M/A	6	186.00	196.00	
QCL251	Entrance/Office SFIC	E/M/A	6	234.00	244.00	
QCL254	Corridor	E/M/A	6	186.00	196.00	
QCL255	Corridor SFIC	E/M/A	6	234.00	244.00	
QCL260	Classroom	E/M/A	6	186.00	196.00	
QCL261	Classroom SFIC	E/M/A	6	234.00	244.00	
QCL270	Storeroom	E/M/A	6	186.00	196.00	
QCL271	Storeroom SFIC	E/M/A	6	234.00	244.00	

Less Cylinder	List Price
Less Cylinder	Deduct 21.00
Less SFIC Cylinder	Deduct 48.00

	Options	Add
Н	Hurricane Compliant	5.00

NOTES:

* Privacy split finishes are priced at the highest finish price.

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

LATCH OPTIONS (SPECIFY FINISH)

Order # With Lock		Description	Service Part #	Price With Lock	Service Part List Price
1 1/8″ X 2 1/4″ FA					
Grade 2 - Deadlatch	S4	2 3/4" dead latch - square corner	8Q00187	NC	9.50
		2 3/4" dead latch - square corner - corridor function	8Q00578	NC	9.50
	R4	2 3/4" dead latch - radius corner	8Q00186	NC	9.50
		2 3/4" dead latch - radius corner- corridor function	8Q00577	NC	9.50
	S8	2 3/8" dead latch - square corner	8Q00189	NC	9.50
		2 3/8" dead latch - square corner - corridor function	8Q00580	NC	9.50
	R8	2 3/8" dead latch - radius corner	8Q00188	NC	9.50
		2 3/8" dead latch - radius corner - corridor function	8Q00579	NC	9.50
	S3	3 3/4" dead latch - square corner	8Q00190	Add 18.00	28.00
	S5	5" dead latch - square corner	8Q00191	Add 20.00	34.00
1" X 2 1/4" FACE PLATE, 7/8" HOUSING DIAMETER, GRADE 2, UL (NARROW FACE)					
Grade 2 - Deadlatch	NS4	2 3/4" dead latch - square corner	8Q00231	NC	9.50
(Ten o	NR4	2 3/4" dead latch - radius corner	8Q00230	NC	9.50
	NS8	2 3/8" dead latch - square corner	8Q00233	NC	9.50
	NR8	2 3/8" dead latch - radius corner	8Q00232	NC	9.50
1 1/8" X 2 1/4" FACE PLATE, 1" HOUSING DIAMETER, GRADE 1,3/4" THROW, 3 HR UL					
a de la de l	FS4	2 3/4" dead latch, square corner, 3/4" throw	8Q00438	Add 109.00	122.00
	FR4	2 3/4" dead latch, radius corner, 3/4" throw	8Q00437	Add 109.00	122.00
WIDE FACE LATCH FILLER					
<u> </u>		Wide face latch adaptor plate (converts 1″ latch face plate to 1 1/8″)	8Q00217	N/A	1.60
NO LATCH					
NOL		No Latch		Deduct 8.60	

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

STRIKE OPTIONS (SPECIFY FINISH)

Order # With Lock		Description	Service Part #	Price With Lock	Service Part List Price
0	118 F	2 3/4" x 11/8"T-Strike (Does not include screws. Screwpack 8Q00058)	8Q00165	NC	5.40
0 0	4785	4 7/8" x 1 1/4" ANSI Strike (Does not include screws. Screwpack 8Q00058)	8Q00166	NC	8.40
	FLR	2 1/4" Full Lip Round Corner Strike UL	8Q00241	NC	5.00
	FLS	2 1/4" Full Lip Square Corner Strike UL	8Q00240	NC	5.00
NO STRIKE	NO STRIKE				
NOS		No Strike		Deduct 4.50	

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Service Part List Price
	Installation Jig for Cylindrical Levers	8Q00075	14.00
	Tailpiece QCL250/QCL270 - Entry/Storeroom	8Q00072	2.90
	Tailpiece QCL260 - Classroom	8Q00074	2.90
	SFIC Tailpiece for QCL200 Series	8Q00302	2.80
AD	Cylinder Plug Holder QCL200 Series	8Q00066	2.00
	Screw Pack & Tailpiece SFIC for QCL200 Series (Specify finish)	8Q00064	4.10
(Languages)	Screw Pack for QCL200 Series Dummy (Specify finish)	8Q00059	2.10
	Screw Pack for QCL200 Series (Specify finish)	8Q00061	2.90
	Screw Pack for T-Strike (Specify finish)	8Q00058	2.10
	Trim Ring for Cylindrical Locks (Shims Lock off door approximately 1/8″) (Available in 605, 613, 619, 626)	8Q00221	26.00

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

							;·····	····	······		
							BF	BEST "F" SFIC			
							SMT	SmartKey*			
			······				KW	Kwikset "KW	"		
30	+	g (Passage Lev		.		······	WE	Weiser "E"			
31		g SFIC (Passag	·····;	605	Bright Brass		SC	Schlage "C"			
50	•	ng (Entry Leve	······	613	Oil Rubbed Br	onze	GA	Yale "GA"			
51	•	ng SFIC (Entry	Lever)	619	Satin Nickel		LA	Sargent "LA"			
35	Indicator (Pas	sage Lever)		626	Satin Chrome		LC	Less Cylinde	r		
				Ва	se Part Numb	ber					
	Series	Function	Design	Finish	Latch	Strike	Keywa	y # Of Pir	IS	Keying	
	QCI2	31	E	626	NR4	118F	BF	6		KD	
		E M A	Sierra Summit Slate						KD KA SK	Keyed Dif Keyed Alik Special Ke	<e< th=""></e<>
	Order	u/lock		adbolt Lato	ا به					· · · ; · · · · · · · · · · · · · · · · · · ·	tion Master Keyed
		NR4		adius 2-3/4	.11					-Maison K	
		NS4		quare 2-3/4						-Master Ke	
		NS8		quare 2-3/8						••••	aster Keyed
		R4		us 2-3/4						••••	and Master Keyed
		S4		re 2-3/4					ZB	Zero Bitte	
		S8	·····	re 2-3/8				<u>.</u>		<u>.</u>	
	Order v	w/l ock	Lever Latch	Deadh	olt Latch	Order v	v/Lock	Lever Strike	Dea	dbolt Strike	
		·····	arrow Radius 2-3/8		Radius 2-3/4	118	ßF	118F		DBS	
		R8	Radius 2-3/8		us 2-3/4	478	3S	478S		DBS	
	<u>i</u>	<u>-</u>				FL	S	FLS		DBS	
						FL	R	FLR		DBS	
						FLS	52	FLS		FLS	

FLR2

NOS

FLR

No Strikes

FLR

NOTES:

* SmartKey available on QCI230 function only

Example

.....

If you ordered: QCI231 E626 NR4 118F BF6 KD

You would get: Grade 2 Interconnect Single SFIC Lock, Sierra Lever, Satin Chrome, 2[‡] Narrow Radius Latches,

"T" Strike with Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different.

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks



Model/Series	Functions	Stule	Case	List	Price
Model/Series	Functions	Style	Qty	626	605, 613, 619
QCI230	Single Locking (Passage Lever)	E/M/A	6	336.00	349.00
QCI231	Single Locking SFIC (Passage Lever)	E/M/A	6	364.00	379.00
QCI250	Double Locking (Entry Lever)	E/M/A	6	374.00	386.00
QCI251	Double Locking SFIC	E/M/A	6	475.00	491.00
QCI285	Indicator	E/M/A	6	377.00	392.00

	Less Cylinder	List Price
	Less Cylinder	Deduct 21.00
LC	Less SFIC Cylinder	Deduct 48.00

Order w/ Lock	Description	w/ Lock
FT	QCI200 Exterior Escutcheon Trim	Add 27.00

NOTES:

SmartKey Available on QCI230 Functions only. Consult factory for lead times on 605 finish.

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

LATCH COMBINATIONS (SPECIFY FINISH)

Order # With Lock		Lever Latch	atch Deadbolt Latch	
	S4	2 3/4" dead latch, square corner, 1 1/8" Face	2 3/4" bolt latch, square corner, 1 1/8" Face	NC
	R4	2 3/4" dead latch, radius corner, 1 1/8" Face	2 3/4" bolt latch, radius corner, 1 1/8" Face	NC
	S8	2 3/8" dead latch, square corner, 1 1/8" Face	2 3/8" bolt latch, square corner, 11/8" Face	NC
	R8	2 3/8" dead latch, radius corner, 1 1/8" Face	2 3/8" bolt latch, radius corner, 1 1/8" Face	NC
All QCI Series	NS4	2 3/4" dead latch, square corner, 1" Face	2 3/4" bolt latch, square corner, 1" Face	NC
	NR4	2 3/4" dead latch, radius corner, 1 " Face	* dead latch, radius corner, 1 " Face 2 3/4" bolt latch, radius corner, 1" Face	
	NS8	2 3/8" dead latch, square corner, 1" Face	2 3/8" bolt latch, square corner, 1" Face	NC
	NR8	2 3/8" dead latch, radius corner, 1" Face	2 3/8" bolt latch, radius corner, 1" Face	NC
NO LATCH				
NOL		No Latch (Leve	Deduct 24.00	

LATCH OPTIONS (SPECIFY FINISH)

Order as parts only		Description	Service Part #	Service Part List Price		
Grade 2 -	1 -1/8″ X 2 -1/4″	1 -1/8" X 2 -1/4" FACE PLATE, 7/8" HOUSING DIAMETER, GRADE 2, UL (WIDE FACE)				
Deadlatch	S4	2 3/4" dead latch - square corner	8Q00187	9.50		
	R4	2 3/4" dead latch - radius corner	8Q00186	9.50		
	S8	2 3/8" dead latch - square corner	8Q00189	9.50		
	R8	2 3/8" dead latch - radius corner	8Q00188	9.50		
Grade 2 -	1"X 2-1/4" NARF FACE)	ROW FACE PLATE,7/8" HOUSING DIAI	METER, GRADE 2, UL (NARROW			
Deadlatch	NS4	2 3/4" dead latch - square corner	8Q00231	9.50		
	NR4	2 3/4" dead latch - radius corner	8Q00230	9.50		
	NS8	2 3/8" dead latch - square corner	8Q00233	9.50		
	NR8	2 3/8" dead latch - radius corner	8Q00232	9.50		

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

DEADBOLT OPTIONS (SPECIFY FINISH)

Order as parts only		Description	Service Part #	Service Part List Price
	DEADBOLT: 1 -1	/8" X 2 -1/4" FACE PLATE, DEADBOLT, UL (WIDE FACE)		
Grade 2 - Boltlatch	S4	2 3/4" deadbolt - square corner	8Q00170	17.00
	R4	2 3/4" deadbolt - radius corner	8Q00169	17.00
19	58	2 3/8" deadbolt - square corner	8Q00168	17.00
	R8	2 3/8" deadbolt - radius corner	8Q00167	17.00
	DEADBOLT: 1")			
Grade 2 - Boltlatch	NS4	2 3/4" deadbolt - square corner	8Q00442	18.00
	NR4	2 3/4" deadbolt - radius corner	8Q00441	18.00
1.2	NS8	2 3/8" deadbolt - square corner	8Q00440	18.00
	NR8	2 3/8" deadbolt - radius corner	8Q00439	18.00
	WIDE FACE LAT			
		Wide face latch adaptor plate (converts 1" latch face plate to 11/8")	8Q00217	1.60

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

STRIKE COMBINATIONS (SPECIFY FINISH)

Order # With Lock	Lever Latch Deadbolt Latch		Service Part List Price
118F	2 3/4" x 1 1/8"T-Strike Standard Deadbolt Strike		NC
4785	ANSI 4 7/8″ x 1 1/4″ Strike	Standard Deadbolt Strike	Add 3.00
FLS	Full Lip Square Corner Strike	Standard Deadbolt Strike	NC
FLR	Full Lip Radius Corner Strike	Standard Deadbolt Strike	NC
FLS2	Full Lip Square Corner Strike	Full Lip Square Corner Strike	NC
FLR2	Full Lip Radius Corner Strike	Full Lip Radius Corner Strike	NC
NO STRIKE			
NOS	No Strike		Deduct 9.10

Order as parts only		Description	Service Part #	Service Part List Price
LEVER				
٩	118 F	2 3/4" x 1 1/8" T-Strike	8Q00165	5.40
[] []	4785	ANSI 4 7⁄8″ x 11⁄4″ Strike	8Q00166	8.40
	FLS	Full Lip Square Corner Strike	8Q00240	5.00
	FLR	Full Lip Radius Corner Strike	8Q00241	5.00
DEADBOLT	·			
0 0	DBS	2 3/4" x 11/8" Deadbolt Strike - Square	8Q00164	5.10
	DBR	2 3/4" x 11/8" Deadbolt Strike - Radius	8Q00530	5.10
	478DS	ANSI 4 7⁄8″ x 11⁄4″ Deadbolt Strike	8Q00244	8.40
	FLS	2 1/4" Full Lip Square Corner Deadbolt Strike	8Q00317	5.10
	FLR	2 1/4" Full Lip Radius Corner Deadbolt Strike	8Q00316	5.10
Less Cylinder				List Price
LC	Less Cylinder			Deduct 21.00
	Less SFIC Cylinde	r		Deduct 48.00

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Service Part List Price
	QCI200 Series deadbolt tailpiece	8Q00083	2.90
	Tailpiece QCI200 Series	8Q00072	2.90
	QCI200 Series outside escutcheon trim - 4' center to center (Specify finish)	8Q00303	26.00
NO IMAGE	QCI200 Series Screw Pack	8Q00304	2.90
NO IMAGE	QCI251 Screw Pack	8Q00305	2.90
NO IMAGE	QCI231 Screw Pack	8Q00306	2.90
NO IMAGE	QCI200 Series Door Thickness Adjustment Gauge	8Q00307	2.10
NO IMAGE	QCI200 Series IC Core Tailpiece	8Q00308	2.90
NO IMAGE	Indicator Emergency Key	8Q00531	2.60
	SmartKey Learn Tool	8Q00555	5.10

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

20	Single Dummy
30	Passage
40	Privacy
50	Entry/Office
51	Entry/Office SFIC
60	Classroom
61	Classroom SFIC
70	Storeroom
71	Storeroom SFIC

		BF	BEST "F" SFIC
		KW	Kwikset "KW"
605	Bright Brass	WE	Weiser "E"
613	Oil Rubbed Bronze	SC	Schlage "C"
619	Satin Nickel	GA	Yale "GA"
625	Bright Chrome	LA	Sargent "LA"
626	Satin Chrome	LC	Less Cylinder

Base Part Number										Additiona	l Option
Series	Function	Design	Finish	Latch	Strik	e Keyway	# of Pins	Keying		Hurricane Compliant	2nd Finish
QTL2	71	E	626	SA	FLF	BF	6	KA		н	625
	E	Sierra			478S	ANSI 47%" x 11/4" St	rike			625 Bright C	hrome
	М	Summit			118F	ANSI 11/8" x 23/4" St	trike		••••		
	A	Slate			FLS	Full Lip Square Co	orner Strike				
	•••••••				FLR	Full Lip ¼" Radius	Corner Strike				
		:			NOS	No Strike			· · . · · · · ·		
		QTL2 LA	ATCH TABLE (1	New)		-		KD	Key	yed Different	
		RA	Adjustable	Radius				KA	Key	yed Alike	
		SA	Adjustable	Square				SK	Spe	ecial Keying	
		NOL	No Latch						-Co	onstruction Keye	d
									-Co	onstruction Mast	er Keyed
									-M	aison Keyed	
									-M	aster Keyed	
									-Gr	rand Master Keye	ed
									-Gr	reat Grand Maste	er Keyed

ZB Zero Bitted

Example

÷

······

If you ordered: QTL271 E 626 SA FLR BF 6 KA H 625

You would get: Grade 2 Hurricane Compliant Tubular Storeroom SFIC Lock, Sierra Lever, Satin Chrome x Bright Chrome, Adjustable Square Latch, Full Lip ¼" Radius Corner Strike, Standard "F" Keyway, Keyed Alike.

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



.......

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*

Summit (M)



Slate (A) Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



Model/Series	Functions	Stule	Case Othe	List	Price
wodel/series	Functions	Style	Case Qty	626	605, 613, 619, 625
QTL220	Half Dummy	E / M / A	12	58.00	65.00
QTL230	Passage	E/M/A	10	115.00	129.00
QTL240*	Privacy	E/M/A	10	123.00	137.00
QTL250	Entry/Office	E/M/A	10	138.00	152.00
QTL251	Entry/Office SFIC	E/M/A	10	190.00	206.00
QTL260	Classroom	E/M/A	10	138.00	152.00
QTL261	Classroom SFIC	E/M/A	10	190.00	206.00
QTL270	Storeroom	E/M/A	10	138.00	152.00
QTL271	Storeroom SFIC	E/M/A	10	190.00	206.00

	Less Cylinder	List Price
	Less Cylinder	Deduct 21.00
LC	Less SFIC Cylinder	Deduct 48.00

	Options	Add
Н	Hurricane Compliant	5.00

NOTES:

* Privacy split finishes are priced at the highest finish price.

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

LATCH OPTIONS (SPECIFY FINISH)

Order # With Lock		Description Service Part		Price With Lock	Service Part List Price
1" X 2 -1/4" FACE	E PLATE, GRADE				
	SA	Adjustable tubular dead latch, 1" square corner face plate G2 UL	8Q00162	NC	12.00
	RA	Adjustable tubular dead latch, 1" radius corner face plate G2 UL	8Q00204	NC	12.00
WIDE FACE LAT	CH FILLER				
		Wide face latch adaptor plate (converts 1″ latch face plate to 11⁄8″)	8Q00217	N/A	1.60
NO LATCH			·		
NOL		No Latch		Deduct 11.00	

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

STRIKE OPTIONS (SPECIFY FINISH)

	ler # Lock	Description	Service Part #	Price With Lock	Service Part List Price
0 0	118 F	2 3⁄4″ x 11⁄8″ T-Strike (Does not include screws. Screwpack 8Q00058)	8Q00165	NC	5.40
() () ()	4785	4 7/8" x 11/4" ANSI Strike (Does not include screws. Screwpack 8Q00058)	8Q00166	NC	8.40
	FLR	2 1/4" Full Lip Round Corner Strike UL	8Q00241	NC	5.00
	FLS	2 1/4" Full Lip Square Corner Strike UL	8Q00240	NC	5.00
NO STRIKE					
NOS		No Strike		Deduct 4.50	

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

OTHER PARTS & SCREW PACKS

Description	Service Part #	Service Part List Price
Tailpiece QTL200 & QRT300 Series	8Q00073	2.90
Cylinder Plug Holder QTL200 Series - Summit Style	8Q00067	2.20
Cylinder Plug Holder QTL200 Series - Sierra Style	8Q00068	2.20
Screw Pack for QTL200 Series (Specify Finish)	8Q00062	2.20
Screw Pack for T-Strike (Specify Finish)	8Q00058	2.10
Thick Door Pack for QTL200 Series (1 3⁄4″ - 2″) (Specify Finish)	8Q00063	2.20

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

						BF	BEST "F" SFIC		
0	Single Cylinder					KW	Kwikset "KW"	7	
31	Single Cylinder S	FIC	605	Bright Brass		WE	Weiser "E"		
2	Double Cylinder		613	Oil Rubbed Bronz	e.	SC	Schlage "C"	2' - - -	
3	Double Cylinder	ouble Cylinder SFIC		Satin Nickel	Satin Nickel		Yale "GA"		
6	Classroom	assroom		Bright Chrome		LA	Sargent "LA"		
7	Classroom SFIC		626	Satin Chrome		LC	Less Cylinder		
				Base Part	Number				Additional Options
	Series	Function	Finish	Deadbolt	Strike	Keyway	/ # of Pins	Keyin	
	QDB1	81	626	S8	DBS	BF	6	KD	Н
	QDB1		626 DEADBOLT T No Latch Narrow Rac Narrow Rac Narrow Squ	ABLE (New) dius 2-3/4 dius 2-3/8	DBS	BF	6	KD KD KA SK	H Keyed Different Keyed Alike Special Keying -Construction Keyed
	QDB1	QDB1 NOL NR4 NR8	DEADBOLT T No Latch Narrow Rac Narrow Rac Narrow Squ	ABLE (New) dius 2-3/4 dius 2-3/8 Jare 2-3/4	DBS	BF	6	KD KA	H Keyed Different Keyed Alike Special Keying -Construction Keyed -Construction Master Keye
	QDB1	QDB1 NOL NR4 NR8 NS4	DEADBOLT T No Latch Narrow Rac Narrow Rac	ABLE (New) dius 2-3/4 dius 2-3/8 Jare 2-3/4 Jare 2-3/8	DBS	BF	6	KD KA	H Keyed Different Keyed Alike Special Keying -Construction Keyed
	QDB1	QDB1 NOL NR4 NR8 NS4 NS8	DEADBOLT T No Latch Narrow Rac Narrow Rac Narrow Squ Narrow Squ	ABLE (New) dius 2-3/4 dius 2-3/8 Jare 2-3/4 Jare 2-3/8 4	DBS	BF	6	KD KA	H Keyed Different Keyed Alike Special Keying -Construction Keyed -Construction Master Keyed -Maison Keyed
	QDB1	QDB1 NOL NR4 NR8 NS4 NS8 R4	DEADBOLT T No Latch Narrow Rac Narrow Rac Narrow Squ Narrow Squ Narrow Squ Radius 2-3/	ABLE (New) dius 2-3/4 dius 2-3/8 Jare 2-3/4 Jare 2-3/8 '4 '8	DBS	BF	6	KD KA	H Keyed Different Keyed Alike Special Keying -Construction Keyed -Construction Master Keyed -Maison Keyed -Master Keyed

478S	ANSI 4 7%" x 1 1⁄4" Strike
DBS	Deadbolt Strike 1½" x 2¾" Square
FLS	Full Lip Square Corner Strike
FLR	Full Lip ¼" Radius Corner Strike
NOS	No Strike
	DBS FLS FLR


Example

If you ordered: QDB281 626 S8 DBS BF 6 KD H

You would get: Grade 1 Single Cylinder SFIC Auxiliary Deadbolt, Satin Chrome, 2³/₈" Deadbolt Latch Square, Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different, Hurricane Compliant.

.....

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts



Model/Series	Eurotions	Case Othe	List	Price
Model/Series	Functions Case Qt		626	605, 613, 619, 625
QDB180	Single Cylinder	12	135.00	140.00
QDB181	Single Cylinder SFIC	12	183.00	188.00
QDB182	Double Cylinder	12	174.00	179.00
QDB183	Double Cylinder SFIC	12	270.00	275.00
QDB186	Classroom	12	142.00	147.00
QDB187	Classroom SFIC	12	190.00	195.00

	Less Cylinder	List Price
	Less Cylinder	Deduct 21.00
LC	Less SFIC Cylinder	Deduct 48.00

Options		Add
Н	Hurricane Compliant	5.00

NOTES:

Consult factory for lead times on 605, 625 finishes.

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

DEADBOLT OPTIONS (SPECIFY FINISH)

Order # With Lock		Description	Service Part #	Price With Lock	Service Part List Price
1 -1⁄8″ X 2 -1⁄4″ I	1 -1/8" X 2 -1/4" FACE PLATE, DEADBOLT, UL (WIDE FACE)				
	S4	2 3⁄4″ deadbolt - square corner	8Q00170	NC	17.00
	R4	2 3⁄4″ deadbolt - radius corner	8Q00169	NC	17.00
	58	2 3⁄8″ deadbolt - square corner	8Q00168	NC	17.00
	R8	2 3⁄8″ deadbolt - radius corner	8Q00167	NC	17.00
1" X 2 -1/4" FACE	E PLATE, DEADBO	OLT, UL (NARROW FACE)			
	NS4	2 3/4" deadbolt - square corner	8Q00237	NC	17.00
0	NR4	2 3⁄4″ deadbolt - radius corner	8Q00236	NC	17.00
2	NS8	2 3⁄8″ deadbolt - square corner	8Q00235	NC	17.00
	NR8	2 3⁄8″ deadbolt - radius corner	8Q00234	NC	17.00
WIDE FACE LAT	CH FILLER				
		Wide face latch adaptor plate (converts 1″ latch face plate to 1-1⁄8″)	8Q00217	N/A	1.60
NOLATCH					
N	OL	No Latch		Deduct 16.00	

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

STRIKE OPTIONS (SPECIFY FINISH)

Order # With Lock		Description	Service Part #	Price With Lock	Service Part List Price
0	DBS	23⁄4″ x 11⁄8″ Standard Deadbolt Strike and Reinforcer	8Q00164	NC	5.10
	DBR	23/4" x 11/8" Standard Radius Deadbolt Strike and Reinforcer	8Q00530	NC	5.10
0	4785	4 7⁄8″ x 1 1⁄4″ ANSI Strike	8Q00244	Add 3.60	8.40
	FLR	21⁄4″ Full Lip Round Corner Strike UL	8Q00316	NC	5.10
	FLS	2 1/4" Full Lip Square Corner Strike UL	8Q00317	NC	5.10
		Plastic Strike Box for QDB100 & QDB200 Series (DBS Strike only)	8Q00161	N/A	2.90
NO STRIKE			1		
N	DS	No Strike		Deduct 4.60	

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Service Part List Price
	Tailpiece for QDB100 & QDB200 Series Double Cylinder (Qty 2)	8Q00085	2.90
	Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series	8Q00083	2.90
00	Spacer for Double Cylinder Deadbolt SFIC QDB100 & QDB200 Series (Specify finish)	8Q00082	2.90
Θ	Thick Door Pack for QDB100 Series Single Cylinder (1 3⁄4″- 2 1⁄4″) (Specify finish)	8Q00077	2.90
Ming g	Thick Door Pack for QDB100 & QDB200 Series Double Cylinder (1 3/4"- 2 1/4") (Specify finish)	8Q00079	2.90
	Thick Door Kit - Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series (1 3⁄4″- 2 1⁄4″)	8Q00084	2.90
	Cylinder Screw QDB100 & QDB200 Series	8Q00086	2.90
	Screw Pack for T-Strike (Specify finish)	8Q00058	2.10
	Screw Pack for QDB100 Series Single Cylinder (Specify finish)	8Q00076	2.90
	Screw Pack for QDB100 & QDB200 Series Double Cylinder (Specify finish)	8Q00078	2.90

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

0	Single Cyl	linder							
1	Single Cyl	linder SFIC				BF	BEST "F" SFIC		
2	Double C	ylinder				SMT	SmartKey*		
3	Double C	ylinder SFIC				KW	Kwikset "KW"		
4	Inside Tur	nbolt	605	Bright Brass		WE	Weiser "E"		
5	Indicator		613	Oil Rubbed Bronz	ze	SC	Schlage "C"		
6	Classroon	n	619	Satin Nickel		GA	Yale "GA"		
7	Classroon	n SFIC	625	Bright Chrome		LA	Sargent "LA"		
8	Key Conti	rol†	626	Satin Chrome		LC	Less Cylinder		
									Additiona
				Base Part	Number				Options
	Series	Functior	n Finish	Deadbolt	Strike	Keyway	/ # of Pins	Keying	Hurricane Complian
	QDB2	81	626	S8	DBS	BF	6	KD	Н
	QDB2		626 DEADBOLT TABLE	 	DBS	BF	6 KD	KD Keyed Differen	H
	QDB2			(New)	DBS	BF			H
	QDB2	QDB2 D	EADBOLT TABLE	(New)	DBS	BF	KD	Keyed Differen Keyed Alike Special Keying	t
	QDB2	QDB2 D 6A	EADBOLT TABLE	(New)	DBS	BF	KD KA	Keyed Differen Keyed Alike Special Keying -Construction	t Keyed
	QDB2	QDB2 E 6A NOL	EADBOLT TABLE 6-Way Adjustab No Latch	(New) ble 2-3/4	DBS	BF	KD KA	Keyed Differen Keyed Alike Special Keying -Construction -Construction	t Keyed Master Keyed
	QDB2	QDB2 D 6A NOL NR4 NR8 NS4	EADBOLT TABLE 6-Way Adjustab No Latch Narrow Radius Narrow Radius Narrow Square	(New) ole 2-3/4 2-3/8 2-3/4	DBS	BF	KD KA	Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed	t Keyed Master Keyed
	QDB2	QDB2 D 6A NOL NR4 NR8 NS4 NS8	EADBOLT TABLE 6-Way Adjustat No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square	(New) ole 2-3/4 2-3/8 2-3/4	DBS	BF	KD KA	Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed	t Keyed Master Keyed
	QDB2	QDB2 C 6A NOL NR4 NR8 NS4 NS4 NS8 R4	EADBOLT TABLE 6-Way Adjustab No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square Radius 2-3/4	(New) ole 2-3/4 2-3/8 2-3/4	DBS	BF	KD KA	Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed -Grand Master	t Keyed Master Keyed Keyed
	QDB2	QDB2 D 6A NOL NR4 NR8 NS4 NS4 R4 R8	EADBOLT TABLE 6-Way Adjustab No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square Radius 2-3/4 Radius 2-3/8	(New) ole 2-3/4 2-3/8 2-3/4	DBS	BF	KD KA SK	Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed -Grand Master -Great Grand N	t Keyed Master Keyed Keyed
	QDB2	QDB2 C 6A NOL NR4 NR8 NS4 NS4 NS8 R4	EADBOLT TABLE 6-Way Adjustab No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square Radius 2-3/4	(New) ole 2-3/4 2-3/8 2-3/4	DBS	BF	KD KA	Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed -Grand Master	t Keyed Master Keyed Keyed

478S	ANSI 4%" x 1¼" Strike
DBS	Deadbolt Strike 1½" x 2¾" Square
DBR	Deadbolt Strike 1 ¹ / ₈ " x 2 ³ / ₄ " Radius
FLS	Full Lip Square Corner Strike
FLR	Full Lip ¼" Radius Corner Strike
NOS	No Strike

NOTES:

+ QDB288 Key Control deadbolt only available with SmartKey cylinders. SmartKey cylinder option on QDB280 only. * QDB288 is only available with either SA or RA latches. SA and RA latches not available on other deadbolts.

.....

Example

If you ordered: QDB281 626 S8 DBS BF6 KD H

You would get: Grade 2 Single Cylinder SFIC Auxiliary Deadbolt, Satin Chrome, 2 ^{*}/₈" Deadbolt Latch Square, Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different, Hurricane Compliant.

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts



Medal/Service	Functions	Case Oty	List Price	
Model/Series	Functions	Case Qty	626	605, 613, 619, 625
QDB280	Single Cylinder	12	83.00	91.00
QDB281	Single Cylinder SFIC	12	107.00	114.00
QDB282	Double Cylinder	12	104.00	109.00
QDB283	Double Cylinder SFIC	12	155.00	160.00
QDB284	Inside Turnbolt	20	42.00	48.00
QDB285	Indicator	12	69.00	74.00
QDB286	Classroom	12	90.00	95.00
QDB287	Classroom SFIC	12	112.00	120.00

	Options	Add
н	Hurricane Compliant	5.00

NOTES:

* QDB288 is only available with either SA or RA latches. SA and RA latches not available on other deadbolts. Subject to availability. Consult factory.

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

DEADBOLT OPTIONS (SPECIFY FINISH)

Order # With Lock		Description	Service Part #	Price With Lock	Service Part List Price
1 1⁄8″ X 2 1⁄4″ FA	1 1/8" X 2 1/4" FACE PLATE, DEADBOLT, UL (WIDE FACE)				
	S4	2 3⁄4″ deadbolt - square corner	8Q00170	NC	17.00
0000	R4	2 3⁄4″ deadbolt - radius corner	8Q00169	NC	17.00
0	S8	2 3⁄8″ deadbolt - square corner	8Q00168	NC	17.00
	R8	2 3⁄8″ deadbolt - radius corner	8Q00167	NC	17.00
1" X 2 1/4" FACE	PLATE, DEA	DBOLT, UL (NARROW FACE)			
	NS4	2 3⁄4″ deadbolt - square corner	8Q00237	NC	17.00
0	NR4	2 3⁄4″ deadbolt - radius corner	8Q00236	NC	17.00
0	NS8	2 3⁄8″ deadbolt - square corner	8Q00235	NC	17.00
	NR8	2 3⁄8″ deadbolt - radius corner	8Q00234	NC	17.00
6 WAY ADJUSTA	BLE LATCHE	S, DEADBOLT, UL (NARROW)			
	6A	1" square corner, 1" round corner and drive- in	8Q00482	Add 2.80	18.00
WIDE FACE LATC	H FILLER				
		Wide face latch adaptor plate (converts 1" latch face plate to 11/8")	8Q00217	N/A	1.60
NO LATCH					
NOL		No Latch		Deduct 16.00	

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

STRIKE OPTIONS (SPECIFY FINISH)

Order With Lo		Description	Service Part #	Price With Lock	Service Part List Price
0 0	DBS	2 3⁄4″ x 11⁄8″ Standard Deadbolt Strike and Reinforcer	8Q00164	NC	5.10
	DBR	2 3⁄4″ x 11⁄8″ Standard Radius Deadbolt Strike and Reinforcer	8Q00530	NC	5.10
	4785	4 7⁄8″ x 11⁄4″ ANSI Strike	8Q00244	Add 3.60	8.40
	FLR	2 1/4" Full Lip Round Corner Strike UL	8Q00316	NC	5.10
	FLS	2 1/4" Full Lip Square Corner Strike UL	8Q00317	NC	5.10
		Plastic Strike Box for QDB100 & QDB200 Series (DBS Strike only)	8Q00161	N/A	2.90
NO STRIKE					
NOS		No Strike		Deduct 4.60	

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

CYLINDER OPTIONS (SPECIFY FINISH)

Order # With Lock	Description	Price With Lock
LESS CYLIN	DER	
	Less Cylinder	Deduct 23.00
LC	Less SFIC Cylinder	Deduct 45.00

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

OTHER PARTS & SCREW PACKS


	Description	Service Part #	Service Part List Price
	Tailpiece for QDB100 & QDB200 Series Double Cylinder (Qty 2)	8Q00085	2.90
	Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series	8Q00083	2.90
00	Spacer for Double Cylinder Deadbolt SFIC QDB100 & QDB200 Series (Specify finish)	8Q00082	2.90
ø	Thick Door Pack for QDB200 Series Single Cylinder (1 3⁄4″- 2 1⁄4″) (Specify finish)	8Q00081	2.90
Jim 3	Thick Door Pack for QDB100 & QDB200 Series Double Cylinder (1 3⁄4″- 2 1⁄4″) (Specify finish)	8Q00079	2.90
6	Thick Door Kit - Tailpiece and washer for Single Cylinder (1 3/4"- 21/4")	8Q00084	2.90
Ø	Thick Door Kit - Tailpiece and washer for Single SFIC Cylinder (1 3/4"- 21/4")	8Q00588	2.90
	Cylinder Screw QDB100 & QDB200 Series	8Q00086	2.90
	Screw Pack for T-Strike (Specifyfinish)	8Q00058	2.10
	Screw Pack for QDB200 Series Single Cylinder (Specifyfinish)	8Q00080	2.90
	Screw Pack for QDB100 & QDB200 Series Double Cylinder (Specify finish)	8Q00078	2.90
NO IMAGE	Indicator Emergency Key	8Q00531	2.60
	SmartKey Learn Tool	8Q00555	5.10

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

OTHER PARTS & SCREW PACKS

Description	Service Part #	Service Part List Price
Reset Cradle for SmartKey cylinders	8Q00484	48.00

QED100 Series | Grade 1 | Heavy Duty Exit Devices



* Applies to Vertical Rods only.

** Applies to Cylinder Dogged only.

+ HC is only available for QED111-QED116.

Example

If you ordered: QED115 36" 7FT 313AN BF KD

You would get: Grade 1 Heavy Duty Architectural Surface Vertical Rod Exit Device with Cylinder Dogging for a 7 Foot Door, in Anodized Duronodic Bronze finish. SFIC "F" Keyway, Keyed Different.

QED100 Series | Grade 1 | Heavy Duty Exit Devices



Model/Series	Functions	Style	Casa Otiv	List Price		
Model/Series		Style	Case Qty	626	605, 313AN	
QED111	Rim - Hex Dog		1	998.00	1032.00	
QED112	Rim - Cylinder Dog		1	1058.00	1092.00	
QED113	Rim - Fire Rated		1	1066.00	1100.00	
QED114	SVR - Hex Dog	7FT	1	1312.00	1346.00	
QED115	SVR - Cylinder Dog	7FT	1	1372.00	1406.00	
QED116	SVR - Fire Rated	7FT	1	1379.00	1413.00	
QED117	SVR Less Bottom Rod - Hex Dog	7FT	1	1270.00	1304.00	
QED118	SVR Less Bottom Rod - Cylinder Dog	7FT	1	1332.00	1366.00	
QED119	SVR Less Bottom Rod - Fire Rated	7FT	1	1338.00	1372.00	
QED124	CVR - Hex Dog	7FT	1	1379.00	1413.00	
QED125	CVR - Cylinder Dog	7FT	1	1438.00	1472.00	
QED126	CVR - Fire Rated	7FT	1	1450.00	1484.00	
QED127	CVR - LBR - Hex Dog	7FT	1	1359.00	1393.00	
QED128	CVR - LBR - Cylinder Dog	7FT	1	1419.00	1453.00	
QED129	CVR - LBR - Fire Rated	7FT	1	1426.00	1460.00	

Less Cylinder		List Price
LC	Less Cylinder	Deduct 47.00

Options		Add
8FT	Vertical rod kit for 8FT door application	46.00
48″	48" Device (Consult factory for lead-time)	52.00
	Hurricane Compliant Rim	107.00
HC	Hurricane Compliant SVR	24.00

NOTES:

All LBR fire rated devices include a bottom fire bolt. Consult factory for lead times on 605 finish.

QED100 Series | Grade 1 | Heavy Duty Exit Devices

ELECTRIFIED OPTIONS (CONSULT FACTORY FOR LEAD TIMES)



Model #	Description	
QEDLR	Electrified Latch Retraction (LR) allows for the remote unlatching of exit devices. Continuous duty solenoids retract latches momentarily or for extended periods of time. Requires the use of power supply 8Q00312 or 8Q00313.	938.00
QEDED	Electrified Dogging (ED) allows continuous latch retraction and dogging simultaneously. ED requires first time mechanical activation after which the push bar will continuously hold the push bar and latch retracted. When power is removed or interrupted from the device, the latch bolt will extend and push bar will release. Uses power supply 8Q00314 (on page 50)	809.00
QEDX	Request to Exit (X) is an SPDT (Single Pole Double Throw) switch which monitors the push bar of the exit device. The X switch can be used to activate a door alarm, control a magnetic locking device, shunt a door alarm or signal a control console when the push bar is depressed.	301.00
QEDLRX	Electrified Latch Retraction (LR) device with a Request to Exit (X) switch. Requires the use of power supply 8Q00312 or 8Q00313.	1164.00
QEDEDX	Electrified Dogging (ED) device with a Request to Exit (X) switch. Uses power supply 8Q00314 (on page 50)	1037.00

POWER SUPPLY OPTIONS (CONSULT FACTORY FOR LEAD TIMES)

Model #	Description	List Price Adder
8Q00312	Power supply for Electronic Latch Retraction Devices (LR/LRX)	1017.00
8Q00313	Power supply with Day/Night mode for Electronic Latch Retraction Devices (LR/LRX)	1156.00

Electrified Product Specifications


- Consult Factory for lead times
- Electrification prices should be added to price of device
- · Continuous duty solenoids
- · Lifetime warranty on exit device; 1 year warranty on electronic components
- LR or LRX requires power supply 8Q00312 or 8Q00313
- Minimum door width 36"
- LR and ED requires the removal of mechanical dogging mechanism
- Options can be used in any Hex Dog or Fire Rated QED 100 Series Device (How to order example: QED111LR 36" 626)

Power Supply Specifications (10" x 10" x 4.25")

8Q00312

- Provides power for up to two LR or LRX devices
- Supplied with wiring diagram in detailed instructions
- Automatic door operator interface
- Independent control of single exit devices (one or two single doors) or sequential operation of two devices (pair of doors) field adjustable latch retraction time delay
- 24VDC or 12 VDC auxiliary power, unfiltered & unregulated **8Q00313**
- Same as 8Q00312 with the addition of a day/night mode
- Provides separate input for retracting one exit device or two exit devices sequentially without activating the auto door operator. While the latches are held retracted auto operator can be activated independently from a different output.

QED200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Devices



* Applies to Vertical Rods only.

** Applies to Cylinder Dogged only.

† QED213 available with HMS strike only.

NOTES:

Rim devices with ALS Strike and SVR devices require minimum stile width of 2". Rim devices with HMS and CVR devices require minimum stile wide of 3.5".

Example

If you ordered: QED215 36" 7FT 626 BF KD

You would get: Grade 1 Heavy Duty Narrow Stile Surface Vertical Rod Exit Device with Cylinder Dogging for a 7 Foot Door, in Brushed Chrome finish, SFIC "F" Keyway, Keyed Different.

QED200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Devices



Model/Series	Model/Series Functions Style Case Q	Style	Case Oty	List Price	
Model/Series		Case Qty	626	605, 313AN	
QED211	Rim - Hex Dog		1	1171.00	1213.00
QED212	Rim - Cylinder Dog		1	1228.00	1270.00
QED213	Rim - Fire Rated		1	1238.00	1280.00
QED214	SVR - Hex Dog	7FT	1	1579.00	1624.00
QED215	SVR - Cylinder Dog	7FT	1	1636.00	1679.00
QED216	SVR - Fire Rated	7FT	1	1646.00	1689.00
QED217	SVR Less Bottom Rod - Hex Dog	7FT	1	1538.00	1579.00
QED218	SVR Less Bottom Rod - Cylinder Dog	7FT	1	1595.00	1636.00
QED219	SVR Less Bottom Rod - Fire Rated	7FT	1	1604.00	1646.00
QED224	CVR - Hex Dog	7FT	1	1637.00	1681.00
QED225	CVR - Cylinder Dog	7FT	1	1694.00	1737.00
QED226	CVR - Fire Rated	7FT	1	1705.00	1747.00
QED227	CVR - LBR - Hex Dog	7FT	1	1602.00	1644.00
QED228	CVR - LBR - Cylinder Dog	7FT	1	1659.00	1702.00
QED229	CVR - LBR - Fire Rated	7FT	1	1668.00	1711.00

Less Cylinder		List Price
LC	Less Cylinder	Deduct 47.00

Options		Add
8FT	Vertical rod kit for 8FT door application	43.00
48″	48" Device (Consult factory for lead-time)	50.00

* QED213 available with HMS strike only.

NOTES:

All LBR fire rated devices include a bottom fire bolt.

Consult factory for lead times on 605 finish.

Rim devices with ALS Strike and SVR devices require minimum stile width of 2".

Rim devices with HMS and CVR devices require minimum stile wide of 3.5".

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

LATCH & ROD PARTS (SPECIFY FINISH)

	Description	Service Part #	List Price
	Top Rod Latch for SVR & LBR - QED100/200 (requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw Packs)	8Q00256	159.00
	Top Rod Latch for CVR - QED100 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs)	8Q00271	159.00
	Top Rod Latch for CVR - QED200 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs)	8Q00584	120.00
	Bottom Rod Latch for SVR - QED100/200 (requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw Packs)	8Q00257	159.00
	Bottom Rod Latch for CVR - QED100 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs)	8Q00272	159.00
	Bottom Rod Latch for CVR - QED200 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs)	8Q00585	120.00
	Fire Latch for QED100/200 LBR Fire Rated * Can only be used with fire rated LBR devices.	8Q00279	84.00
NO IMAGE	Bottom Rod for SVR - QED100/200 (requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw Packs)	8Q00258	39.00
NO IMAGE	Bottom Rod for CVR - QED100/200	8Q00280	39.00
NO IMAGE	7'Top Rod for SVR & LBR - QED100/200	8Q00259	39.00
NO IMAGE	7'Top Rod for CVR - QED100/200	8Q00281	39.00
NO IMAGE	8'Top Rod for SVR & LBR - QED100/200	8Q00260	46.00
NO IMAGE	8'Top Rod for CVR - QED100/200	8Q00282	46.00
NO IMAGE	QED100/200 Series SVR & LBR, 7'Top Rod Cover Set (includes top rod and base plate) (requires screw pack 8Q00261 - see QED100/200 Other Parts & Screw Packs)	8Q00249	74.00
NO IMAGE	QED100/200 Series SVR & LBR, 8'Top Rod Cover Set (includes cover and base plate) (requires screw pack 8Q00261 - see QED100/200 Other Parts & Screw Packs)	8Q00250	80.00
NO IMAGE	QED100/200 Series SVR, Bottom Rod Cover Set (includes cover and base plate) (requires screw pack 8Q00261- see QED100/200 Other Parts & Screw Packs)	8Q00251	68.00

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

STRIKE PARTS

	Description	Service Part #	List Price
	Strike Kit for Rim Panic - QED100/200 (includes mounting hardware)	8Q00254	39.00
	Strike Kit for Rim Fire Rated - QED100/200 (includes mounting hardware)	8Q00255	46.00
	Double Door Strike Kit for Rim - QED111 & QED112 (includes mounting hardware)	8Q00269	68.00
E.	Strike Kit for Top Latch for SVR Panic - QED100/200 (includes mounting hardware)	8Q00247	52.00
	Strike Kit for Top Latch for CVR Panic - QED100/200	8Q00273	52.00
	Strike Kit for Top Latch for SVR Fire - QED100/200 (includes mounting hardware)	8Q00248	61.00
	Strike Kit for Top Latch for CVR Fire - QED100/200	8Q00274	61.00
	Strike Kit for Bottom Latch for SVR/CVR Panic - QED100/200 (includes mounting hardware)	8Q00265	52.00
	Strike Kit for Bottom Latch for SVR/CVR Fire - QED100/200 (includes mounting hardware)	8Q00266	52.00
0000	Strike Shim Kit for QED100/200 Series Rim Devices - 1 Piece	8Q00285	7.60
	Blade Stop Strike For Aluminum Door Application - QED200	S988	97.00

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Qty	List Price
	QED100/200 Series End Cap (Specify finish)	8Q00264	1	39.00
	QED100/200 Series End Cap Bracket and Screw Pack	8Q00246	1	18.00
	QED100/200 Series SVR & LBR, Top & Bottom Latch Screw Pack (Specify finish)	8Q00268	1	24.00
MULTIN N	QED100/200 Series SVR & LBR, Rod Cover Screw Pack	8Q00261	1	21.00
	QED100/200 Series SVR & LBR, Latch Cover Screw Pack (Specify finish)	8Q00262	1	8.30
	QED100/200 Series SVR, Rod Connector Kit (connects top & bottom rod to exit device))	8Q00263	1	24.00
	QED100/200 Series Sex Bolts (Qty 4) (Specify finish)	8Q00267	1	26.00
	QED100/200 Series LBR, Head Cap Plug (black)	8Q00270	1	8.30
000	QED100/200 Series Cylinder Mounting Kit for Cylinder Dog Devices (Specify finish)	8Q00252	1	39.00
	QED100/200 Series Hex Wrench for Hex Dog Devices	8Q00253	1	7.10
(0)	Standard Cam for Mortise Cylinder	8Q00119	1	5.10
(Funnies)	Cam Mounting Screws for Mortise Cylinders (Qty 2)	8Q00118	1	1.70
	QED100/200 Series CVR Rod Connector	8Q00275	1	24.00
	QED100/200 Series CVR-LBR Rod Connector	8Q00276	1	24.00
TL	QED100/200 Series CVR Installation Jig	8Q00277	1	9.80
	QED100/200 Series CVR Latch Screw Pack	8Q00278	1	24.00

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

THICK DOOR KITS (TDK's)


Thick door kits (TDK's) are used to extend the length of the exit trim spindle for non-standard $(1\frac{3}{4})$ thick doors. These kits include appropriate length exit trim spindles and fasteners.




Trim	Door Thickness				
Inm	2″	2 1 /4″	2 1 /2"	2 3⁄4″	List Price
QET130					
QET160	8Q00427	8Q00428	8Q00429	8Q00430	26.00
QET180					26.00
QET165	8Q00431	8Q00432	8Q00433	8Q00434	

GLASS BEAD KITS (GBK's) (SPECIFY FINISH)


- Glass bead kits (GBK's) are used to shim exit devices off the face of a door with raised glass beads. Each kit contains (2) 1/8" shims
- (total clearance of $\,{}^{1}\!\!/_{4}$ ") and fasteners.
- Requires the use of a thick door kit (TDK) if using an exit device trim.
- Available finishes: 605, 313, 626





Part #	Model	Finishes	List Price
8Q00414	QED100 Rim and CVR Devices	605, 313AN, 626	80.00
8Q00415	QED100 SVR 7FT Device	605, 313AN, 626	200.00
8Q00416	QED100 SVR 8FT Device	605, 313AN, 626	206.00
8Q00586	QED200 Rim and CVR Device	605	
8Q00546	QED200 Rim and CVR Device	313AN	80.00
8Q00547	QED200 Rim and CVR Device	626	
8Q00548	QED200 SVR 7FT Device	605	
8Q00549	QED200 SVR 7FT Device	313AN	200.00
8Q00550	QED200 SVR 7FT Device	626	
8Q00551	QED200 SVR 8FT Device	605	
8Q00552	QED200 SVR 8FT Device	313AN	206.00
8Q00553	QED200 SVR 8FT Device	626	

QRM100 Series | Grade 1 | Mullions



Example If you ordered: QRM111 HC KR 8' 600 You would get: Keyed Removable, Hurricane Compliant mullion, 8' height, with Primer finish. Prepped for QED100 Series strike.

QRM100 Series | Grade 1 | Mullions

Applications

Use with Rim Exit Devices on pairs of doors.

Product Specifications

- 2"x 3" (51 mm x 76 mm) steel mullion tube. ½" wall thickness.
- 2 x 3 (51 min x / 6 min) steel mullion tube. /8 wait theki
- Hurricane: 2" x 3" steel mullion tube. 5/16" wall thickness.
- Size: Standard for openings 8'0" high, field sizeable for openings less than 8'0". 9', 10', 11' & 12' also available and are field sizeable.
- Mullion is pre-prepped for QED100 Series Exit Devices
- Fire and Hurricane Rating 8' 0" high max.
- Available Finishes: Primer (600), Aluminum (689) and Dark Bronze (695)



Hurricane Compliant




Order #	Description	List Price	
	Description	600	689, 695
Mullions include: Mullion Tube, Cap, Base, Fasteners. Cylinder not included. Keyed Removable Mullions utilize Standard Rim Cylinders. Reference Cylinders, Keys & Keying section for more details.			
QRM111 KR*	Keyed Removable Mullion	1129.00	1268.00
QRM111 HC KR	Hurricane Compliant, Keyed Removable Mullion	1455.00	1550.00
QRM113 KR	Fire Rated, Keyed Removable Mullion	1358.00	1455.00
QRM113 HC KR	Fire Rated, Hurricane Compliant, Keyed Removable Mullion	1642.00	1586.00
*NOTE: For heights greater than 8', add \$22 for each additional 12".			

REMOVEABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

Order #	Description	List Price	
		600	689, 695
Mullions include: Mullion Tube, Cap, Base, Fasteners			
QRM111 *	Removable Mullion	659.00	752.00
QRM111 HC	Hurricane Compliant, Removable Mullion	938.00	1033.00
QRM113	Fire Rated, Removable Mullion	847.00	938.00
QRM113 HC	Fire Rated, Hurricane Compliant, Removable Mullion	1129.00	1220.00
*NOTE: For heights greater than 8′, add \$22 for each additional 12″.			

QET100 Series | Grade 1 | Heavy Duty Exit Trims



⁺613 Finish available for lever escutcheon trims; 690 finish available for escutcheon pull trims

	Example
1	

If you ordered: QET160 M 626 BF KD

You would get: Grade 1 Escutcheon Trim Lever, Summit design, Satin Chrome Finish SFIC "F"

Keyway, Keyed Different. This Trim Matches to the QED100 Series Exit Devices

C

QET100 Series | Grade 1 | Heavy Duty Exit Trims

Escutcheon Trims Sierra (E) Available in: 605, 613**, 626

Escutcheon Trims Summit (M) Available in: 605, 613**, 626

Model/Series	Functions	Style	Culturday Trues	Casa Otre	List Price
wodel/Series	Functions		Style Cylinder Type	Cylinder Type	Case Qty
QET120	Dummy Escutcheon Lever - ANSI 02	E/M/A	-	6	437.00
QET130	Passage Escutcheon Lever - ANSI 14	E/M/A	-	6	437.00
QET160	Keyed Escutcheon Lever (Classroom) - ANSI 08	E/M/A	Mortise	6	493.00
QET170*	Night Escutcheon Latch (Storeroom) - ANSI 03	E/M/A	Rim	6	493.00
QET180	Night Latch Escutcheon Latch (Storeroom) - ANSI 09	E/M/A	Mortise	6	493.00

NOTES:

* Not recommended for use on exit devices with vertical rods.

** 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.



Available in: 605, 626, 690

Escutcheon Trims Pull & Flat Plates



Dummy Pull OFT125

Thumb Piece OFT165

Dummy Thumb Piece	2
OET167	

Night Latch Pull OFT175

Flat Plate OFT190

QLIIZS	QLIIOS QLII	07	QLIII/S		QLIT90		
Model/Series	Functions	Style	Culinder Tune	Casa Otu	List Price		
Model/Series	Functions		Style	Style	Cylinder Type	Style Cylinder Type	Case Qty
QET125	Dummy Escutcheon Pull - ANSI 02	L	-	6	142.00		
QET165*	Thumbpiece Escutcheon Pull - ANSI 05	L	Mortise	6	325.00		
QET167	Dummy Thumbpiece Escutcheon Pull - ANSI 02	L	-	6	142.00		
QET175*	Night Latch Escutcheon Pull - ANSI 03	L	Rim	6	197.00		
QET190	Flat Escutcheon Plate - ANSI 01	L	-	6	85.00		
					,		


Less Cylinder		List Price
LC	Less Cylinder	Deduct 47.00

NOTES:

* Not recommended for use on exit devices with vertical rods. ** 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.

QET200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Trims



⁺ 613 Finish available for lever escutcheon trims; 690 finish available for escutcheon pull trims


٠	
•	Example
•	
•••	

If you ordered: QET260 M 626 BF KD

You would get: Grade 1 Escutcheon Trim Lever, Summit design, Satin Chrome Finish SFIC "F"

Keyway, Keyed Different. This Trim Matches to the QED200 Series Exit Devices

QET200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Trims



NOTES:

* Not recommended for use on exit devices with vertical rods.

** 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.

Available in: 605, 626, 690

Escutcheon Trims Pull & Flat Plates

Flat Plate

OET290



Dummy Pull QET225 Night Latch Pull QET275

Model/Series	Functions	Style	Cylinder Type	Case Qty	List Price
Model/Series					605, 626, 690
QET225	Dummy Escutcheon Pull for Rim/SVR - ANSI 02	L	-	6	143.00
QET226	Dummy Escutcheon Pull for CVR - ANSI 02	L	-	6	143.00
QET275*	Night Latch Escutcheon Pull - ANSI 03	L	Rim	6	199.00
QET290	Flat Escutcheon Plate for Rim/SVR - ANSI 01	L	-	6	85.00
QET291	Flat Escutcheon Plate for CVR - ANSI 01	L	-	6	85.00

	Less Cylinder	List Price
LC	Less Cylinder	Deduct 47.00

NOTES:

* Not recommended for use on exit devices with vertical rods. ** 613 Finish trims match 313 finish exit devices. Consult factory for lead times on 605 finish.


76 Exit Devices & Trims

QET100/200 Series | Grade 1 | Heavy Duty Exit Trims

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Qty	List Price
	QET100/200 Series Screw Pack and Square Pin for Escutcheon Trims	8Q00132	1	5.10
-(p)-	QET100/200 Series Screw Pack for Pull Plates	8Q00134	1	1.50
000	QET100/200 Series Cylinder Mounting Kit (Specify finish)	8Q00135	1	26.00
	QET100/200 Series Cylinder Lock and Screw Packfor Thumb Piece Pulls - (Specify finish)	8Q00136	1	6.40
	QET100/200 Series Sex Nuts for Flat Plate - (Qty 2) (Specify finish)	8Q00139	1	6.40
	Rim Cylinder Tailpiece	8Q00140	1	2.90
	Rim Cylinder Tailpiece– Thick Door (Measures 2-3/8")	8Q00480	1	2.90
(0)	Standard Cam for Mortise Cylinder	8Q00119	1	5.10
	Cam Mounting Screws for Mortise Cylinders (Qty 2)	8Q00118	1	1.70
NOIMAGE	Rim Cylinder Retaining Cup	8Q00529	1	6.40

QED300 Series | Grade 1 | Standard Duty Exit Devices



Example
If you ordered: QED315 36" 7FT 689 BF KD
You would get: Grade 1 Standard Duty Surface Vertical Rod Exit Device 36", with Cylinder Dogging
for a 7 Foot Door, in Painted Aluminum finish. SFIC "F" Keyway, Keyed Different.

QED300 Series | Grade 1 | Standard Duty Exit Devices

Standard Duty Exit Device

Available in: 689 & 690



Model/Series	Functions	Chulo	Const Other	List Price
Model/Series	Functions	Style	Case Qty	689, 690
QED311	Rim - Hex Dog		4	300.00
QED312	Rim - Cylinder Dog		4	358.00
QED313	Rim - Fire Rated		4	405.00
QED314	Surface Vertical Rod - Hex Dog	7FT	4	492.00
QED315	Surface Vertical Rod - Cylinder Dog	7FT	4	551.00
QED316	Surface Vertical Rod - Fire Rated	7FT	4	626.00
QED317	Surface Vertical Rod Less Bottom Rod - Hex Dog	7FT	4	477.00
QED318	Surface Vertical Rod Less Bottom Rod - Cylinder Dog	7FT	4	536.00
QED319*	Surface Vertical Rod Less Bottom Rod - Fired Rated	7FT	4	626.00

	Less Cylinder	List Price
LC	Less Cylinder	Deduct 47.00

	Trim Options	List Price
8FT	Vertical rod kit for 8FT door application	Add 17.00
48″	48" Device	Add 24.00

NOTES:

*QED319 Includes Bottom Fire Latch.

QED300 Series | Grade 1 | Standard Duty Exit Devices

LATCH & ROD PARTS (SPECIFY FINISH)

Description	Service Part #	List Price
Top Rod Latch for SVR & LBR - QED314-QED319 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs)	8Q00111	104.00
Bottom Rod Latch for SVR - QED314 & QED315 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs)	8Q00112	104.00
Bottom Rod Latch for SVR Fire Rated - QED316 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs)	8Q00113	104.00
Fire Latch for QED319 SVR-LBR-Fire Rated *Can only be used with Fire Rated LBR devices.	8Q00279	84.00
Top Rod for SVR & LBR - QED314 - QED319 (7 Foot)	8Q00114	38.00
Top Rod for SVR & LBR - QED314 - QED319 (8 Foot)		43.00
Bottom Rod for SVR - QED314, QED315, QED316	8Q00116	38.00

QED300 Series | Grade 1 | Standard Duty Exit Devices

STRIKE PARTS

	Description	Service Part #	List Price
	Strike for Rim Panic - QED311 & QED312 (includes mounting hardware)	8Q00120	28.00
	Strike for Rim Fire Rated - QED313 (includes mounting hardware)	8Q00121	28.00
	Double Door Strike for Rim Panic - QED311 & QED312 (includes mounting hardware)	8Q00208	64.00
	Strike for Top Latch for SVR & LBR - QED314 - QED319 (includes mounting hardware)	8Q00128	28.00
	Strike for Bottom Latch for SVR - QED314, QED315 & QED316 (includes mounting hardware)	8Q00127	28.00
0000	Strike Shim Kit for Rim Devices - 1 piece (2 3/8 " Backset for QED300 series)		7.60
	Strike Shim Kit for Rim Devices - 4 piece (2 3⁄4″ Backset for QED300 series)	8Q00286	24.00

QED300 Series | Grade 1 | Standard Duty Exit Devices

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Qty	List Price
	QED300 Series Rim, Head Cap (Specify finish)	8Q00109	1	51.00
	QED300 Series SVR, Head Cap (Specify finish)	8Q00110	1	51.00
(0)	Standard Cam for Mortise Cylinder	8Q00119	1	5.10
	Cam Mounting Screws for Mortise Cylinders (Qty 2)	8Q00118	1	1.70
	QED300 Series Cylinder Mounting Kit for Cylinder Dog Device - QED312, QED315 & QED318 (Specify finish)	8Q00122	1	26.00
	QED300 Series LBR, Head Cap Plug (black)	8Q00117	1	1.70
	QED300 Series Hex Wrench for Hex Dog Devices - QED311, QED314 & QED317	8Q00124	1	1.70
().).).).).).).).).).	QED300 Series Device Mounting Screw Pack	8Q00125	1	5.60
	QED300 Series SVR & LBR, Rod Holder Brackets and Screw Pac- QED314 - QED319 (Specify finish)	8Q00126	1	5.60
Januar - Jan	QED300 Series SVR & LBR, Top & Bottom Latch Screw Pac (Specify finish)	8Q00130	1	5.60
	QED300 Series Sex Bolts (Qty 4) (Specify finish)	8Q00131	1	7.00
88	QED300 Series End Cap (Specify finish)	8Q00123	1	26.00

QED300 Series | Grade 1 | Standard Duty Exit Devices

THICK DOOR KITS (TDK's)

Thick door kits (TDK's) are used to extend the length of the exit trim spindle for non-standard (1³/₄") thick doors. These kits include appropriate length exit trim spindles and fasteners.






Trim	Door Thickness				List Price
Inm	2″	2 1/4″	2 1/2″	2 3/4″	List Price
QET330					
QET360	8Q00419	8Q00420	8Q00421	8Q00422	22.00
QET370					22.00
QET365	8Q00423	8Q00424	8Q00425	8Q00426	

GLASS BEAD KITS (GBK's) (SPECIFY FINISH)

- Glass bead kits (GBK's) are used to shim exit devices off the face of a door with raised glass beads. Each kit contains (2) ¹/₈" shims (total clearance of ¹/₄") and fasteners.


- Requires the use of a thick door kit (TDK) if using an exit device trim.

- Available finishes: 689, 690




Annunus Annunus

(Junnaum



Part #	Device Type	Model	Finishes	List Price
8Q00411	RIM	QED311, QED312, QED313		49.00
8Q00412	SVR	QED314, QED315, QED316	689 & 690	64.00

QRM300 Series | Grade 1 | Mullions



Example

•

If you ordered: QRM313 KR 8' 689

You would get: Keyed Removable, Fire Rated mullion, 8' height, with Aluminum finish. Prepped for QED300 Series strike.

QRM300 Series | Grade 1 | Mullions

Applications

Use with Rim Exit Devices on pairs of doors.

Product Specifications

- 2"x 3" (51 mm x 76 mm) steel mullion tube. 1/8" wall thickness.
- Size: Standard for openings 8'0" high, field sizeable for openings less than 8'0".
- 9', 10', 11' & 12' also available and are field sizeable.
- Mullion is pre-prepped for QED300 Series Exit Devices.

• Fire Rating 8' 0" high max.

• Available Finishes: Primer (600), Aluminum (689) and Dark Bronze (695)




KEYED REMOVABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

Order #	Description	List Price		
Order #	Description	600	689,695	
	ullion Tube, Cap, Base, Fasteners. Cylinder not included. Keyed Removable Mullions n Cylinders. Reference Cylinders, Keys & Keying section for more details.			
QRM311 KR*	Keyed Removable Mullion	1119.00	1255.00	
QRM313 KR	Fire Rated, Keyed Removable Mullion	1346.00	1439.00	
*NOTE: For heights greater than 8', add \$22 for each additional 12".				

REMOVABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

Ordor #	Description	List Price		
Order #	Description	600	689,695	
	Mullions include: Mullion Tube, Cap, Base, Fasteners.			
QRM311 *	Removable Mullion	651.00	742.00	
QRM313	Fire Rated, Removable Mullion	840.00	931.00	
*NOTE: For heights greater than 8', add \$22 for each additional 12".				

QET300 Series | Grade 1 | Standard Duty Exit Trims



Example

......

If you ordered: QET360 M 689 BF KD

You would get: Grade 1 Escutcheon Trim Lever, Summit design, Aluminum Finish SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED300 Series Exit Devices

QET300 Series | Grade 1 | Standard Duty Exit Trims





Escutcheon Trims Summit (M)

Available in: 689, 690

Model/Series	Functions	Chala		Const Other	List Price
wodel/Series		Style	Cylinder Type	Case Qty	689, 690
QET320	Dummy Escutcheon Lever - ANSI 02	E/M/A	-	12	195.00
QET330	Passage Escutcheon Lever - ANSI 14	E/M/A	-	12	195.00
QET360	Keyed Escutcheon Lever (Classroom) - ANSI 08	E/M/A	Mortise	12	253.00
QET370*	Night Latch Escutcheon Latch (Storeroom) - ANSI 03	E/M/A	Mortise	12	253.00
QET380	Night Latch Escutcheon Latch (Storeroom) - ANSI 09	E/M/A	Mortise	12	253.00

NOTES:

* Not recommended for use on exit devices with vertical rods.









Escutcheon Trims Pull & Flat Plates

QET390

Dummy Pull QET325

QET365

Dummy Thumb Piece QET367

Night Latch Pull QET375

Gull Wing Pull QET377

	F	C (1	Culturday Truss	Constanting of the	List Price
Model/Series	Functions	Style	Cylinder Type	Case Qty	689, 690
QET325	Dummy Escutcheon Pull - ANSI 02	L		12	93.00
QET365*	Thumb Piece Escutcheon Pull - ANSI 05	L	Mortise	12	273.00
QET367	Dummy Thumb Piece Escutcheon Pull - ANSI 02	L		12	93.00
QET375*	Night Latch Escutcheon Pull - ANSI 03	L	Rim	12	149.00
QET377	Gull Wing Escutcheon Pull	L	Rim	12	95.00
QET390	Flat Escutcheon Plate - ANSI 01	L		12	51.00

NOTES:

* Not recommended for use on exit devices with vertical rods.


	Less Cylinder	List Price
LC	Less Cylinder	Deduct 47.00

QET300 Series | Grade 1 | Standard Duty Exit Trims

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Qty	List Price
de de	QET300 Series Screw Pack for Pull Plates - QET325 & QET375	8Q00134	1	1.50
$\bigcirc {} {} {} {} {} }$	QET300 Series Cylinder Lock and Screw Pack for Thumb Piece Pulls - QET365	8Q00136	1	6.40
	QET300 Series Screw Pack, Cylinder Mounting Hardware & Square Pin for Escutcheon Trims - QET360, QET370, QET380	8Q00137	1	11.00
	QET300 Series Screw Pack & Square Pin for Escutcheon Trims - QET320 & QET330	8Q00206	1	5.10
	QET300 Series Cylinder Collar (Specify finish)	8Q00138	1	28.00
	QET300 Series Sex Nuts for Flat Plate - QET390 (Qty 2) (Specify finish)	8Q00139	1	6.40
	Rim Cylinder Tailpiece	8Q00140	1	2.90
	Rim Cylinder Tailpiece– Thick Door (Measures 2-3/8")	8Q00480	1	2.90
	Standard Cam for Mortise Cylinder	8Q00119	1	5.10
	Cam Mounting Screws for Mortise Cylinders (Qty 2)	8Q00118	1	1.70
NO IMAGE	Rim Cylinder Retaining Cup	8Q00529	1	6.40

QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims



* BEST "F" SFIC only on QRT 361 and QRT 371.

Example

If you ordered: QRT361 E 689 BF KD

You would get: Standard Duty Keyed Lever Round Rose Trim, Sierra Lever, Painted Aluminum Finish, SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED300 Series Exit Devices

QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims

Round Rose Trims Summit (M)

.

. Available in: 689, 690





Model / Series	Functions	Style	Casa Oty	List Price	List Price
Model / Series		Style	Case Qty	626	689, 690
QRT320	Dummy Lever	E/M	12	162.00	128.00
QRT330	Passage Lever	E/M	12	162.00	128.00
QRT360	Keyed Lever (Classroom)	E/M	12	204.00	170.00
QRT361	Keyed Lever SFIC (Classroom)	E/M	12	229.00	195.00
QRT370	Night Latch Lever (Storeroom)	E/M	12	204.00	170.00
QRT371	Night Latch Lever SFIC (Storeroom)	E/M	12	229.00	195.00


QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims

OTHER PARTS & SCREW PACKS

	Description	Service Part #	Qty	List Price
	Tailpiece QRT300 Series	8Q00073	1	2.90
	Screw pack for QRT300 series trims (Specify finish)	8Q00219	1	2.60
000	Strike shim kit for rim devices- 1 piece (2 3⁄8″ Backset for QED300 series)	8Q00285	1	7.60
(a)	Strike shim kit for rim devices - 4 piece (2 3⁄4″ Backset for QED300 series)	8Q00286	1	24.00

	Less Cylinder	List Price
	Less Cylinder	Deduct 21.00
LC	Less SFIC Cylinder	Deduct 48.00

QDC100 Series | Grade 1 | Extra Duty Door Closers



* R - Ships standard

NOTES:

Sex nuts and self tapping screws come standard with QDC100 series door closers.

Example

If you ordered: QDC111 R 689

You would get: Grade 1 Extra Duty Closer - Full Adjustable (Sized 1-6),

Tri-pack Arm with Both Delayed Action & Back Check

Standard, Round Plastic Cover, Sex Nuts, Self Tapping Screws, Painted Aluminum finish

QDC100 Series | Grade 1 | Extra Duty Door Closers



Tri-Pack Arm
Available in: 689, 690 & 696

Model/Series	Functions	Case Oth	List Price
Model/Series	Functions	Case Qty	689, 690 & 696
QDC100	Closer Body (Includes Rounded Cover, Screws & Sex Bolt)	3	318.00
QDC100BF	Closer Body w/Barrier Free Option (Includes Rounded Cover, Screws & Sex Bolts)	3	318.00
QDC111	Tri-Pack Arm	3	389.00
QDC112	Tri-Pack Arm with Hold-Open	1	439.00
QDC113	Extra Duty Arm with Compression Stop	1	455.00
QDC114	Extra Duty Arm with Hold-Open and Compression Stop	1	480.00
QDC115	Extra Duty Arm	1	420.00
QDC116	Extra Duty Arm with Hold-Open	1	446.00
QDC117	Extra Duty Arm with Stop	1	433.00
QDC118	Extra Duty Arm with Hold-Open and Stop	1	457.00
QDC119	Extra Duty Arm with Spring Stop	1	534.00
QDC120	Extra Duty Arm with Hold Open and Spring Stop	1	558.00

	Order With Closer	Description	With Closer	Service Part #	List Price
	SN	Sex Nuts (Qty 4) (Specify finish)	NC	8Q00097	7.00
	S/TAP	Self Tapping Screws (Specify Finish)	NC	8Q00436	17.00
	М	QDC100 Series Metal Cover - RH	Add 63.00	8Q01140	63.00
	М	QDC100 Series Metal Cover - LH	Add 63.00	8Q01141	63.00
		Rounded Plastic Cover 689		8Q00540	
NO IMAGE	R	Rounded Plastic Cover 690	NC	8Q00541	33.00
		Rounded Plastic Cover 696		8Q00542	

NOTES:

Consult factory for lead times on Barrier Free (BF) closers and on 696 finish.

QDC100 Series | Grade 1 | Extra Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)


	Description	Service Part #	Qty	List Price
OT OF SS	Tri-Pack Arm (requires screw pack 8Q00457)	8Q00462	1	71.00
	Tri-Pack Arm with Hold-Open (requires screw pack 8Q00458)	8Q00463	1	135.00
	Extra Duty Arm with Compression Stop (requires screw pack 8Q00459)	8Q00464	1	150.00
	Extra Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00459)	8Q00465	1	166.00
	Extra Duty Arm (requires screw pack 8Q00460)	8Q00466	1	139.00
	Extra Duty Arm with Hold-Open - Right Hand (requires screw pack 8Q00460)	8Q00467	1	153.00
	Extra Duty Arm with Hold-Open - Left Hand (requires screw pack 8Q00460)	8Q00468	1	153.00
	Extra Duty Arm with Stop (requires screw pack 8Q00459)	8Q01142	1	143.00
	Extra Duty Arm with Hold-Open and Stop (requires screw pack 8Q00459)	8Q01143	1	159.00
	QDC100 Series Plastic Cover	8Q00461	1	36.00
	Mounting Screw Pack for QDC100 Series	8Q00456	1	29.00
	Screw Pack for QDC111 Tri-Pack Arm	8Q00587	1	17.00
	Screw Pack for QDC112 Tri-Pack Arm with Hold-Open	8Q00458	1	16.00
	Screw Pack for QDC113 Extra Duty Arm with Hold-Open & QDC114 Extra Duty Arm with Hold-Open and Compression Stop	8Q00459	1	16.00
	Screw Pack for QDC115 Extra Duty Arm & QDC116 Extra Duty Arm with Hold-Open	8Q00460	1	16.00
(; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	QDC100 Drop Plate Kit - Pull Side, Regular Arm	8Q00469	1	52.00
2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	QDC100 Drop Plate Kit - Push Side, Top Jamb	8Q00470	1	52.00
€ «	QDC100 Drop Plate Kit - Push Side, Parallel Arm	8Q00471	1	52.00
\$0	QDC100 Drop Plate Kit - Push Side, Top Jamb	8Q00472	1	52.00
	Screw Pack for QDC100 Drop Plates	8Q00473	1	3.30

QDC100 Series | Grade 1 | Extra Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

	Description	Service Part #	Qty	List Price
NO IMAGE	Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 689	8Q00584	1	120.00
NO IMAGE	Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 690	8Q00585	1	120.00
NO IMAGE	Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 696	8Q00586	1	80.00
NO IMAGE	Extra Duty Arm with Spring Stop in Finish 689	8Q00534	1	243.00
NO IMAGE	Extra Duty Arm with Spring Stop in Finish 690	8Q00535	1	243.00
NO IMAGE	Extra Duty Arm with Spring Stop in Finish 696	8Q00536	1	243.00
NO IMAGE	Extra Duty Arm with Hold-Open and Spring Stop in Finish 689	8Q00537	1	258.00
NO IMAGE	Extra Duty Arm with Hold-Open and Spring Stop in Finish 690	8Q00538	1	258.00
NO IMAGE	Extra Duty Arm with Hold-Open and Spring Stop in Finish 696	8Q00539	1	258.00

QDC200 Series | Grade 1 | Heavy Duty Door Closers



NOTES: Sex nuts and self tapping screws come standard with QDC200 series door closers.

Example

If you ordered: QDC211 F 689

You would get: Grade 1 Heavy Duty Slim line Non-Hold Open Door Closer - Full Adjustable (Sized 1-6), Tri-packed Arms with Both Delayed Action & Back Check Standard, Full Sized cover, Painted Aluminum finish, Sex Nuts and Self Tapping Screws

QDC200 Series | Grade 1 | Heavy Duty Door Closers



Model / Series	Model / Series Functions		List Price
Model / Series			689, 690 & 696
QDC200	Closer Body (Includes Closer Body, Cover, Screws & Sex Bolts)	6	219.00
QDC211	Tri-Pack Arm	6	268.00
QDC212	Tri-Pack Arm with Hold-Open	6	311.00
QDC213	Heavy Duty Arm with Compression Stop	3	388.00
QDC214	Heavy Duty Arm with Hold-Open and Compression Stop	3	410.00

Order with	Description	With Closer	Comico Dout #	List Price
Closer	Description	689, 690 & 696	Service Part #	689, 690 & 696
F	Full Size Cover (Specify Finish)	NC	8Q00094	25.00
S	Slim Cover (Specify Finish)	NC	8Q00096	25.00
SN	Sex Nuts (Qty 4) (Specify Finish)	NC	8Q00097	7.00
S/TAP	Self Tapping Screws (Qty 8) (Specify Finish)	NC	8Q00436	17.00


NOTES: Consult factory for lead times on 696 finish.

QDC200 Series | Grade 1 | Heavy Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

	Description	Service Part #	Qty	List Price
	QDC200 Series Plastic Installation Template	8Q00454	1	46.00
OF THE REAL PROPERTY OF THE RO	Tri-Pack Arm (requires screw pack 8Q00100)	8Q00087	1	49.00
	Tri-Pack Arm with Hold-Open (requires screw pack 8Q00099)	8Q00088	1	94.00
	Heavy Duty Arm with Compression Stop (requires screw pack 8Q00098)	8Q00089	1	108.00
	Heavy Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00098)	8Q00090	1	120.00
	Pinion Cap - QDC200 Series	8Q00092	1	7.00
	Parallel Arm Bracket (requires screw pack 8Q00102)	8Q00093	1	9.80
11/1/21	Screw Pack for QDC213 Heavy Duty Arm with Compression Stop & QDC214 Heavy Duty Arm with Hold-Open and Compression Stop	8Q00098	1	3.20
	Screw Pack for QDC212 Tri-Pack Arm with Hold Open	8Q00099	1	3.20
	Mounting Screw Pack for QDC200 Series	8Q00100	1	3.20
	Screw Pack for Parallel Arm Bracket	8Q00102	1	3.20
	Self Tapping Screw Pack (Qty 8)	8Q00436	1	17.00
	Small Drop Plate Kit for QDC200 Series, Pull & Push (2.44" x 12.97") Top Jamb & Regular Arm	8Q00105	1	46.00
	Large Drop Plate Kit for QDC200 Series, Pull & Push (3.47" x 12.97") Top Jamb & Regular Arm	8Q00106	1	46.00
	Small Drop Plate Kit for QDC200 Series, Push (2.94" x 12.97") Parallel Arm	8Q00107	1	46.00
	Large Drop Plate Kit for QDC200 Series, Push Parallel Arm	8Q00108	1	46.00

QDC300 Series | Grade 1 | Standard Duty Door Closers



NOTES: Sex nuts and self tapping screws come standard with QDC300 series door closers.

Example If you ordered: QDC311 F 689 You would get: Grade 1 Standard Duty Non-Hold Open Door Closer - Full Adjustable (Sized 1-6), Tri-packed Arms with Both Delayed Action & Back Check Standard, Full Sized cover, Delayed Alexies of Standard States of S

Painted Aluminum finish, Sex Nuts and Self Tapping Screws

QDC300 Series | Grade 1 | Standard Duty Door Closers



Model / Series	Functions		List Price
Model / Series	Functions	Case Qty	689, 690 & 696
QDC300	Closer Body (Includes Closer Body, Cover, Screws & Sex Bolts)	6	143.00
QDC311	Tri-Pack Arm	6	216.00
QDC312	Tri-Pack Arm with Hold-Open	6	256.00
QDC313	Heavy Duty Arm with Compression Stop	3	331.00
QDC314	Heavy Duty Arm with Hold-Open and Compression Stop	3	351.00

Order With Closer		Description	With Closer	Service Part #	List Price
	F	Full Size Cover (Specify finish)	Add 25.00	8Q00095	25.00
	SN	Sex Nuts (Qty 4) (Specify finish)	NC	8Q00097	7.00
	S/TAP	Self Tapping Screws (Qty 8)	NC	8Q00436	17.00

NOTES:

Consult factory for lead times on Barrier Free (BF) closers and on 696 finish.

QDC300 Series | Grade 1 | Standard Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

	Description	Service Part #	Qty	List Price
and the second second	QDC300 Series Plastic Installation Template	8Q00455	1	43.00
OT THE REAL PROPERTY OF	Tri-Pack Arm (requires screw pack 8Q00100)	8Q00087	1	49.00
	Tri-Pack Arm with Hold-Open (requires screw pack 8Q00099)	8Q00088	1	94.00
	Heavy Duty Arm with Compression Stop (requires screw pack 8Q00098)	8Q00089	1	108.00
	Heavy Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00098)	8Q00090	1	120.00
	Pinion Cap - QDC300 Series	8Q00092	1	7.00
	Parallel Arm Bracket (requires screw pack 8Q00102)	8Q00093	1	9.80
11/////////////////////////////////////	Screw Pack for QDC313 Dead Stop (Cush) Arm & QDC314 Dead Stop (Cush) Arm Hold-Open	8Q00098	1	3.20
	Screw Pack for QDC312 Hold-Open Arm	8Q00099	1	3.20
	Mounting Screw Pack for QDC300 Series	8Q00100	1	3.20
	Screw Pack for Parallel Arm Bracket	8Q00102	1	3.20
	Self tapping screw pack (Qty 8)	8Q00436	1	17.00
	Small Drop Plate Kit for QDC300 Series, (2.38" x 9.76")	8Q00103	1	43.00
	Large Drop Plate Kit for QDC300 Series, (3.27" x 9.76")	8Q00104	1	43.00

						Case Box			Unit Box	
Product	Function	Unit Weight	Case Qty	Pallet Qty	Length	Width	Height	Length	Width	Height
QMS/QME/QMI	L SERIES - GRADE 1 MORTISE LOCKS									
			Section	al Trims						
QMS120	Single Dummy Sectional	1.23	4	96	17	14.25	10	13.38	8.63	4
QMS122	Full Dummy Sectional	1.8	4	96	17	14.25	10	13.38	8.63	4
QMS130	Passage Sectional	4.83	4	96	17	14.25	10	13.38	8.63	4
QMS140	Privacy Sectional	5.75	4	96	17	14.25	10	13.38	8.63	4
QMS145	Privacy w/ Deadbolt Sectional	6	4	96	17	14.25	10	13.38	8.63	4
QMS150	Entry Sectional	5.85	4	96	17	14.25	10	13.38	8.63	4
QMS152	Exit Sectional	6.50	4	96	17	14.25	10	13.38	8.63	4
QMS154	Corridor Sectional	6.56	4	96	17	14.25	10	13.38	8.63	4
QMS158	Dormitory Sectional	6.64	4	96	17	14.25	10	13.38	8.63	4
QMS160	Classroom Sectional	5.79	4	96	17	14.25	10	13.38	8.63	4
QMS162	Classroom Security Sectional	6.42	4	96	17	14.25	10	13.38	8.63	4
QMS164	Apartment Sectional	6.42	4	96	17	14.25	10	13.38	8.63	4
QMS170	Storeroom Sectional	5.61	4	96	17	14.25	10	13.38	8.63	4
QMS172	Institutional Sectional	6.20	4	96	17	14.25	10	13.38	8.63	4
QMS174	Store Door Sectional	6.53	4	96	17	14.25	10	13.38	8.63	4
		·	Escutche	on Trims					,	
QME120	Single Dummy Escutcheon	2.30	4	96	17	14.25	10	13.38	8.63	4
QME122	Full Dummy Escutcheon	3.80	4	96	17	14.25	10	13.38	8.63	4
QME130	Passage Escutcheon	6.04	4	96	17	14.25	10	13.38	8.63	4
QME140	Privacy Escutcheon	6.44	4	96	17	14.25	10	13.38	8.63	4
QME145	Privacy w/ Deadbolt Escutcheon	6.68	4	96	17	14.25	10	13.38	8.63	4
QME150	Entry Escutcheon	6.93	4	96	17	14.25	10	13.38	8.63	4
QME152	Exit Escutcheon	7.45	4	96	17	14.25	10	13.38	8.63	4
QME154	Corridor Escutcheon	7.51	4	96	17	14.25	10	13.38	8.63	4
QME158	Dormitory Escutcheon	7.65	4	96	17	14.25	10	13.38	8.63	4
QME160	Classroom Escutcheon	6.78	4	96	17	14.25	10	13.38	8.63	4
QME162	Classroom Security Escutcheon	7.41	4	96	17	14.25	10	13.38	8.63	4
QME164	Apartment Escutcheon	7.41	4	96	17	14.25	10	13.38	8.63	4
QME170	Storeroom Escutcheon	6.58	4	96	17	14.25	10	13.38	8.63	4
QME172	Institutional Escutcheon	7.18	4	96	17	14.25	10	13.38	8.63	4
QME174	Store Door Escutcheon	7.52	4	96	17	14.25	10	13.38	8.63	4
	· · ·		Dead	locks					·	
QML180	Single Cylinder Deadlock	2.68	10	300	20.87	13.39	7.09	10	5.9	2.36
QML182	Double Cylinder Deadlock	2.95	10	300	20.87	13.39	7.09	10	5.9	2.36
QML184	Single Sided Deadlock	2.28	10	300	20.87	13.39	7.09	10	5.9	2.36
QML186	Classroom Deadlock	2.68	10	300	20.87	13.39	7.09	10	5.9	2.36

						Case Box			Unit Box	
Product	Function	Unit Weight	Case Qty	Pallet Qty	Length	Width	Height	Length	Width	Height
QCL100 SERIES -	GRADE 1 CYLINDRICAL LOCKS				-					
QCL120	Dummy	1.55	12	432	14	11.75	7.5	6.75	3.75	3.25
QCL130	Passage	4.7	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL135	Communicating	4.8	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL140	Privacy	4.8	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL150	Entry	5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL151	Entry SFIC	5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL160	Classroom	5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL161	Classroom SFIC	5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL170	Storeroom	5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL171	Storeroom SFIC	5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL200 SERIES -	GRADE 2 CYLINDRICAL LOCKS									
QCL220	Dummy	1.2	12	432	14	11.75	7.5	6.75	3.75	3.25
QCL230	Passage	4	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL235	Communicating	4	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL240	Privacy	4.75	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL250	Entry	4.5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL251	Entry SFIC	4.5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL260	Classroom	4.5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL261	Classroom SFIC	4.5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL270	Storeroom	4.5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCL271	Storeroom SFIC	4.5	6	192	15.5	12.5	10.25	7.5	9.75	4
QCI200 SERIES -	GRADE 2 INTERCONNECT LOCKS									
QCI230	Single Locking	5.5	6	192	15.5	12.25	10.63	9.63	7.5	4
QCI231	Single Locking SFIC	5.5	6	192	15.5	12.25	10.63	9.63	7.5	4
QCI250	Double Locking	5.5	6	192	15.5	12.25	10.63	9.63	7.5	4
QCI251	Double Locking SFIC	5.5	6	192	15.5	12.25	10.63	9.63	7.5	4
QTL200 SERIES -	GRADE 2 TUBULAR LOCKS									
QTL220	Dummy	1.2	12	432	13.75	12.5	7	6	3.75	3.25
QTL230	Passage	2.3	10	320	17	13.25	8.75	8	6	3.25
QTL235	Communicating	2.5	10	320	17	13.25	8.75	8	6	3.25
QTL240	Privacy	2.8	10	320	17	13.25	8.75	8	6	3.25
QTL250	Entry	2.8	10	320	17	13.25	8.75	8	6	3.25
QTL251	Entry SFIC	2.8	10	320	17	13.25	8.75	8	6	3.25
QTL260	Classroom	2.8	10	320	17	13.25	8.75	8	6	3.25
QTL261	Classroom SFIC	2.8	10	320	17	13.25	8.75	8	6	3.25
QTL270	Storeroom	2.8	10	320	17	13.25	8.75	8	6	3.25
QTL271	Storeroom SFIC	2.8	10	320	17	13.25	8.75	8	6	3.25
QDB100 SERIES -	GRADE 1 DEADBOLTS									
QDB180	Single Cylinder	2.5	12	384	15.75	13.5	6.5	3	4	5
QDB181	Single Cylinder SFIC	2.5	12	384	15.75	13.5	6.5	3	4	5
QDB182	Double Cylinder	2.8	12	384	15.75	13.5	6.5	3	4	5
QDB183	Double Cylinder SFIC	2.8	12	384	15.75	13.5	6.5	3	4	5
QDB186	Classroom	2.5	12	384	15.75	13.5	6.5	3	4	5
QDB187	Classroom SFIC	2.5	12	384	15.75	13.5	6.5	3	4	5

<u> </u>	x measurements				Case Box				Unit Box	
Product	Function	Unit Weight	Case Qty	Pallet Qty	Length	Width	Height	Length	Width	Height
QDB200 SERIES - G	RADE 2 DEADBOLTS									
QDB280	Single Cylinder	2.3	12	384	15.75	13.5	6.5	3	4	5
QDB281	Single Cylinder SFIC	2.3	12	384	15.75	13.5	6.5	3	4	5
QDB282	Double Cylinder	2.7	12	384	15.75	13.5	6.5	3	4	5
QDB283	Double Cylinder SFIC	2.7	12	384	15.75	15.75 13.5		3	4	5
QDB284	Inside Turnbolt	2	12	384	15.75	13.5	6.5	3	4	5
QDB285	Indicator	1.27	12	384	15.75	13.5	6.5	3	4	5
QDB286	Classroom	2.3	12	384	15.75	13.5	6.5	3	4	5
QDB287	Classroom SFIC	2.3	12	384	15.75	13.5	6.5	3	4	5
QDB288	Key Control	2.25	12	384	15.75	13.5	6.5	3	4	5
QED100 SERIES - G	RADE 1 HEAVY DUTY EXIT DEVICES & TRIMS									
QED111 36"	Rim Hex Dogging	11.7	1	40	36	10.25	5	36	10.25	5
QED112 36"	Rim Cylinder Dogging	11.7	1	40	36	10.25	5	36	10.25	5
QED113 36"	Rim Fire Rated	11.5	1	40	36	10.25	5	36	10.25	5
QED114 36"7'	Surface Vertical Rod - Hex Dogging	14.7	1	40	36	10.25	5	36	10.25	5
QED114 36" 8'	Surface Vertical Rod - Hex Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED115 36" 7'	Surface Vertical Rod - Cylinder Dogging	14.7	1	40	36	10.25	5	36	10.25	5
QED115 36" 8'	Surface Vertical Rod - Cylinder Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED116 36" 7'	Surface Vertical Rod - Fire Rated	14.5	1	40	36	10.25	5	36	10.25	5
QED116 36" 8'	Surface Vertical Rod - Fire Rated	14.7	1	40	48	10.25	5	48	10.25	5
QED117 36" 7'	SVR - Less Bottom Rod - Hex Dogging	14.2	1	40	36	10.25	5	36	10.25	5
QED117 36" 8'	SVR - Less Bottom Rod - Hex Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED118 36" 7'	SVR - Less Bottom Rod - Cylinder Dogging	14.2	1	40	36	10.25	5	36	10.25	5
QED118 36" 8'	SVR - Less Bottom Rod - Cylinder Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED119 36"7'	SVR - Less Bottom Rod - Fire Rated	14.7	1	40	36	10.25	5	36	10.25	5
QED119 36" 8'	SVR - Less Bottom Rod - Fire Rated	14.9	1	40	48	10.25	5	48	10.25	5
QED124 36" 7'	Concealed Vertical Rod - Hex Dogging	14.7	1	40	36	10.25	5	36	10.25	5
QED124 36" 8'	Concealed Vertical Rod - Hex Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED125 36"7'	Concealed Vertical Rod - Cylinder Dogging	14.7	1	40	36	10.25	5	36	10.25	5
QED125 36" 8'	Concealed Vertical Rod - Cylinder Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED126 36"7'	Concealed Vertical Rod - Fire Rated	14.5	1	40	36	10.25	5	36	10.25	5
QED126 36" 8'	Concealed Vertical Rod - Fire Rated	14.7	1	40	48	10.25	5	48	10.25	5
QED127 36"7'	CVR - Less Bottom Rod - Hex Dogging	14.2	1	40	36	10.25	5	36	10.25	5
QED127 36"8'	CVR - Less Bottom Rod - Hex Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED128 36"7'	CVR - Less Bottom Rod - Cylinder Dogging	14.2	1	40	36	10.25	5	36	10.25	5
QED128 36" 8'	CVR - Less Bottom Rod - Cylinder Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED129 36"7'	CVR - Less Bottom Rod - Fire Rated	14.7	1	40	36	10.25	5	36	10.25	5
QED129 36" 8'	CVR - Less Bottom Rod - Fire Rated	14.9	1	40	48	10.25	5	48	10.25	5
QED111 48"	Rim Hex Dogging	11.9	1	40	48	10.25	5	48	10.25	5
QED112 48"	Rim Cylinder Dogging	11.9	1	40	48	10.25	5	48	10.25	5
QED113 48"	Rim Fire Rated	11.7	1	40	48	10.25	5	48	10.25	5
QED114 48"7'	Surface Vertical Rod - Hex Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED114 48" 8'	Surface Vertical Rod - Hex Dogging	15.1	1	40	48	10.25	5	48	10.25	5
QED115 48" 7'	Surface Vertical Rod - Cylinder Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED115 48" 8'	Surface Vertical Rod - Cylinder Dogging	15.1	1	40	48	10.25	5	48	10.25	5

						Case Box			Unit Box	
Product	Function	Unit Weight	Case Qty	Pallet Qty	Length	Width	Height	Length	Width	Height
QED116 48"7'	Surface Vertical Rod - Fire Rated	14.7	1	40	48	10.25	5	48	10.25	5
QED116 48" 8'	Surface Vertical Rod - Fire Rated	14.9	1	40	48	10.25	5	48	10.25	5
QED117 48"7'	SVR - Less Bottom Rod - Hex Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED117 48"8'	SVR - Less Bottom Rod - Hex Dogging	14.6	1	40	48	10.25	5	48	10.25	5
QED118 48"7'	SVR - Less Bottom Rod - Cylinder Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED118 48" 8'	SVR - Less Bottom Rod - Cylinder Dogging	14.6	1	40	48	10.25	5	48	10.25	5
QED119 48"7'	SVR - Less Bottom Rod - Fire Rated	14.9	1	40	48	10.25	5	48	10.25	5
QED119 48" 8'	SVR - Less Bottom Rod - Fire Rated	15.1	1	40	48	10.25	5	48	10.25	5
QED124 48"7'	Concealed Vertical Rod - Hex Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED124 48" 8'	Concealed Vertical Rod - Hex Dogging	15.1	1	40	48	10.25	5	48	10.25	5
QED125 48"7'	Concealed Vertical Rod - Cylinder Dogging	14.9	1	40	48	10.25	5	48	10.25	5
QED125 48" 8'	Concealed Vertical Rod - Cylinder Dogging	15.1	1	40	48	10.25	5	48	10.25	5
QED126 48"7'	Concealed Vertical Rod - Fire Rated	14.7	1	40	48	10.25	5	48	10.25	5
QED126 48" 8'	Concealed Vertical Rod - Fire Rated	14.9	1	40	48	10.25	5	48	10.25	5
QED127 48"7'	CVR - Less Bottom Rod - Hex Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED127 48"8'	CVR - Less Bottom Rod - Hex Dogging	14.6	1	40	48	10.25	5	48	10.25	5
QED128 48"7'	CVR - Less Bottom Rod - Cylinder Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED128 48" 8'	CVR - Less Bottom Rod - Cylinder Dogging	14.4	1	40	48	10.25	5	48	10.25	5
QED129 48"7'	CVR - Less Bottom Rod - Fire Rated	14.9	1	40	48	10.25	5	48	10.25	5
QED129 48" 8'	CVR - Less Bottom Rod - Fire Rated	15.1	1	40	48	10.25	5	48	10.25	5
QET100 Series - He	avy Duty Escutcheon Exit Trim									
QET120	Dummy Escutcheon Lever	2.2	6	288	16.81	14.25	9.13	8.27	5.34	3.34
QET125	Dummy Escutcheon Pull	1.9	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET130	Passage Escutcheon Lever	2.2	6	288	16.81	14.25	9.13	8.27	5.34	3.34
QET160	Keyed Escutcheon Lever (Classroom)	2.9	6	288	16.81	14.25	9.13	8.27	5.34	3.34
QET165	Thumbpiece Escutcheon Pull	3.1	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET167	Thumbpiece Dummy Escutcheon Pull	1.9	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET170	Night Latch Escutcheon Lever (Storeroom)	2.8	6	288	16.81	14.25	9.13	8.27	5.34	3.34
QET175	Night Latch Pull (Storeroom)	1.9	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET190	Flat/Blank Escutcheon Plate	1.4	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QED300 SERIES - G	RADE 1 STANDARD DUTY EXIT DEVICES & TRIM	S		ŗ						
QED311 36"	Rim Hex Dogging	6.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED312 36"	Rim Cylinder Dogging	6.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED313 36"	Rim Fire Rated	6	4	48	36.5	16	8.2	36.5	7.25	3.75
QED314 36"7'	Surface Vertical Rod - Hex Dogging	8.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED314 36"8'	Surface Vertical Rod - Hex Dogging	8.4	4	48	36.5	16	8.2	36.5	7.25	3.75
QED315 36"7'	Surface Vertical Rod - Cylinder Dogging	8.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED315 36"8'	Surface Vertical Rod - Cylinder Dogging	8.4	4	48	36.5	16	8.2	36.5	7.25	3.75
QED316 36"7'	Surface Vertical Rod - Fire Rated	8	4	48	36.5	16	8.2	36.5	7.25	3.75
QED316 36"8'	Surface Vertical Rod - Fire Rated	8.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED317 36"7'	SVR - Less Bottom Rod - Hex Dogging	8	4	48	36.5	16	8.2	36.5	7.25	3.75
QED317 36"8'	SVR - Less Bottom Rod - Hex Dogging	8.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED318 36"7'	SVR - Less Bottom Rod - Cylinder Dogging	8	4	48	36.5	16	8.2	36.5	7.25	3.75
QED318 36" 8'	SVR - Less Bottom Rod - Cylinder Dogging	8.2	4	48	36.5	16	8.2	36.5	7.25	3.75
QED319 36"7'	SVR - Less Bottom Rod - Fire Rated	8.2	4	48	36.5	16	8.2	36.5	7.25	3.75

rrenginte						Case Box			Unit Box	
Product	Function	Unit Weight	Case Qty	Pallet Qty	Length	Width	Height	Length	Width	Height
QED319 36" 8'	SVR - Less Bottom Rod - Fire Rated	8.4	4	48	36.5	16	8.2	36.5	7.25	3.75
QED311 48"	Rim Hex Dogging	6.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED312 48"	Rim Cylinder Dogging	6.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED313 48"	Rim Fire Rated	6.2	4	48	48.5	16	8.2	48.5	7.25	3.75
QED314 48"7'	Surface Vertical Rod - Hex Dogging	8.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED314 48" 8'	Surface Vertical Rod - Hex Dogging	8.6	4	48	48.5	16	8.2	48.5	7.25	3.75
QED315 48"7'	Surface Vertical Rod - Cylinder Dogging	8.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED315 48" 8'	Surface Vertical Rod - Cylinder Dogging	8.6	4	48	48.5	16	8.2	48.5	7.25	3.75
QED316 48"7'	Surface Vertical Rod - Fire Rated	8.2	4	48	48.5	16	8.2	48.5	7.25	3.75
QED316 48" 8'	Surface Vertical Rod - Fire Rated	8.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED317 48"7'	SVR - Less Bottom Rod - Hex Dogging	8.2	4	48	48.5	16	8.2	48.5	7.25	3.75
QED317 48" 8'	SVR - Less Bottom Rod - Hex Dogging	8.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED318 48"7'	SVR - Less Bottom Rod - Cylinder Dogging	8.2	4	48	48.5	16	8.2	48.5	7.25	3.75
QED318 48" 8'	SVR - Less Bottom Rod - Cylinder Dogging	8.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED319 48"7'	SVR - Less Bottom Rod - Fire Rated	8.4	4	48	48.5	16	8.2	48.5	7.25	3.75
QED319 48" 8'	SVR - Less Bottom Rod - Fire Rated	8.6	4	48	48.5	16	8.2	48.5	7.25	3.75
	andard Duty Escutcheon Exit Trim	0.0	1	10	10.5	10	0.2	10.5	1.25	5.75
QET320	Dummy Escutcheon Lever	2.25	12	324	16.81	14.25	9.13	8.27	5.34	3.34
QET325	Dummy Escutcheon Pull	1.9	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET330	Passage Escutcheon Lever	2.8	12	324	16.81	14.25	9.13	8.27	5.34	3.34
QET360	Keyed Escutcheon Lever (Classroom)	2.8	12	324	16.81	14.25	9.13	8.27	5.34	3.34
QET365	Thumbpiece Escutcheon Pull	3.1	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET367	Thumbpiece Dummy Escutcheon Pull	1.9	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET370	Night Latch Escutcheon Lever (Storeroom)	2.8	12	324	16.81	14.25	9.13	8.27	5.34	3.34
QET375	Night Latch Pull (Storeroom)	1.9	6	162	14.9	10.35	8.7	14.37	3.15	3.86
QET377	Gull Wing Trim (Storeroom)	1.7	12	324	16.81	14.25	9.13	8.27	5.34	3.34
QET390	Flat/Blank Escutcheon Plate	1.4	6	162	14.9	10.35	8.7	14.37	3.15	3.86
	andard Duty Round Rose Trim	1.7	0	102	14.2	10.55	0.7	17.57	5.15	5.00
QRT320	Dummy Round Rose	2.07	12	432	14	11.75	7.5	7.5	6.75	3.75
QRT330	Passage Round Rose	2.07	12	432	14	11.75	7.5	7.5	6.75	3.75
ORT360	Entry Round Rose (Classroom)	2.8	12	432	14	11.75	7.5	7.5	6.75	3.75
QRT361	Entry Round Rose SFIC (Classroom)	2.8	12	432	14	11.75	7.5	7.5	6.75	3.75
QRT370	Night Latch Round Rose (Storeroom)	2.8	12	432	14	11.75	7.5	7.5	6.75	3.75
QRT371	Night Latch Round Rose SFIC (Storeroom)	2.8	12	432	14	11.75	7.5	7.5	6.75	3.75
DOOR CLOSERS		2.0	12	152		11.75	7.5	7.5	0.75	5.75
			Extra Du	ıtv						
0DC111	Tri-pack	12.3	3	126	14.25	16.5	6	14.25	5.5	6
QDC112	Tri-pack with Hold Open	13.3	1	138	14.25	5.5	7	14.25	5.5	7
QDC113	Extra Duty Arm with Compression Stop	14	1	138	14.25	5.5	7	14.25	5.5	7
QDC114	Extra Duty Arm with Hold Open and Compression Stop	14	1	115	14.25	5.5	8	14.25	5.5	8
QDC115	Extra Duty Arm	13.6	1	138	14.25	5.5	7	14.25	5.5	7
QDC116	Extra Duty Arm with Hold Open	13.8	1	138	14.25	5.5	7	14.25	5.5	7
400000		1010	Heavy D			515		1.1125	515	
QDC211	Tri-pack	6.6	6	180	14.25	15.75	7.5	13.5	4.875	3.25
QDC212	Tri-pack with Hold Open	8	6	180	14.25	15.75	7.5	13.5	4.875	3.25
QDC213	Heavy Duty Arm with Compression Stop	8.5	3	216	14.25	15.75	7.5	13.375	7.875	3.25
QDC213	Heavy Duty Arm with Hold Open and	8.7	3	210	14.25	15.75	7.5	13.375	7.875	3.25
	Compression Stop	0.7			11.23	13.75	,		,,	5.25
	[Standard	, ' ,		4				
QDC311	Tri-pack	6.3	6	180	14.25	15.75	7.5	13.5	4.875	3.25
QDC312	Tri-pack with Hold Open	7.7	6	180	14.25	15.75	7.5	13.5	4.875	3.25
QDC313	Heavy Duty Arm with Compression Stop	8.2	3	216	14.25	15.75	7.5	13.375	7.875	3.25
	Heavy Duty Arm with Hold Open and									

QUOTING & ORDERING

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than <u>one year</u> from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor Name
 Bid Date
- Distributor Location
- Architects Name, Phone Number and
- Distributor Contact Name and Phone Number
- Architects Location
 Specification Writer Name, Phone Number and Location
- Distributor e-mail contactProject Name

Project Location

- Competitive Influence / Specification
- List of materials to be quoted

Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

NON-STANDARD PRODUCT REQUEST: Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address: **Email: product.request.us@dormakaba.com**

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS-orderentry.us@dormakaba.com or by fax to 877-835-1030

NOTE: For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE"

REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (*Required Date, Expected Date, etc. do not apply*) These orders will be scheduled to ship on or after the date listed.

QUOTING & ORDERING (continued)

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

• Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.

Email: BAS-expediterequest.us@dormakaba.com

• See the then current dormakaba USA Quick Ship Program for details.

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

RETURN AUTHORIZATION FORM REQUEST

Return for Replacement	□ <u>Return for Credit</u>	
Date of Request:		
Original Order:		NATURE OF PROBLEM
Date of Request:		
Original P.O.:		Manufacturing Defect
Invoice #:		Warranty Evaluation
Customer Name:		Missing Parts
Account Number:		Wrong Material Received
Address:		Wrong Material Ordered
City:		Wrong Quantity
State:	Zip:	Return Inventory
Contact Name:		□ Other:
E-mail:		NOTE: All returns shall be subject to dormakaba USA Inc.'s
Phone:		current Terms of Sale and Warranty as outlined in the price catalog.
Ship Replacement Material	to Address Above	Ship Replacement Material to Address on Order

DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

RETURN MATERIAL											
Line Item #	Quantity	Product Nomenclature	Product Description								

Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1-877-835-1030

RETURNED AUTHORIZATION (RA)

RA REQUESTS: A Return Authorization Form ("RA") must be utilized to return defective products <u>still under warranty</u> or products deemed repairable by dormakaba USA Inc. ("dormakaba USA"). All products returned to dormakaba USA must have a correct Return Authorization (RA) number applied to the outside of the shipping carton. All products must be returned within sixty (60) calendar days of RA issue date. This process can take up to seven (7) days after product is received at dormakaba USA's factory. If a defective product presents a security risk, an advance replacement may be requested.

RA PROCESS: Requests for warranty related returns can be initiated by submitting an e-mail to

BAS-rgacreditgrp.us@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- End User Name
 Sales Order Number
 - Item Number
- Account NumberContact NamePhone Number
- Item QuantityDescription of the Problem
- Purchaser Order Number
- 1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member.
- Once a claim number is issued, this number should be noted on all references and communications regarding the applicable situation to ensure a claim is easily identified.
- Defective product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- 4. When material is received at dormakaba USA's factory, dormakaba USA will assess and determine the nature of the defect.
- 5. Defective goods are replaced upon dormakaba USA's determination.
- 6. Credit for material and freight is issued only if deemed appropriate by dormakaba USA. If approved, credit is initiated and a credit memo is mailed to the Distributor within fifteen (15) business days.

PURCHASE ORDERS:

A Purchase Order (PO) will be required if the Product is:

- 1. Defective and <u>not</u> under warranty, or
- 2. An advance replacement is required <u>without</u> verification of whether the product is defective and under warranty.

Please send Purchase Orders to the following:

- Preferred Method e-mail:
- BAS-rgacreditgrp.us@dormakaba.com
- Fax: 1-877-835-1030

RETURNED AUTHORIZATION (RA) NON-WARRANTY

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A thirty percent (30%) re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
 Sales Order Number
- Account Number
 Item Number
 - Contact Name Item Quantity
 - Description of the Problem
- Purchaser Order Number

Phone Number

•

.

- Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
 Once a claim number is issued, this number should be noted on all references
- 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
- 3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- 4. The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
- 5. Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

FULFILLMENT ISSUES

Any quality issues (missing parts, wrong parts, handing, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handing, function, finish, etc):

Advanced replacements will be issued for any wrong items received. Such orders will be charged based on pricing/ discounts from the original order. The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

SUMMARY)	ISE ONLY		DATE:	DATE:	DATE:	PCR/BID#:	ETC.		DETAILED NOTES & INFORMATION	Additional Details to Complete Order								
(ATTACH KEY SYSTEM SUMMARY)	dormakaba USA Inc. USE ONLY						SPECIAL INSTRUCTIONS/JOB NAME ETC.	•		Net Price (Auto Fill)				 	 	 		
(ATTAC	ор	DER #:	ITED BY:	BY:	BY:	PE:	SPECIAL INS	PROCESSING	MULTIPLIER	List Price (Required)								
		SALES ORDER #:	RED'D/EDITED BY:	ENTERED BY:	VERIFIED BY:	ORDER TYPE:		PROCES		MK Symbol(s)								
	NTACT:				:#:	-			GURATION	Key Symbol(s)								
ORDER	FOR ADDITIONAL INFORMATION, CONTACT:				QUOTE #:		SS	MATION FOR ORDERING	KEYING CONFIGURATION	Door/Unit Markings or Key Groups								
0 R	DITIONAL INF				ORDER #:		ame & Addre	MATION		Keying								
PURCHASE	FOR ADI	NAME:	PHONE:	E-MAIL:	PURCHASE		SHIP TO: Customer Name & Address	••• REQUIRED INFOR		Кеумау								
HA	- iii				REQUESTED SHIP DATE:		SHIP TO	QUIRED		Strike								
RC	CUSTOMER SERVICE:	5-2407	ERS TO:	5-1030	REQUESTED			• • • RE	CODES	Latch					 			
PC	ISTOME	(855) 365-2407	FAX ORDERS TO:	(877) 835-1030	DATE WRITTEN:		SS		CRIPTION	Finish								
	C				DATE W		me & Addre		PRODUCT DESCRIPTION CODES	Style								
					BILL TO CUSTOMER ID:		SOLD TO: Customer Name & Address		PROI	Series/ Function (Part #)								
					LL TO CU		SOLD -			Qty								
					BII					Line Item								

NO															
DETAILED NOTES & INFORMATION	Additional Details to Complete Order														JOB NAME:
•	Net Price (Auto Fill)														1
·LIER	List Price (Required)														
	MK Symbol(s)														DATE WRITTEN:
	Key Symbol(s)														DATEW
	Door/Unit Markings or Key Groups														PURCHASE ORDER #:
CODES CODES KEYING	Keying														PURCHAS
	Кеумау														CUSTOMER NAME:
	Strike														CUSTON
CODES	Latch														ER ID:
CRIPTION C	Finish														BILL TO CUSTOMER ID:
PRODUCT DESCRIPTION CODES	Style														BILLTC
PROI	Series/ Function (Part #)														
	Qty	\square													
	Line Item														

Keying System Summary

SHEET	DATE:	PURCHASE ORD)ER #:	SALES ORD	ER #:
1 of 2					
SOLD	TO:		SHIP T	·O:	
1. JOB NAME	& ADDRESS		5. KEY QU	ANTITY	
2. SYSTEM	STATUS EXISTING	MASTER LEVEL GGM GM MK/GROUF	STAN	ЛР 	QTY
3. SYSTEI		 OTHER OTHER OTHER OTHER 			
GGMK		CHANGE KEYS*			QTY
4. KE	YS	PER CYLINDER/L PER KEYED ALIKI			.
KEYWAY SELECTION	YALE - GA	*Two cut cha		rd per lockset/cylinder. tuted for cut keys	
	SARGENT - LA		6. CROSS K	EYING	
	SFIC - F (IC CORE)	KEY SYMBOL	TO BE OP	ERATED BY (OB)	()
KEY & CYL STAMPING					
VKC0 No Bitting or Key Set Stamping on Keys VKC1 Visual Key Stamping	CKC2 Concealed Key Control Cylinders & VKC Keys CKC3 Concealed Key Control Cylinders Only				
VKC2 Special Stamping (other than standard symbols) VKC3 Visual Key Control (Cylinder face only- levers & deadbolts) VKC4 Visual Key Control (Keys & Cylinder face)	DND Do Not Duplicate (Keys Stamped) - Keys: up to 6 characters - Cylinder face: Up to 4 characters - Cylinder side: Up to 6 characters				

Keying System Summary

SHEET 2 of 2	DATE:	PURCHASE ORDER #:	SALES ORDER #:
SOLD	TO:		TING LIST
		PROVIDE BITTING LIST F	_
		YES	NO NO
7. PACKAGING	& MARKINGS	LETTER OF AUTHORIZAT	ΓΙΟΝ:
PACK CHANGE KEYS V	NITH	ATTACH	ED
LOCKS/CYLINDERS (S		MAIL BITTING LIST TO:	
PACK CHANGE KEYS S	SEPARATELY		
LABEL ENVELOPES:			
	DOOR NUMBER		
	OTHER*	ATTENTION:	
*MARKINGS FOR OTHER:		11.00	DNTACT
SHIP CHANGE KEYS TO:		NAME OF INDIVIDUAL IN YO	
		IS KNOWLEDGEABLE ABOU ANY CLARIFICATION BY NEW	IT THIS PROJECT, SHOULD
			CLOSANT (Flease Flint).
ATTENTION:		NAME: FAX #:	
8. SHIPPING INSTRUCTIO	NS FOR MASTER KEYS	PHONE #:	
SHIP MASTER KEYS TO:			
		THIS FORM HAS BEEN CON	IPLETED BY (Please Print):
		NAME:	
ATTENTION:		ADDITIONAL INFO	RMATION (ATTACH)
9. SHIPPING INSTRUCTIONS F	OR CONSTRUCTION KEYS		
SHIP CONSTRUCTION KEY	S TO:		
ATTENTION:			



6161 East 75th Street Indianapolis, IN 46250 USA

Phone 855-365-2407

stanleyhardwarefordoors.com





dormakaba.com