



PRICE BOOK 2019

PRICING

Pricing & Policies

Pricing, Policies & Warranty

Pricing Policies.....P1.1




ELECTRIC LOCKING

Control Trim Solutions


Retrofit Control Trim For Panic Devices

LEXI.....P1.3



Mortise & Cylindrical Control Trim Packages

ELECTRA.....P1.9




Exit Device & Control Trim Packages

ACCED.....P1.12

Power Supplies, Electric Transfers & Wiring

POWER.....P1.15




Mantraps, Sally Ports, Interlocks, Secured Wards & Other Entry & Exit Control Systems

RACHIE.....P1.17



Advanced Request-To-Exit Trim

ARTE.....P1.19



MECHANICAL LOCKING

Forced Entry Solutions

Cylinder Protection

Securiguard(6000).....P1.21



Please Visit

www.securitech.com/registration

To Register Your Price Book

toll free 800.622.LOCK
local 718.392.9000
fax 718.392.8944

SECURITECH GROUP, INC.
54-60 46th St., Maspeth, NY 11378
www.securitech.com

Securitech's policy is to work cooperatively with our distributors and dealers to exceed the needs and requirements of our users.

ACCEPTANCE

Orders are accepted at the sole discretion of Securitech Group, Inc. Securitech reserves the right to decline an order at its sole discretion.

AUTHORIZATION TO PURCHASE

Knowledge or possession of the price list does not constitute the right to purchase from Securitech.

CHANGES & CANCELLATIONS

All changes to an order must be in writing. Changes and cancellations are subjected to material and labor charges incurred prior to the change or cancellation notification and shall be due and payable upon billing by Securitech.

CLAIMS

All claims for shortages must be made within one week of receipt of material. Any claims for shortages or damages by the carrier shall be made directly by the customer to the carrier. Any change or alteration to an invoice must be approved by Securitech in advance of payment.

CONFIRMATION

To ensure accuracy, Securitech requires a signed Order Entry Confirmation prior to releasing an order to production. Failure to provide Securitech with a confirmation will delay the order.

CREDIT TERMS

Securitech retains the right to issue or change credit terms at its sole discretion.

DELIVERY

Securitech will provide an estimated delivery date. Securitech shall not be held liable or accountable for any damages or costs incurred due to missed or changed delivery date.

FINANCE CHARGES

Securitech retains the right to issue finance charges of 1.5% per month on all delinquent accounts. The customer shall be responsible for all collection costs, court costs and attorney's fees (where allowed by law) in connection with the recovery of any delinquent account.

FREIGHT

F.O.B. Maspeth, NY. Customer is responsible for all freight costs. Securitech will ship with the carrier of its choice, unless instructed otherwise. Freight is not included in rush charge.

MINIMUM INVOICE AMOUNT

Securitech retains the right to determine the minimum invoice amount for any account.

LEGAL

All transactions shall be governed by the laws of the State of New York.

PRICES

Prices are subject to change without notice and are only guaranteed when presented by Securitech by a quotation and subject to the dates listed in the quotation. Securitech reserves the right to correct any printed or clerical errors at any time.

RETURNS

All returns shall require pre-authorization by Securitech and the issuance of an RGA number. All returns must comply with the terms and requirements listed on the RGA and are subject to review and acceptance upon receipt by Securitech. Returns are subject to a restocking fee as determined by Securitech and are issued at the sole discretion of Securitech.

TAXES

Securitech sales are to authorized resellers who shall furnish applicable sales certificates to Securitech. All prices exclude any federal, state or local taxes.

TERMS OF SALE

Securitech terms for open status accounts are Net 30 days. Discounts are offered at the sole discretion of Securitech and are listed individually upon the invoice.

Securitech Group, Inc. Rush Order Policy (Effective 10/07)

We try very hard accommodate all our customers and honor requested ship dates. We understand that there will be circumstances requiring "Rush" orders and will make good faith efforts to honor those requests, according to the policy below. However, it is impossible for Securitech to honor each and every rush order request. Dealers should maintain an inventory of the most popular items they sell.

Rush charges are necessary as greater effort and expenses are incurred to fulfill rush shipments. Rush orders also impact our ability to make on-time shipments. Customers will be informed of rush charges before they are entered on the order. Customers must accept the rush charge before the order can be processed.

Rush orders will be accepted until 2pm EST (3pm EST for west coast customers). Any orders received after that time cannot be processed on the same day. Rush charges may be waived at the discretion of management and will be indicated in writing on the purchase order confirmation.

Rush Charge Schedule:

- Standard: 10% - shipped within 48 hours after receipt of a confirmed order.
- Extreme: 15% -shipped within 24 hours of a confirmed order, requires telephone request as well.

FREIGHT IS NOT INCLUDED IN RUSH CHARGE

Under normal circumstances the following products can ship with RUSH status. Quantity may affect availability

All products must be of standard finish, size and have no custom mechanical or electric components.

1. SERPENT Complete Products: SEL-100, 200, 110, 210,120, 220, SEL-IAL, SEL-DDA, SEL-481/482, SEL-GK2
 - a. Exterior Trim: SEL-KLT, SEL-MTT, SEL-KDT, SEL-MDT
 - b. Alarms: SEL-A10, SEL-A20
 - c. Spare Parts: SEL-SSO,
2. 4800 Complete Products: 4820, 4820V, 4840, 4840P, 4831,4832,4833 (In swing or out swing)
 - a. Exterior Control: XX, HG, BG
 - b. Internal Control: All options (TT, LT, CO, RO)
 - c. Standard Door width, height and thickness ("37")
 - d. Spare Parts: MPK-EK12, 4840MECH, 48TPC-ASM
3. SECURIGUARD Models 6300, 6305

The following products are not available under the above rush program: 7000 Series, 8000 Series, any SHD, any SBD, any TT, special finishes, LEXI, ACCED, ELECTRA, RACHIE, ARTE, CUSTOM ELECTRICAL AND/OR MECHANICAL PRODUCTS.

Please contact the factory for lead times.

This policy is subject to change without notice.

Limited Warranty

The Securitech Group, Inc (The Company) warrants that its products sold are free from defects in workmanship and materials under normal use and service.

This warranty does not cover damage or defects arising from improper installation, improper storage, abuse, or products being used in application other than in a manner which product was intended.

The only liability of the Company in tort or contract whether under warranty or otherwise shall be limited to the repair or replacement of any product or component part which shall prove defective as covered by this warranty.

Electric Locks & Trims

- UG Trims:** (2) Two Year Mechanical Warranty
(5) Five Year Warranty on electrical components
- GG Trims:** (2) Two Year Mechanical Warranty
(5) Five Year Warranty on electrical components

Power Transfer Hinges, TransX, Yamaka, Mini Hinge:

- (1) One Year Warranty

Power Supplies, Alarms, Key Switches, other products:

- (1) One Year Warranty

Multi-Point & Mechanical Locks

- Serpent: [5] Five Year Mechanical & [1] One Year Electrical Warranty
- 4800 Series: (3) Three Year Mechanical Warranty
- 6000 Series: (1) One Year Mechanical Warranty
- 7000 Series: (1) One Year Mechanical Warranty
- 8000 Series: (1) One Year Mechanical Warranty

Glossary of Terms

Classroom Function: Lever remains unlocked until re-locked by key

Storeroom Function: Single entry, lever relocks when key is removed

Fail-Secure: Lever remains locked with loss of power

Fail-Safe: For re-entry applications; lever unlocks with loss of power

Request-To-Exit: Moving interior lever or pushing panic bar sends signal for exiting. Eliminates need for P-I-R switches or other detectors.

Key Usage Switch: Single rotation of the key changes state of switch from off to on or on to off

Momentary Switch: State of switch changes only as long as key is rotated

Latch Position Switch: Indicates that latch is fully extended

Key On/Off Switch: A switch performs a function when activated by rotating the key.

Bond Sensor: Verifies bonding between magnet and armature on magnetic locks.


Door Status Switch: Senses open and closed door position.

Finishes

B. H. M. A.	Description
630	Satin Stainless Steel
605	Bright Brass
606	Satin Brass
611	Bright Bronze
612	Satin Bronze
613	Oil Rubbed Bronze
625	Bright Chrome
626	Satin Chrome
629	Bright Stainless
676	Powder Coated Black

Handing

The door handing is determined by looking at the door from the exterior (key) side of the door.



Look at the hinges.


See if the door swings into the room or out of the room.

LEXI™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

RETROFIT CONTROL TRIM FOR EXISTING EXIT DEVICES

Below is pricing for Securitech's popular LEXI models.
 To price other custom models start with the series as the base price.
 Add the appropriate prices for each designation.
 The total is the model's list price.



LEXI POPULAR MODEL PRICES (Specify handing.)

MODELS (page E2.2)		LIST PRICE
EDT-G20-D11-J2F1-630	24vDC Release For Jackson Concealed Vertical Rod Exit Devices (CVR-885, 1085, 1285, 2085); Single Entry, Fail-Secure	\$990
EDT-G20-D13-J2F1-630	24vDC Release For Jackson Concealed Vertical Rod Exit Devices (CVR-885, 1085, 1285, 2085); Single Entry, Fail-Secure, Key Usage Switch	\$1195
EDT-G20-D11-D4G2-630	24vDC Release For Doromatic Concealed Vertical Rod Exit Devices (CVR-1690, 990); Single Entry, Fail-Secure	\$990
EDT-G20-D13-D4G2-630	24vDC Release For Doromatic Concealed Vertical Rod Exit Devices (CVR-1690, 990); Single Entry, Fail-Secure, Key Usage Switch	\$1195
EDT-G20-D11-V1A1-630	24vDC Release For Von Duprin Rim Exit Devices (RIM-99EO, 99NL(cyl), 99TP, 99K, 9927EO, 9927NL(cyl), 9927L, 9927K, 9947EO, 9947NL(cyl), 9947L); Single Entry, Fail-Secure	\$955
EDT-G20-D13-V1A1-630	24vDC Release For Von Duprin Rim Exit Devices (RIM-99EO, 99NL(cyl), 99TP, 99K, 9927EO, 9927NL(cyl), 9927L, 9927K, 9947EO, 9947NL(cyl), 9947L); Single Entry, Fail-Secure, Key Usage Switch	\$1160
EDT-G20-D11-Y1A1-630	24vDC Release For Yale & Corbin Russwin Exit Devices (Yale: SVR-7110, SQB-7150n, CVR-7140n, RIM-7200w, CVR-7240; Corbin Russwin: RIM-ED5200n, SVR-ED5400n, CVR-ED5800n, RIM-ED4200, SVR-ED4400, SVR-ED4800, RIM-ED6200, SVR-6400EO, CVR-ED6800EO); Single Entry, Fail-Secure	\$910
EDT-G20-D13-Y1A1-630	24vDC Release For Yale & Corbin Russwin Exit Devices (Yale: SVR-7110, SQB-7150n, CVR-7140n, RIM-7200w, CVR-7240; Corbin Russwin: RIM-ED5200n, SVR-ED5400n, CVR-ED5800n, RIM-ED4200, SVR-ED4400, SVR-ED4800, RIM-ED6200, SVR-6400EO, CVR-ED6800EO); Single Entry, Fail-Secure, Key Usage Switch	\$1115

START HERE TO BUILD YOUR CUSTOM MODEL

LEXI PRICE LIST

SERIES	DESCRIPTION	LIST PRICE
EDT	Exit Device Trim	\$820
EMT	Exit Device Trim, Maglock Built In Trim	\$995

TRIM STYLE	DESCRIPTION	LIST PRICE
G2	GG Style Trim; Durable, Slip Clutch Model (vandal-resistant)	-

LEVER TYPE	DESCRIPTION	ADD TO LIST PRICE
0	Standard With Return	-
2	Tapered	55
3	Tubular With Return	55
4	Tapered With Return	55

CONTINUED ON NEXT PAGE

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

FUNCTION GROUPS	DESCRIPTION	ADD TO LIST PRICE
D11	24vDC Release, Single Entry, Fail-Secure	-
D13	24vDC Release, Key Usage Switch	205
D15	24vDC Release, Key On/Off Switch	150
D31	24vDC Release, Classroom Function	70
R11	Re-Entry Function, 24vDC Required, Fail-Safe	70
R13	Re-Entry Function, Key Usage Switch	275
A11	24vAC (30VA) Release, Single Entry, Fail-Secure	-
A13	24vAC (30VA) Release, Key Usage Switch	205
M10	Mechanical, Single Entry	-140
M30	Mechanical, Classroom Function	-90
M00	Mechanical, Dummy Trim	-165
M02	Passage	-190
MP&O	DESCRIPTION	ADD TO LIST PRICE
D4G2	Doromatic, CVR-1690, 990	170
D6G2	Doromatic, CVR-3700	170
J2F1	Jackson, CVR-885, 1085, 1285, 2085	170
K1E1B	Kawneer, CVR-Paneline (wide stile only)	305
V1A1	Von Duprin, Rim-99EO, 99NL(cyl), 99TP, 99K, 9927EO NL(cyl), 9927L, 9927K, 9947EO, 9947NL(cyl), 9947L	135
Y1A1	Yale, VR7110, SQB7150(n), CVR7140(n), Rim7200(w), CVR7240, Rim-ED5200(n), SVR-ED5400(n), CVR-ED5800(n), Rim-ED4200, SVR-ED4400, SVR-ED4800, Rim-ED6200, SVR-ED6400(EO), CVR-ED6800(EO)	90
Y3A1	Yale, Rim7100(w), SQB7150(w), SVR7110(w), CVR7140(w)	135
OTHER MP&O MODELS		ADD TO LIST PRICE
LEVEL I	(Includes Mounting Plate For Dummy Trim)	90
LEVEL II		135
LEVEL III		170
LEVEL IV		190
LEVEL V		265
LEVEL VI		305
SPECIAL FUNCTIONS	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (List As Needed)		
F1	Lever Position Switch	190
F3	Thick Door (2-2 1/2)	55
F4	LED Lever Release Indicator	340
F5	Security Fasteners	45
F6	Piezo Sounder For Lever	90
FINISH	DESCRIPTION	ADD TO LIST PRICE
630	Satin Stainless Steel	-
605	Bright Brass	240
606	Satin Brass	160
613	Oil Rubbed Bronze -Powder Coated-	160
629	Polished Stainless Steel	245
DOOR HANDING	DESCRIPTION	ADD TO LIST PRICE
LHR	Left Hand Reverse Door	
RHR	Right Hand Reverse Door	

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

LEXI™ MP&O Finder

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

FIND YOUR EXIT DEVICE MODEL NUMBER. FIND THE CORRESPONDING MP&O. PLACE THE MP&O DESIGNATION INTO FIELD #4 ON THE LEXI MODEL BUILDER PAGE.

Von Duprin Exit Devices

MODEL	TYPE	DEVICE	EXTERIOR	OPERATOR	MP&O	LEVEL
22	RIM	22NL	No Longer Supported	N/A	N/A	N/A
33	RIM	33EO	No Longer Supported	N/A	N/A	N/A
33	RIM	33NL-OP	No Longer Supported	N/A	N/A	N/A
33	RIM	33L	No Longer Supported	N/A	N/A	N/A
3327	SVR	3327L	No Longer Supported	N/A	N/A	N/A
3347	CVR	3347L	LEVER TRIM	372L	V9D6	IV
3347	CVR	3347TL	THUMBTURN	376T	V13D6*	IV
33A	RIM	33AEO	NONE	N/A	V10A4	II
33A	RIM	33ANL	CYLINDER	386NL	V10A4	II
33A	RIM	33AL	LEVER TRIM	360L	V10A4	II
3327A	SVR	3327A	LEVER TRIM		V10A4	II
33A47	CVR	33A47EO	NONE	N/A	V10A4	II
33A47	CVR	33A47NL	CYLINDER	386NL	V10A4	II
33A47	CVR	33A47L	LEVER TRIM	360L	V10A4	II
33A47	CVR	33A47TL	THUMBTURN	376T	V13D6*	IV
5547	CVR	5547TL	THUMBTURN	376T	V13D6*	IV
55	RIM	55NL	LEVER TRIM	5575NL	V18A1	IV
88	RIM	88NL	CYLINDER	880NL	V2A1	II
88	RIM	88TP	THUMB PIECE	880TP	V15A1**	IV
88	RIM	88L	LEVER TRIM	373L	V20B4	II
88	RIM	88K	KNOB	880K	V2B1	III
8875	MORTISE	8875L	LEVER TRIM	373L	V7B1	II
8827	SVR	8827TP	THUMB PIECE	880TP	V11D9***	IV
8827	SVR	8827L	LEVER TRIM	373L	V12B4	II
8847	CVR	8847EO	NONE	N/A	V13D6*	IV
8847	CVR	8847TL	THUMBTURN	377T	V13D6*	IV
99	RIM	99EO	NONE	N/A	V1A1	II
99	RIM	99L	LEVER TRIM	996L	V1A1	II
99	RIM	99NL	CYLINDER/PLATE	990NL	V4A1	II
99	RIM	99NL	CYLINDER ONLY	110NL	V1A1	II
99	RIM	99TP	THUMB PIECE	990TP	V1A1	II
99	RIM	99K	KNOB	991K	V1A1	II
9975	MORTISE	9975L	LEVER TRIM	992L	V14B8	III
9975	MORTISE	9975K	KNOB	991K	V14B8	III
9927	SVR	9927EO	NONE	N/A	V1A1	II
9927	SVR	9927NL	CYLINDER/PLATE	990NL	V4A1	II
9927	SVR	9927NL	CYLINDER ONLY	110NL	V1A1	II
9927	SVR	9927TP	THUMB PIECE	990TP	V4A1	II
9927	SVR	9927L	LEVER TRIM	992L	V1A1	II
9927	SVR	9927K	KNOB	991K	V1A1	II
9947	CVR	9947EO	NONE	N/A	V1A1	II
9947	CVR	9947NL	CYLINDER/PLATE	990NL	V4A1	II
9947	CVR	9947NL	CYLINDER ONLY	110NL	V1A1	II
9947	CVR	9947L	LEVER TRIM	992L	V1A1	II

* Must use rod member #109112 for MP&O #V13D6
 ** Requires Von Duprin #CKNL kit to use MP&O #V15A1

Universal Mounting Plates

MP&O	LEVEL	WIDTH	HEIGHT
U1A1	II	2"	13"
U2A1	II	3"	13"
U3D2	II	3"	13"
U4A7	II	2.5"	14.25"
U1D6	III	2"	13"
U1D7	III	2"	13"

Universal Mounting Plates do not match a specific manufacturer's templating and do not thru-bolt to exit devices. They are designed to thru-bolt around the exit device head and can be used with various, but not all exit devices.


All Universal Mounting Plates include 4 thru-bolts except the U3D2 MP&O which comes with 2 thru-bolts.

U1A1 & U2A1 replicate rim cylinder tailpiece

D2 operator used for Monarch 18 CVR

D6 operator used for lifting motion on different CVR devices

D7 operator used for lifting motion on Sargent CVR devices



We are constantly adding MP&O's based upon customer requests. If the MP&O for an exit device you need is not listed, please contact the factory and we'll work with you to meet your needs.

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

FIND YOUR EXIT DEVICE MODEL NUMBER. FIND THE CORRESPONDING MP&O. PLACE THE MP&O DESIGNATION INTO FIELD #4 ON THE LEXI MODEL BUILDER PAGE.

ALUMINUM DOOR SOLUTIONS

Jackson Exit Devices

MODEL	TYPE	MP&O	LEVEL
885	CVR	J2F1	III
1085	CVR	J2F1	III
1085	CVR	J6F1*	III
1285	CVR	J2F1	III
2085	CVR	J2F1	III
3185	CVR	J1H2	IV
1095	RIM	J3A4	III
1295	RIM	J4A5	III

Kawneer Exit Devices

STILE	TYPE	MP&O	LEVEL
WIDE	CVR	K1E1B**	VI
NARROW	CVR	K2E2**	V

Stanley Exit Devices

MODEL	TYPE	DEVICE	EXTERIOR	MP&O	LEVEL	STILE
QED100	RIM	QED111	LEVER OR PULL	Q1A7	III	WIDE

Corbin/Russwin Exit Devices

MODEL	TYPE	DEVICE	EXTERIOR	MP&O	LEVEL	STILE
ED5000	RIM	ED5200		Y1A1 / Y3A1	I / II	NARROW / WIDE
ED5000	SECURITY	ED5200S		Y1A1 / Y3A1	I / II	NARROW / WIDE
ED5000	MORTISE	ED5600L	LEVER TRIM	Y2B1	II	N/A
ED5000	SVR	ED5400		Y1A1 / Y3A1	I / II	NARROW / WIDE
ED5000	CVR	ED5800		Y1A1 / Y3A1	I / II	NARROW / WIDE
ED4000	RIM	ED4200		Y1A1	I	N/A
ED4000	SVR	ED4400		Y1A1	I	N/A
ED4000	CVR	ED4800		Y1A1	I	N/A
ED6000	RIM	ED6200***	EXIT ONLY	Y1A1	I	N/A
ED6000	RIM	ED6200****	THUMBPIECE	C6L1	III	N/A
ED6000	RIM	ED6200	LEVER TRIM	C6L1	III	N/A
ED6000	RIM	ED6200	KNOB	C6L1	III	N/A
ED6000	SVR	ED6400***	EXIT ONLY	Y1A1	I	N/A
ED6000	SVR	ED6400****	THUMBPIECE	C6L1	III	N/A
ED6000	SVR	ED6400	LEVER TRIM	C5C2	III	N/A
ED6000	SVR	ED6400	KNOB	C6L1	III	N/A
ED6000	CVR	ED6800***	EXIT ONLY	Y1A1	I	N/A
ED6000	CVR	ED6800****	THUMBPIECE	C6L1	III	N/A
ED6000	CVR	ED6800	LEVER TRIM	C6L1	III	N/A
ED6000	CVR	ED6800	KNOB	C6L1	III	N/A
ED8000	RIM	ED8200	EXIT ONLY	C3A3	III	N/A
ED8000	RIM	ED8200	LEVER OR KNOB	C3A3	III	N/A
ED8000	SVR	ED8400	EXIT ONLY	C3A3	III	N/A
ED8000	SVR	ED8400	LEVER OR KNOB	C3A3	III	N/A

Adams-Rite Exit Devices

MODEL	TYPE	MP&O	LEVEL
8400	MORTISE	Contact Securitech	
8600-LHR	CVR	A2A8	II
8600-RHR	CVR	A3A8	II
8675-LHR	CVR	A2A8	II
8675-RHR	CVR	A3A8	II

Monarch Exit Devices

MODEL	TYPE	MP&O	LEVEL
17R	RIM	M1D2	II
17M	MORTISE	M1D2	II
18R	RIM	M3B9	II
18SVR	SVR	M2A1	II
19SVR	SVR	M4A1	II
19 R EO	RIM	M5A1	II

Doromatic Exit Devices

MODEL	TYPE	MP&O	LEVEL
1690	CVR	D4G2	III
990	CVR	D4G2	III
1990	CVR	D10G2	III
1790-RHR	RIM	D6G2	III
1790-LHR	RIM	D6G1	III
3700	RIM	D6G2	III
3690	CVR	D4G2	III

Detex Exit Devices

MODEL	TYPE	MP&O	LEVEL
V4001	RIM	T1A10	IV

Hager Exit Devices

MODEL	TYPE	MP&O	LEVEL
4500	RIM	H1A7	IV

ED5000 Series

All exits will accept trims.

Function of device is in trim not in the exit head.

The narrow Y1 plate should be used on new construction or doors not yet prepped for Corbin Russwin 700/900 trims.

The Y3 backplate is the same dimensions as the escutcheon for the 700/900 trim by Corbin Russwin. Use on retrofit projects.

ED4000 Series

All narrow-stile exits will accept trims.

Function of device is in trim not in the exit head.

The Y1A1 MP&O bolts directly to the head of the exit device.

ED8000 Series

Trim bolts thru door above and below device as well as once to head of device for alignment

*For retrofit. Covers old exterior trim holes.

**For use with PANELINE 350 Doors

***Requires upgrade cassette in exit device head to accept trim

****The C2 Plate will not cover all old thumbpiece holes

We are constantly adding MP&O's based upon customer requests. If the MP&O for an exit device you need is not listed, please contact the factory and we'll work with you to meet your needs.

LEXI™ MP&O Finder

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

FIND YOUR EXIT DEVICE MODEL NUMBER. FIND THE CORRESPONDING MP&O. PLACE THE MP&O DESIGNATION INTO FIELD #4 ON THE LEXI MODEL BUILDER PAGE.

Yale Exit Devices

MODEL	TYPE	EXTERIOR	OPERATOR	MP&O	LEVEL	STILE
7100/7150	RIM	NONE	N/A	Y1A1 / Y3A1	I / II	NARROW / WIDE
7100/7150	RIM	CYLINDER	N/A	Y1A1 / Y3A1	I / II	NARROW / WIDE
7100/7150	RIM	THUMBPIECE	530	Y1A1 / Y3A1	I / II	NARROW / WIDE
7100/7150	RIM	LEVER TRIM	520/620	Y1A1 / Y3A1	I / II	NARROW / WIDE
7100/7150	RIM	KNOB	CA544	Y3A1	II	N/A
7130	MORTISE	NONE	N/A	Y2B1	II	N/A
7130	MORTISE	LEVER TRIM	520/620	Y2B1	II	N/A
7110	SVR	NONE	N/A	Y1A1 / Y3A1	I / II	NARROW / WIDE
7110	SVR	THUMBPIECE	530	Y1A1 / Y3A1	I / II	NARROW / WIDE
7110	SVR	LEVER TRIM	520/620	Y1A1 / Y3A1	I / II	NARROW / WIDE
7110	SVR	KNOB	CA544	Y3A1	II	N/A
7140	CVR	NONE	N/A	Y1A1 / Y3A1	I / II	NARROW / WIDE
7140	CVR	THUMBPIECE	530	Y1A1 / Y3A1	I / II	NARROW / WIDE
7140	CVR	LEVER TRIM	520/620	Y1A1 / Y3A1	I / II	NARROW / WIDE
7140	CVR	KNOB	CA544	Y3A1	II	N/A
7200	RIM	NONE	N/A	Y1A1	I	N/A
7200	RIM	CYLINDER	501	Y1A1	I	N/A
7200	RIM	THUMBPIECE	T14	Y1A1	I	N/A
7200	RIM	LEVER TRIM	500	Y1A1	I	N/A
7210	SVR	NONE	N/A	Y1A8	I	N/A
7210	SVR	CYLINDER	501	Y1A8	I	N/A
7210	SVR	THUMBPIECE	T14	Y1A8	I	N/A
7210	SVR	LEVER TRIM	500	Y1A8	I	N/A
7240	CVR	NONE	N/A	Y1A1	I	N/A
7240	CVR	CYLINDER	501	Y1A1	I	N/A
7240	CVR	THUMBPIECE	T14	Y1A1	I	N/A
7240	CVR	LEVER TRIM	500	Y1A1	I	N/A

Yale 7100 Series

All exit devices will accept trims. Function of device is in trim not in the exit head.

Y1A1 - The Y1 is a narrow plate and should be used on new construction or doors not yet prepped for Yale wide-stile trims.

Y3A1 - The Y3 is a wide backplate and uses the same dimensions as the escutcheon for the 520/620 lever trims. Use on retrofit projects.

The Y1 plate used with 7100 devices uses 4 thru-bolt studs.

Yale 7200 Series

All narrow stile exits will work with lever trims. Function of device is in trim not in the exit head.

Y1 plate bolts directly to head of 7200 narrow stile exit device in the middle 2 locations.

Sargent Exit Devices

MODEL	TYPE	MP&O	LEVEL
8400	CVR	S1D7	III
8400ET	CVR	S1D8	III
8600	CVR	S1D8	III
8810F	RIM	S2A1	I
8810RD	RIM	S2A1	I
8800R	RIM	S2A1	I
8880R	RIM	S2A1	I
8813	RIM	S2A1	I
8888R	RIM	S6A1	III
8300	MORTISE	S4B2	I
8700	SVR	S4B2	I
8900	MORTISE	S4B2	I
9800	RIM	S4B2	I
9900	MORTISE	S3C1	III
9900	MORTISE	S4B2	I
9700	SVR	S4B2	I

Precision Exit Devices

MODEL	TYPE	MP&O	LEVEL
110	RIM	P1A1	II
110	RIM	P3C1	III
1103R	RIM	P15C3	II
1103R	RIM	P15C3	II
1203	SVR	P1A1	II
200	SVR	P15C1	III
1200	SVR	P1A1	II
1305	MORTISE	P2B1	II
1800	CVR	P601	III
2603	CVR	P8A1	II
2103	RIM	P9A1	III
2208	SVR	P10A1	II
2400	RIM	P13A1	II

*For retrofit. Covers old exterior trim holes.

Dorma Exit Devices

MODEL	TYPE	MP&O	LEVEL
9100	CVR	B1A1	II
5100	CVR	B2A7	II
5300	RIM	B2A7	II
9400	SVR	B1A1	II
9700	RIM	B3A4	II

American Devices

MODEL	TYPE	MP&O	LEVEL
6100-LHR	CVR	A4A1	II
6100-RHR	CVR	A5A1	II

Stanley K2

MODEL	TYPE	MP&O	LEVEL
QED111	RIM	Q1A7	II

We are constantly adding MP&O's based upon customer requests. If the MP&O for an exit device you need is not listed, please contact the factory and we'll work with you to meet your needs.

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.



**YOU WANT,
WE DO**

America's Leading Innovative Manufacturer of Code Compliant Door Locking Solutions




Toll Free: 800.622.LOCK - 718.392.9000 - 54-60 46th St., Maspeth, NY 11378 - www.Securitech.com

ELECTRA™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

CONTROL TRIM PACKAGES FOR MORTISE & CYLINDRICAL LOCKS

Below is pricing for Securitech's popular ELECTRA models.
 To price other custom models start with the series as the base price.
 Add the appropriate prices for each designation.
 The total is the model's list price.



ELECTRA POPULAR MODEL PRICES (Specify handing.)

MODELS (page E3.2)		LIST PRICE
MLA-G20-D11-630	Fire-Rated "A" Series Mortise Lockset; 24vDC Release, Single Entry, Fail-Secure	\$1285
MLA-G20-D21-630	Fire-Rated "A" Series Mortise Lockset; 24vDC Release, Single Entry, Fail-Secure, Request-To-Exit	\$1375
MLA-G20-D24-630	Fire-Rated "A" Series Mortise Lockset; 24vDC Release, Single Entry, Fail-Secure, Key Usage Switch, Latch Position Switch, Request-To-Exit	\$1720
MLA-G20-R11-630	Fire-Rated "A" Series Mortise Lockset; 24vDC Re-Entry Release, Single Entry, Fail-Safe	\$1355
MLA-G20-R21-630	Fire-Rated "A" Series Mortise Lockset; 24vDC Re-Entry Release, Single Entry, Fail-Safe, Request-To-Exit	\$1445
MLA-G20-R24-630	Fire-Rated "A" Series Mortise Lockset; 24vDC Re-Entry Release, Single Entry, Fail-Safe, Request-To-Exit, Key Usage Switch, Latch Position Switch	\$1785
MLN-G20-D21-630	Fire-Rated Narrow-Stile Mortise Lockset; 24vDC Release, Single Entry, Fail-Secure Request-To-Exit	\$1375
CLS-G20-D21-630	Cylindrical Control Trim Package With Fire-Rated Deadlatch; 24vDC Release, Single Entry, Fail-Secure, Request-To-Exit	\$1300
CLS-G20-D24-630	Cylindrical Control Trim Package With Fire-Rated Deadlatch; 24vDC Release, Single Entry, Fail-Secure, Request-To-Exit, Key Usage Switch, Latch Position Switch	\$1645

ELECTRA PRICE LIST

ELECTRA M Series	DESCRIPTION	LIST PRICE
MLA	With "A" Series Mortise Lock	\$1,285
MLP	MLA With Door Position Switch	\$1,510
MLS	With "S" Series Mortise Lock	\$1,380
MLM	With Mini-Mortise Lock	\$1,285
MLN	Narrow Stile Mortise Lock	\$1,285
MLX	Mortise Lock By Others	\$1,175
MLD	MLX With Spindle On Diamond	\$1,225
MLZ	With "Z" Series Detention Mortise Lock	\$1,825
MLQ	MLM With Door Position Switch	\$1,505
M	Change "L" To "M" For Maglock Control Models	add 355

ELECTRA C Series	DESCRIPTION	LIST PRICE
CLS	With 2 1/4" Wide Mounting Plate	\$1,210
CLW	With Extra Wide 3 1/2" Mounting Plate	\$1,260
M	Change "L" To "M" For Maglock Control Models	add 355

TRIM STYLE	DESCRIPTION	ADD TO LIST PRICE
G2	GG Style Trim; Durable, Slip Clutch Models (vandal-resistant)	-

LEVER TYPE	DESCRIPTION	ADD TO LIST PRICE
0	Standard With Return	-
2	Tapered	90
3	Tubular With Return	90
4	Tapered With Return	90

CONTINUED ON NEXT PAGE

ELECTRA™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

FUNCTION GROUPS	DESCRIPTION	ADD TO LIST PRICE
D11	24vDC Release, Single Entry, Fail-Secure (Store Room Function)	-
D13	24vDC Release, Key Usage Switch	\$205
D14	24vDC Release, Key Usage Switch, Latch Position Switch	365
D15	24vDC Release, Key On/Off Switch	150
D16	24vDC Release, Latch Position Switch, Key On/Off Switch	275
D17	24vDC Release, Latch Position Switch	160
D21	24vDC Release, Request-To-Exit Signal	90
D23	24vDC Release, Key Usage Switch, Request-To-Exit Signal	285
D24	24vDC Release, Key Usage Switch, Latch Position Switch, Request-To-Exit Signal	435
D25	24vDC Release, Request-To-Exit Signal, Key On/Off Switch	215
D26	24vDC Release, Latch Position Switch, Request-To-Exit Signal, Key On/Off Switch	375
D27	24vDC Release, Latch Position Switch, Request-To-Exit Signal	235
A27	24vAC Release, Latch Position Switch, Request-To-Exit Signal	235
D31	24vDC Release, Classroom Function	70
D37	24vDC Release, Latch Position Switch, Classroom Function	190
D41	24vDC Release, Request-To-Exit Signal, Classroom Function	155
D47	24vDC Release, Latch Position Switch, Request-To-Exit Signal, Classroom Function	265
R11	Re-Entry Function, 24vDC Required, Fail-Safe	70
R13	Re-Entry Function, Key Usage Switch	255
R17	Re-Entry Function, Latch Position Switch	205
R21	Re-Entry Function, Request-To-Exit Signal	160
R23	Re-Entry Function, Key Usage Switch, Request-To-Exit Switch	360
R24	Re-Entry Function, Key Usage Switch, Latch Position Switch, Request-To-Exit Sign	500
R27	Re-Entry Function, Latch Position Switch, Request-To-Exit Switch	295
A11	24vAC (30VA) Release, Single Entry, Fail-Secure	-
A21	24vAC (30VA) Release, Request-To-Exit Signal	90
M10	Mechanical, Single Entry	-140
M30	Mechanical, Classroom Function	-90
M00	Mechanical, Dummy Trim	-350
M02	Passage Trim With No Cylinder Opening	-180
M03	Passage Trim With Cylinder Opening	-180

MAGLOCK CONTROL	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (For Maglock Control Only)		
E0	Maglock By Others	-
E1	1,200 lb. Holding Force Electromagnetic Lock	755
E2	E1 With Bond Sensor	955
E3	E1 With Door Status Switch	955
E4	E1 With E2 & E3 Features	1155

SPECIAL OPTIONS	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (List As Needed)		
F1	Lever Position Switch	190
F3	Thick Door (2 - 2 1/2")	50
F4	LED Lever Release Indicator	340
F5	Security Fasteners	40
F6	Piezo Sounders For Lever	85

CONTINUED ON NEXT PAGE

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

ELECTRA™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

FINISH	DESCRIPTION	ADD TO LIST PRICE
630	Satin Stainless Steel	-
605	Bright Brass	\$425
606	Satin Brass	370
611	Bright Bronze	Call Factory
612	Satin Bronze	Call Factory
613	Oil Rubbed Bronze -Powder Coated-	250
625	Bright Chrome	Call Factory

DOOR HANDING	DESCRIPTION	ADD TO LIST PRICE
LHR	Left Hand Reverse Door	-
RHR	Right Hand Reverse Door	-
LH	Left Hand Door	-
RH	Right Hand Door	-


All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

ACCED™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

COMPLETE CONTROL TRIM & EXIT DEVICE PACKAGES

Below is pricing for Securitech's popular ACCED models.
 To price other custom models start with the series as the base price.
 Add the appropriate prices for each designation.
 The total is the model's list price.



POPULAR MODEL PRICING (Specify handing.)

MODELS (page E4.2)		LIST PRICE
EDR-G20-D24-AI-630	24vDC Release, Single Entry, Fail-Secure, Key Usage Switch, Latch Position Switch, Request-To-Exit	\$2,700
EDR-G20-D21-AI-630	24vDC Release, Single Entry, Fail-Secure, Request-To-Exit	\$2,315
EDR-G20-R24-AI-630	24vDC Re-Entry Release, Single Entry, Fail-Safe, Key Usage Switch, Latch Position Switch, Request-To-Exit	\$2,765
EDR-G20-R21-AI-630	24vDC Re-Entry Release, Single Entry, Fail-Safe, Request-To-Exit	\$2,365
FDR-G20-D24-AI-630	Fire-Rated, 24vDC Release, Single Entry, Fail-Secure, Key Usage Switch, Latch Position Switch, Request-To-Exit	\$2,845
FDR-G20-D21-AI-630	Fire-Rated, 24vDC Release, Single Entry, Fail-Secure, Request-To-Exit	\$2,460
FDR-G20-R24-AI-630	Fire-Rated, 24vDC Re-Entry Release, Single Entry, Fail-Safe, Key Usage Switch, Latch Position Switch, Request-To-Exit	\$2,910
FDR-G20-R21-AI-630	Fire-Rated, 24vDC Re-Entry Release, Single Entry, Fail-Safe, Request-To-Exit	\$2,510

ACCED PRICE LIST

ACCED R	DESCRIPTION	LIST PRICE
EDR	Rim Exit Device	\$2,205
FDR	Fire-Rated Rim Exit Device	\$2,350
EMR	Rim Device With Maglock Control	\$2,535
FMR	Fire-Rated Rim Device With Maglock Control	\$2,670

ACCED SVR	DESCRIPTION	LIST PRICE
EDS	Surface Vertical Rod Exit Device	\$2,670
FDS	Fire-Rated Surface Vertical Rod Exit Device	\$2,845
EMS	Surface Vertical Rod With Maglock Control	\$3,030
FMS	Fire-Rated EMS Surface Vertical Rod With Maglock Control	\$3,165

ACCED CVR	DESCRIPTION	LIST PRICE
EDC	Concealed Vertical Rod Exit Device	\$2,845
FDC	Fire-Rated Concealed Vertical Rod Exit Device	\$2,985
EMC	Concealed Vertical Rod With Maglock Control	\$3,165
FMC	Fire-Rated Concealed Vertical Rod With Maglock Control	\$3,315

ACCED M	DESCRIPTION	LIST PRICE
EDM	Mortise Exit Lock	\$2,635
FDM	Fire-Rated Mortise Exit Lock	\$2,775
EMM	Mortise Device With Maglock Control	\$2,965
FMM	Fire-Rated Mortise Device With Maglock Control	\$3,110

ACCED RB	DESCRIPTION	LIST PRICE
EDB	Rim Bolt Exit Device	\$2,310
FDB	Fire-Rated Rim Bolt Exit Device	\$2,450
EMB	Rim Bolt Device With Maglock Control	\$2,635
FMB	Fire-Rated Rim Bolt Device With Maglock Control	\$2,775

CONTINUED ON NEXT PAGE

ACCED™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

NARROW STILE	DESCRIPTION	ADD TO LIST PRICE
-N	Narrow-Cover (add designation after series code); Not Available For ACCED M	\$180
TRIM STYLE	DESCRIPTION	ADD TO LIST PRICE
G2	GG Style Trim; Durable, Slip Clutch Models (vandal-resistant)	-
LEVER TYPE	DESCRIPTION	ADD TO LIST PRICE
0	Standard With Return	-
2	Tapered	55
3	Tubular With Return	55
4	Tapered With Return	55
FUNCTION GROUPS	DESCRIPTION	ADD TO LIST PRICE
D11	24vDC Release, Single Entry, Fail-Secure	-
D13	24vDC Release, Key Usage Switch	205
D14	24vDC Release, Key Usage Switch, Latch Position Switch	365
D15	24vDC Release, Key On/Off Switch	150
D16	24vDC Release, Latch Position Switch, Key On/Off Switch	325
D17	24vDC Release, Latch Position Switch	180
D21	24vDC Release, Request-To-Exit Signal	110
D23	24vDC Release, Key Usage Switch, Request-To-Exit Signal	335
D24	24vDC Release, Key Usage Switch, Latch Position Switch, Request-To-Exit Signal	495
D25	24vDC Release, Request-To-Exit Signal, Key On/Off Switch	250
D26	24vDC Release, Latch Position Switch, Request-To-Exit Signal, Key On/Off Switch	420
D27	24vDC Release, Latch Position Switch, Request-To-Exit Signal	265
D31	24vDC Release, Classroom Function	70
D37	24vDC Release, Latch Position Switch, Classroom Function	210
D41	24vDC Release, Request-To-Exit Signal, Classroom Function	155
D47	24vDC Release, Latch Position Switch, Request-To-Exit Signal, Classroom Function	330
R11	Re-Entry Function, 24vDC Required, Fail-Safe	70
R13	Re-Entry Function, Key Usage Switch	255
R17	Re-Entry Function, Latch Position Switch	235
R21	Re-Entry Function, Request-To-Exit Signal	160
R23	Re-Entry Function, Key Usage Switch, Request-To-Exit Switch	360
R24	Re-Entry Function, Key Usage Switch, Latch Position Switch, Request-To-Exit Signal	560
R27	Re-Entry Function, Latch Position Switch, Request-To-Exit Switch	345
A11	24vAC (30VA) Release, Single Entry, Fail-Secure	-105
A21	24vAC (30VA) Release, Request-To-Exit Signal	
M10	Mechanical, Single Entry	-135
M30	Mechanical, Classroom Function	-90
M00	Mechanical, Dummy Trim	-160
DOOR	DESCRIPTION	ADD TO LIST PRICE
A	30" - 36" Wide Doors	-
B	36 1/2" - 48" Wide Doors	75
C	24" - 29 1/2" Wide Doors	545
WIRING	DESCRIPTION	ADD TO LIST PRICE
I	Internal Wiring (at back of bar)	-
T	Armored Transfer Cable	55
L	Internal Wiring With Long Leads	40

CONTINUED ON NEXT PAGE

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

ACCED™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

HEIGHT	DESCRIPTION	ADD TO LIST PRICE
FOR VERTICAL ROD MODELS ONLY (7' Is Standard)		
8	For Doors Up to 96"	65
10	For Doors Up to 120"	245
MECHANICAL DOGGING	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (Electric Dogging Is Standard)		
D	Allen Keyed Dogging	55
KD	Cylinder Keyed Dogging	70
MAGLOCK	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (For Maglock Control Only)		
E0	Maglock By Others	-
E1	1,200 lb. Holding Force Electromagnetic Lock	730
E2	E1 With Bond Sensor	930
E3	E1 With Door Status Switch	930
E4	E1 With E2 & E3 Features	1125
SPECIAL FUNCTIONS	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (List As Needed)		
F1	Lever Position Switch	185
F3	Thick Door (2-2 1/2)	55
F4	LED Lever Release Indicator	335
F5	Security Fasteners	45
F6	Piezo Sounder For Lever	90
FINISH (For Trim Only)	DESCRIPTION	ADD TO LIST PRICE
630	Satin Stainless Steel	-
605	Bright Brass	425
606	Satin Brass	370
611	Bright Bronze	Call Factory
612	Satin Bronze	Call Factory
613	Oil Rubbed Bronze -Powder Coated-	250
629	Polished Stainless Steel	-
626	Satin Chrome	Call Factory
DOOR HANDING	DESCRIPTION	ADD TO LIST PRICE
LHR	Left Hand Reverse Door	-
RHR	Right Hand Reverse Door	-

SS Device

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.



POWER SUPPLY Pricing

54-60 46th Street, Maspeth NY 11378 | toll: 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

POWER SUPPLY PRICE LIST

SINGLE DOOR POWER	DESCRIPTION	LIST PRICE
PS-D111	24vDC Release; Function Groups Begin With "D"	\$480
PS-A111	24vAC (30VA) Release; Function Groups Begin With "A"	480
PS-R111	Re-Entry DC Power; Function Groups Begin With "R"	480
PS-A112	24vAC (30VA) Release; Function Groups Begin With "A" Wet/Dry Input	565
PS-R121	24vDC Release; For Double Sided Trim (Fail Safe)	665
PS-D121	24vDC Release; For Double Sided Trim (Fail Secure)	665
-E	24vDC Electromagnetic Lock Power	add 205
-2	2 Separate Doors; Release By Single Input	add 205
TWO DOOR POWER	DESCRIPTION	LIST PRICE
PS-D131	24vDC Release; Function Groups Begin With "D"	615
PS-A131	24vAC (30VA) Release; Function Groups Begin With "A"; Access Control, Dry Contact	615
PS-R131	Re-Entry DC Power; Function Groups Begin With "R"	615
PS-A132	24vAC (30VA) Release; Function Groups Begin With "A"; Intercom, 16vAC Wet Input or Dry Contact	790
TIMED RELEASE	DESCRIPTION	LIST PRICE
PS-D141	24vDC Release; Function Groups Begin With "D"	1060
PS-R141	Re-Entry DC Power; Function Groups Begin With "R"	1060
-2	To Control 2 Doors With Single Timer	add 145

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.



POWER TRANSFER Pricing

54-60 46th Street, Maspeth NY 11378 | toll: 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

POWER TRANSFER PRICE LIST

YAMAKA	DESCRIPTION	LIST PRICE
YMK-20	Power Transfer Module; Mounts On Top Of Door; Flat Plate Onto Header	\$110
YMK-21	Power Transfer Module; Mounts In Frame With Flat Plate On Door	120

DOOR CORDS	DESCRIPTION	LIST PRICE
DC1-18-A	18" Loop; Stainless Steel Cable, Aluminum Finish Cap	80
DC1-18-D	18" Loop; Stainless Steel Cable, Duronodic Finish Cap	80
DC1-24-A	24" Loop; Stainless Steel Cable, Aluminum Finish Cap	90
DC1-24-D	24" Loop; Stainless Steel Cable, Duronodic Finish Cap	90

PANIC BAR CORD	DESCRIPTION	LIST PRICE
PTC-48	For Doors Up To 36"; Stainless Steel Cable, Includes Clips For Panic Bar	85
PTC-60	For Doors Up To 48"; Stainless Steel Cable, Includes Clips For Panic Bar	105
PTCP-48	For Doors Up To 48"; Stainless Steel Cable & Pipe, Includes Clips For Levers	175

MINI-HINGE	DESCRIPTION	LIST PRICE
ECHFMR-AL-4	Matches Roton 780-112 - 4 Wires - Aluminum	200
ECHFMR-DU-4	Matches Roton 780-112 - 4 Wires - Duronodic	200
ECHFMR-Z-AL-4	Matches Zero 910 - 4 Wires - Aluminum	200
ECHFMR-Z-DU-4	Matches Zero 910 - 4 Wires - Duronodic	200
ECHFMR-AL-6	Matches Roton 780-112 - 6 Wires - Aluminum	225
ECHFMR-DU-6	Matches Roton 780-112 - 6 Wires - Duronodic	225
ECHFMR-Z-AL-6	Matches Zero 910 - 6 Wires - Aluminum	225
ECHFMR-Z-DU-6	Matches Zero 910 - 6 Wires - Duronodic	225
ECHFSSR-AL-4	Matches Roton 780-157 - 4 Wires - Aluminum	290
ECHFSSR-DU-4	Matches Roton 780-157 - 4 Wires - Duronodic	290
ECHFSSR-Z-AL-4	Matches Zero 935 - 4 Wires - Aluminum	290
ECHFSSR-Z-DU-4	Matches Zero 935 - 4 Wires - Duronodic	290
ECHHSSR-AL-4	Matches Roton 780-054 - 4 Wires - Aluminum	290
ECHHSSR-DU-4	Matches Roton 780-054 - 4 Wires - Duronodic	290
ECHHSSR-Z-AL-4	Matches Zero 920 - 4 Wires - Aluminum	290
ECHHSSR-Z-DU-4	Matches Zero 920 - 4 Wires - Duronodic	290

ELECTRIFIED HINGE	DESCRIPTION	LIST PRICE
EH4040-626-4	Full Mortise; 4 Wires, 4" Tall, 4" Wide	345
EH4540-626-4	Full Mortise; 4 Wires, 4.5" Tall, 4" Wide	345
EH4545-626-4	Full Mortise; 4 Wires, 4.5" Tall, 4.5" Wide	345
EH5045-626-4	Full Mortise; 4 Wires, 5" Tall, 4.5" Wide	400
EH5050-626-4	Full Mortise; 4 Wires, 5" Tall, 5" Wide	400
	For Door Position Switch Change Designation "EH" To "ED"	add 185
	For 6 Wires; Change Last Designation To -6	add 95
	For 8 Wires; Change Last Designation To -8	add 145
	For 10 Wires; Change Last Designation To -10	add 170
	Change Finish Designation From "626" To 630 (Stainless Steel)	add 110
	Contact Factory For Heavy Hinge Pricing	

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

RACHIE™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

CODE-COMPLIANT ENTRY & EXIT CONTROL SYSTEMS

*Below is pricing for Securitech's basic 2 door RACHIE Entry & Exit Control Systems.
Contact the factory for Custom Entry & Exit Control Systems.*



BASIC RACHIE MODEL PRICING

SYSTEM (see E6.0)	DESCRIPTION	LIST PRICE
RA-M101	RA-M100 Controller; 2 Doors With Electromagnetic Locks A/B Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, Security Fasteners, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Secure	Call Factory
RA-M102	RA-M100 Controller; 2 Doors With Electromagnetic Locks A/B Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, Security Fasteners, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe	Call Factory
RA-M103	RA-M100 Controller; 2 Doors With Electromagnetic Locks A/B Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, Security Fasteners, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, 630 Stainless Steel Finish Exterior: Fail-Safe Interior: Fail-Safe	Call Factory
RA-M104	RA-M100 Controller; 2 Doors With Electromagnetic Locks A/B Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, Security Fasteners, 630 Stainless Steel Finish Exterior: Fail-Safe Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Bond Sensor, Door Status Switch, 630 Stainless Steel Finish Exterior: Fail-Safe Interior: Fail-Safe	Call Factory


All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

RACHIE™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

CODE-COMPLIANT ENTRY & EXIT CONTROL SYSTEMS

*Below is pricing for Securitech's basic 2 door RACHIE Entry & Exit Control Systems.
Contact the factory for Custom Entry & Exit Control Systems.*



BASIC RACHIE MODEL PRICING

SYSTEM (see E6.0)	DESCRIPTION	LIST PRICE
RA-E101	RA-E100 Controller; 2 Doors With Electric Trims Only A/B Door: "A" Series Mortise Lock With GG Trim, Door Position Switch Body, Request-To-Exit (both sides), Latch Position Switch 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Lever Postion Switch, Latch Position Switch, Request-To-Exit (both sides), Door Position Switch, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Secure	Call Factory
RA-E102	RA-E100 Controller; 2 Doors With Electric Trims Only A/B Door: "A" Series Mortise Lock With GG Trim, Door Position Switch Body, Request-To-Exit (both sides), Latch Position Switch 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Lever Postion Switch, Latch Position Switch, Request-To-Exit (both sides), Door Position Switch, 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe	Call Factory
RA-E103	RA-E100 Controller; 2 Doors With Electric Trims Only A/B Door: "A" Series Mortise Lock With GG Trim, Door Position Switch Body, Request-To-Exit (both sides), Latch Position Switch 630 Stainless Steel Finish Exterior: Fail-Secure Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Lever Postion Switch, Latch Position Switch, Request-To-Exit (both sides), Door Position Switch, 630 Stainless Steel Finish Exterior: Fail-Safe Interior: Fail-Safe	Call Factory
RA-E104	RA-E100 Controller; 2 Doors With Electric Trims Only A/B Door: "A" Series Mortise Lock With GG Trim, Door Position Switch Body, Request-To-Exit (both sides), Latch Position Switch 630 Stainless Steel Finish Exterior: Fail-Safe Interior: Fail-Safe C/D Door: "A" Series Mortise Lock With GG Trim, Lever Postion Switch, Latch Position Switch, Request-To-Exit (both sides), Door Position Switch, 630 Stainless Steel Finish Exterior: Fail-Safe Interior: Fail-Safe	Call Factory


All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

ARTE™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

CODE-COMPLIANT RELEASE OF ELECTROMAGNETIC LOCKS

Below is pricing for Securitech's popular ELECTRA models.
 To price other custom models start with the series as the base price.
 Add the appropriate prices for each designation.
 The total is the model's list price.



POPULAR MODEL PRICING (Specify handing.)

MODELS (page E5.1)	LIST PRICE
STL-G10-SJN-EO-630 Single Trim With Jack-Nuts; No Lock Control	\$ 640
STA-G10-PTB-EO-630 Pair Of Trims With Thru-Bolts; "A" Series Mortise Lock	\$1025

ARTE PRICE LIST

SERIES	DESCRIPTION	LIST PRICE
STL	Single Lever Trim Only; No Lock Control	640
STA	Single Lever Trim With "A" Series Mortise Lock	820
STC	Single Lever Trim With Cylindrical Latch set	755
STM	Mini Mortise Lock	805
STN	Narrow Stile Mortise Lock	805
STX	Single Lever Trim With Mortise Lock By Others	755
M	Change "T" To "M" For Maglock Control - Single Trim	add 170
	- Pair of Trims	add 330

TRIM STYLE	DESCRIPTION	ADD TO LIST PRICE
G1	GG Style Trim	

LEVER TYPE	DESCRIPTION	ADD TO LIST PRICE
0	Standard With Return	Single/Pair
2	Tapered	55 90
3	Tubular With Return	55 90
4	Tapered With Return	55 90

TRIM SIDES	DESCRIPTION	ADD TO LIST PRICE
S	Single Trim	-
P	Pair; Exterior Lever Does Not Have Switches	170

MOUNTING	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (For Single Trim Models Only)		
JN	Jack-Nuts	-
TB	Thru-Bolt	35

MAGNETIC LOCK	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (Maglock Control Models Only)		
E0	Maglock By Others	-
E1	1,200 lb. Holding Force	730
E2	E1 With Bond Sensor	930
E3	E1 With Door Status Switch	930
E4	E1 With E2 & E3 Features	1155

CONTINUED ON NEXT PAGE

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.

ARTE™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

SPECIAL OPTIONS	DESCRIPTION	ADD TO LIST PRICE
OPTIONAL (List As Needed)		
F3	Thick Door (2 - 2 1/2")	50
F5	Security Fasteners	45
F7	Exterior Lever Activated Switch	165

FINISH	DESCRIPTION	ADD TO LIST PRICE
630	Satin Stainless Steel	-
605	Bright Brass	390
606	Satin Brass	330
625	Bright Chrome	390
626	Satin Chrome	390

HANDING	DESCRIPTION	ADD TO LIST PRICE
LH	Left Hand	-
LHR	Left Hand Reverse	-
RH	Right Hand	-
RHR	Right Hand Reverse	-


All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.



SECURIGUARD™ Pricing

54-60 46th Street, Maspeth NY 11378 | 800.622.LOCK | local: 718.392.9000 | fax: 718.392.8944 | www.securitech.com

CONCEALED CYLINDER RESISTS VANDALISM, BUMPING, & UNAUTHORIZED KEY USE



Select a model and finish.

SECURIGUARD PRICE LIST

MODELS	DESCRIPTION	LIST PRICE
6300	Standard Unit	\$235
6302	Use Over 'Schlage' Dead Bolts	275
6305	For IC Cylinders (includes 63BAP)	275
63PP	With Pull For Use With Exit Devices	450
6310	6300 Furnished With 3 Keys	250
6315	6305 Furnished With 3 Keys	305
6400	6300 With Removable Bay	255
6402	6302 With Removable Bay	320
6405	6305 With Removable Bay	320
64PP	63PP With Removable Bay	480
6300DG	Blank Faceplates - No Locking	145
FINISH	DESCRIPTION	LIST PRICE
AL	Aluminum	
JB	Jet Black	
ACCESSORIES	DESCRIPTION	LIST PRICE
63BAP	Converts 6300 Or 6310 For Use With Removable Core Cylinders	55
63KEY	1 Additional Key With Combination	27
63BAY	2 Replacement Locking Bay With 2 Keys	145

All hardware is manufactured for Standard 3' x 7' x 1-3/4" doors.