











SPECIFICATIONS

FOR DOORS: • For doors 1-3/8" (35mm) to 1-3/4" (44mm) thick standard

BACKSET: • 2-3/4" (70mm) default. Optional: 2-3/8" (60mm);

STRIKE: • "Full Lip" strike (default). "T" strike and ANSI/ASA strike optional

ROSE DIMENSIONS: • Standard Rose: 2-3/8" DIA • Square Rose: 2-9/16"

DOOR PREP: • ANSI Standard 115.2, Type 161 for 2-3/4" Backset • Type 160 optional **LATCH BOLTS:** • 2-3/4" backset has 1-1/8" faceplate. 2-3/8" backset has a 1" faceplate

HAND: • Non-handed, except Memphis and Orlando

FINISHES: • 605 (US3) Bright Brass, 606 (US4) Satin Brass, 612 (US10) Satin Bronze, 613 (US10B) Oil Rubbed Bronze,

629 (US32) Bright Stainless Steel, 630 (US32D) Satin Stainless Steel

· Antimicrobial coating available on 630 only

TRIM: • Stainless Steel Levers and roses

LEVER DESIGNS: • Philadelphia, Boston, Miami, Chicago, Memphis, Orlando, Dallas and Ball Knob.

Other levers available. Contact PDQ Customer Service.

CERTIFICATIONS, LISTINGS

COMPLIANCES: • Complies with ADA (Americans with Disabilities Act) and ICC/ANSI 117.1 for Accessible and Usable Buildings

WARRANTY: • Five (5) year limited warranty

FINISH OPTIONS



605 (US3) Bright Brass, Clear Coated



606 (US4) Satin Brass, Clear Coated



612 (US10) Satin Bronze, Clear Coated



613 (US10B)
Oil Rubbed Bronze,
Oxidized Satin Bronze,
Oil Rubbed, No Coating



629 (US32) Bright Stainless Steel, No Coating



630 (US32D) Satin Stainless Steel, No Coating

Note: PDQ offers full stainless steel levers, ball knobs, roses, collars and escutcheons which comply with ANSI/BHMA Finish 630. Specify 630 in lieu of 619.

STRIKES

Full Lip Strike* 1-5/8" x 2-1/4" x 3/32"



*Not to scale


T Strike Square Corners* 1-1/8" x 2-3/4" x 3/32"




ASA Strike* 1-1/4" x 4-7/8" x 3/32"





TRIM - ROUND ROSE





F





PHILADELPHIA (PHL)


CHICAGO (CHI)


- 2½"


2%"


MEMPHIS (MEM) (SPECIFY HANDING)

DALLAS (DAL)










ORLANDO (ORL) (SPECIFY HANDING)


BOSTON (BSN)


MIAMI (MIA)


BALL KNOB (K)

TRIM - SQUARE ROSE











PHILADELPHIA (PHL)


CHICAGO (CHI)


MEMPHIS (MEM) (SPECIFY HANDING)

DALLAS (DAL)









ORLANDO (ORL) (SPECIFY HANDING)

BOSTON (BSN)

MIAMI (MIA)

BALL KNOB (K)

HOW TO ORDER

SERIES	TRIM	FINISH	BACKSET	STRIKE
TJ Series Decorative Tubular Lock	BSN – Boston CHI – Chicago DAL – Dallas MEM – Memphis (Specify Handing) MIA – Miami ORL – Orlando (Specify Handing) PHL – Philadelphia K – Ball Knob	605 – Bright Brass 606 – Satin Brass 612 – Satin Bronze 613 – Oil Rubbed Bronze 629 – Bright Stainless Steel 630 – Stainless Steel	234 - 2-3/4" – Default 238 - 2-3/8" – Optional	FL – Full Lip Strike – (Default) T – "'T' Strike ASA – ANSI/ASA Strike
TJ 176	PHL —	630 —	234 —	FL
125 - Communicating 126 - Passage/Closet 176 - Privacy/Bedroom/ Bathroom 205 - Double Dummy 211 - Single Dummy	Blank – Round Rose (Default) SR - Square Rose	AM - Antimicrobial	LH – Left Hand RH – Right Hand	
FUNCTION	ROSE OPTION	SPECIAL FINISH Coating	HANDING (REQUIRED FOR MEMPHIS AND ORLANDO LEVERS ONLY)	

ORDERING EXAMPLES: PRIVACY WITH ROUND ROSE: TJ 176 PHL 630 234 FL PRIVACY WTIH SQUARE ROSE: TJ 176 PHL SR 630 234 FL

PDQ FUNCTIONS

FUNCTION	FUNCTION NUMBER	INSIDE OUTSIDE	DESCRIPTION	ANSI Number
			NON KEYED	
Communicating	TJ 125		 Latchbolt operated by lever from inside Non removable blank outside 	F111
Passage Closet	TJ 126		Latchbolt operated by lever from either side	F75
Privacy Bedroom Bathroom	TJ 176		Latchbolt operated by lever from either side Outside lever locked by push button on inside Outside lever unlocked by emergency release from outside, rotating inside lever, or closing door	F76
Double Dummy	TJ 205		 Pull lever both sides No mechanical operation 	ı
Single Dummy	TJ 211		Pull lever one sideNo mechanical operation	_




CROSS REFERENCE

ANSI #	PDQ Function	DESCRIPTION	CORBIN	DORMA	FALCON	MARKS	SARGENT	SCHLAGE	YALE
F111	TJ 125	COMMUNCIATING	TL3780	T925	Y161	NB	DLU15-3	N/A	RL228
F75	TJ126	PASSAGE/CLOSET	TL3710	T910	Y101	N	DLU15	LT10	RL201
F76	TJ176	PRIVACY	TL3720	T940	Y301	L	DLU65	LT40	RL202
_	TJ205	DOUBLE DUMMY	TL3770	T902	N/A	DT	DLU94	L0172	RL255D
_	TJ211	SINGLE DUMMY	TL3750	T901	Y12	DI or DO	DLU93	L0170	RL255

LEVER, KNOB AND TRIM OPTIONS	PDQ	CORBIN	DORMA	FALCON	MARKS	SARGENT	SCHLAGE	YALE
	BOSTON	N/A	LC	QUANTUM	86	Р	17	N/A
	CHICAGO	N/A	LA	N/A	78	W, MH	02	TN
	DALLAS	128	LT	N/A	82	J, NF	03	N/A
LEVER DESIGNS	MEMPHIS	111	L114	N/A	83	A	12	N/A
	MIAMI	N/A	LD	N/A	N/A	В	M56	N/A
	ORLANDO	102	L118	N/A	N/A	F, MD	LATITUDE	ТВ
	PHILADELPHIA	125	LR	DANE	92	L	06	UC
BALL KNOB	N/A	N/A	N/A	HANA	10, 20, 30	N/A	N/A	N/A
TRIM	ROUND ROSE	T, U, V	В	Y SERIES	RS, RW	0	B and C	YES
Iniivi	SQUARE ROSE	E2	N/A	N/A	RK, RX	E2	N/A	N/A

Information on this sheet is compiled form public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

NOTES:





Headquarters: 2754 Creek Hill Road • Leola, PA 17540 • 800.441.9692 • 717.656.6892 Fax Regional Distribution Centers: Kansas City, MO, Salt Lake City, UT, Seattle, WA www.pdqlocks.com

PDQ'S TJ Series Brochure is now printed entirely on Forest Stewardship Council™ certified paper. FSC Certification ensures that the paper used in this catalog contains fiber from well-managed and responsibly harvested forests that meet strict environmental and socioeconomic standards. We're proud to be one of the first hardware manufacturers in the country to make this significant move to help our environment. The FSC logo on our brochure signals not only FSC Certification, but also PDQ's commitment to improving the environment.

